


Nos. 08-7412, 08-7621

IN THE
United States Supreme Court

——
TERRANCE JAMAR GRAHAM, *Petitioner,*
v.
STATE OF FLORIDA, *Respondent.*

(Additional Caption On the Reverse)

*On Writ of Certiorari to the
District Court of Appeal of Florida, First District*

**BRIEF FOR THE AMERICAN MEDICAL
ASSOCIATION AND THE AMERICAN
ACADEMY OF CHILD AND ADOLESCENT
PSYCHIATRY AS *AMICI CURIAE*
IN SUPPORT OF NEITHER PARTY**

Khai LeQuang
ORRICK, HERRINGTON
& SUTCLIFFE LLP
777 South Figueroa Street,
Suite 3200
Los Angeles,
California 90017-5855
213-629-2020

E. Joshua Rosenkranz
Counsel of Record
Gregory S. Schwegmann
ORRICK, HERRINGTON
& SUTCLIFFE LLP
666 Fifth Avenue
New York,
New York 10103-0001
212-506-5000

Counsel for Amici Curiae

July 23, 2009

JOE HARRIS SULLIVAN,

Petitioner,

v.

STATE OF FLORIDA,

Respondent.

QUESTION PRESENTED

Whether the Eighth Amendment's ban on cruel and unusual punishment prohibits the imprisonment of a juvenile for life without the possibility of parole as punishment for the juvenile's commission of a non-homicide offense.

TABLE OF CONTENTS

	<i>Page</i>
QUESTION PRESENTED	i
TABLE OF CITED AUTHORITIES.....	iii
INTERESTS OF AMICI CURIAE.....	1
SUMMARY OF ARGUMENT	2
ARGUMENT	4
THE STRUCTURAL AND FUNCTIONAL IMMATURITIES OF THE ADOLESCENT BRAIN PROVIDE A BIOLOGICAL BASIS FOR THE BEHAVIORAL IMMATURITIES EXHIBITED BY ADOLESCENTS.	4
A. Adolescents Are Less Able Than Adults to Voluntarily Control Their Behavior.	5
B. Recent Studies of the Brain Have Established a Biological Basis for the Observed Immaturities in Adolescent Behavior.	13
1. Adolescent Brains Are Structurally Immature in Areas of the Brain Associated With Enhanced Abilities of Executive Behavior Control.	16
2. Adolescent Brains Tend to Be More Active Than Adult Brains in Regions Associated With Risky, Impulsive, and Sensation- Seeking Behavior and Less Active in Regions Associated With the Ability to Voluntarily Control Behavior.	24

TABLE OF CONTENTS

	<i>Page</i>
CONCLUSION.....	31

TABLE OF CITED AUTHORITIES

	<i>Pages</i>
 Scientific Authorities	
Adolphs, Ralph et al., <i>Fear and the Human Amygdala</i> , 15 J. NEUROSCI. 5879 (1995).....	26, 28
Adolphs, Ralph, <i>Neural Systems for Recognizing Emotion</i> , 12 CURRENT OPINION IN NEUROBIO. 169 (2002)	26
Adolphs, Ralph, <i>The Human Amygdala and Emotion</i> , 5 NEUROSCIENTIST 125 (1999).....	27
Andersen, Susan L., <i>Trajectories Of Brain Development: Point of Vulnerability or Window of Opportunity?</i> 27 NEUROSCI. AND BIOBEHAV. REVS 3 (2003)	8, 29
Anderson, Steve W. et al., <i>Impairment of Social and Moral Behavior Related to Early Damage in Human Prefrontal Cortex</i> , 2 NATURE NEUROSCI. 1032 (1999).....	17
Antoine, Florence, <i>Cooperative Group Evaluating Diagnostic Imaging Techniques</i> , 81 J. NAT'L CANCER INST. 1347 (1989).....	13

Cited Authorities

	<i>Pages</i>
Baird, Abigail A. et al., <i>Functional Magnetic Resonance Imaging of Facial Affect Recognition in Children and Adolescents</i> , 38 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 1 (1999)	27
Barnes, Kelly Anne et al., <i>Developmental Differences in Cognitive Control of Socio-Affective Processing</i> , 32:3 DEVELOPMENTAL NEUROPSYCHOL. 787 (2007)	10
Beauregard, Mario et al., <i>Neural Correlates of Conscious Self-Regulation of Emotion</i> , 21 J. NEUROSCI. 165RC (2001)	27
Bechara, Antoine et al., <i>Characterization of the Decision-Making Deficit of Patients with Ventromedial Prefrontal Cortex Lesions</i> , 123 BRAIN 2189 (2000).....	17
Bechara, Antoine et al., <i>Dissociation of Working Memory From Decision Making Within the Human Prefrontal Cortex</i> , 18 J. NEUROSCI. 428 (1998)	17
Blakemore, S. J., <i>Adolescent Development of the Neural Circuitry for Thinking About Intentions</i> , 2:2 SOC. COGNITIVE & AFFECTIVE NEUROSCI. 130 (2007)	24

Cited Authorities

	<i>Pages</i>
Breiter, Hans C. et al., <i>Response and Habituation of the Human Amygdala During Visual Processing of Facial Expression</i> , 17 NEURON 875 (1996)	26
Bunge, Silvia A. et al., <i>Immature Frontal Lobe Contributions to Cognitive Control in Children: Evidence from fMRI</i> , 33 NEURON 301 (2002).....	16
Burnett, Stephanie et al., <i>Development During Adolescence of the Neural Processing of Social Emotion</i> , 21:9 J. COGNITIVE NEUROSCI. 173 (2009)	24
Casey, B. J. et al., <i>Contribution of Frontostriatal Fiber Tracts to Cognitive Control in Parent–Child Dyads With ADHD</i> , 164:11 AM. J. PSYCHIATRY 1729 (2007).....	25
Casey, B. J. et al., <i>Structural and Functional Brain Development and Its Relation to Cognitive Development</i> , 54 BIOLOGICAL PSYCHOL. 241 (2000)	16, 18
Casey, B. J. et al., <i>The Adolescent Brain</i> , 28 DEVELOPMENTAL REV. 62 (2008).....	<i>passim</i>

Cited Authorities

	<i>Pages</i>
Cauffman, Elizabeth & Shulman, Elizabeth, <i>Age Differences in Affective Decision Making as Indexed by Performance on the Iowa Gambling Task</i> , DEVELOPMENTAL PSYCHOL. (forthcoming 2009)	8
Cauffman, Elizabeth & Steinberg, Lawrence, <i>(Im)Maturity of Judgment in Adolescents: Why Adolescents May Be Less Culpable Than Adults</i> , 18 BEHAV. SCI. & L. 741 (2000).....	6, 12
Chambers, Andrew R., Taylor, Jane R. & Potenza, Marc N., <i>Developmental Neurocircuitry of Motivation in Adolescence: A Critical Period of Addiction Vulnerability</i> , 160 AM. J. PSYCHIATRY 1041 (2003).....	29
Crews, Fulton, He, Jun & Hodge, Clyde, <i>Adolescent Cortical Development: A Critical Period of Vulnerability for Addiction</i> , 86 PHARMACOLOGY BIOCHEMISTRY AND BEHAV. 189 (2007).....	8, 29
Crone, Eveline A. et al., <i>Neurocognitive Development of Relational Reasoning</i> , 12:1 DEVELOPMENTAL SCI. 55 (2009).....	16

Cited Authorities

	<i>Pages</i>
Dias, R. et al., <i>Dissociable Forms of Inhibitory Control Within Prefrontal Cortex With an Analog of the Wisconsin Card Sort Test: Restriction to Novel Situations and Independence From "On-Line" Processing</i> , 17 J. NEUROSCI. 9285 (1997).....	16
Durston, Sarah et al., <i>Anatomical MRI of the Developing Human Brain: What Have We Learned?</i> 40 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 1012 (2001)	13, 18, 22
Durston, Sarah & Casey, B. J., <i>What Have We Learned About Cognitive Development from Neuroimaging?</i> , 44 NEUROPSYCHOLOGIA 2149 (2006).....	5
Elliott, R. et al., <i>Differential Neural Response to Positive and Negative Feedback in Planning and Guessing Tasks</i> , 35 NEUROPSYCHOLOGIA 1395 (1997).....	17
Ernst, Monique et al., <i>Neurobiology of the Development of Motivated Behaviors in Adolescence: A Window into a Neural Systems Model</i> , 93 PHARMACOLOGY, BIOCHEMISTRY & BEHAV. 199 (2009)	26
Ernst, Monique et al., <i>Triadic Model of the Neurobiology of Motivated Behavior in Adolescence</i> , 36 PSYCHOL. Med. 299 (2006).....	30

Cited Authorities

	<i>Pages</i>
Eshel, Neir et al., <i>Neural Substrates of Choice in Adults and Adolescents: Development of the Ventrolateral Prefrontal and Anterior Cingulate Cortices</i> , 45 NEUROPSYCHOLOGIA 1270 (2007).....	28
Fair, Damien A. et al., <i>Development of Distinct Control Networks Through Segregation and Integration</i> , 104 PROC. NAT'L ACAD. SCI. U.S. 13507 (2007).....	23
Furby, Lita & Beyth-Maron, Ruth, <i>Risk Taking in Adolescence: A Decision-Making Perspective</i> , 12 DEVELOPMENTAL REV. 1 (1992).....	12
Galvan, Adriana et al., <i>Earlier Development of the Accumbens Relative to Orbitofrontal Cortex Might Underlie Risk-Taking Behavior in Adolescents</i> , 26:25 J. NEUROSCI. 6885 (2006)	25, 28
Gardner, William, <i>A Life-Span Rational-Choice Theory of Risk Taking</i> , in ADOLESCENT AND ADULT RISK TAKING: THE EIGHTH TEXAS TECH SYMPOSIUM ON INTERFACES IN PSYCHOLOGY (N. Bell & R. Bell eds., 1993).....	6

Cited Authorities

	<i>Pages</i>
Gazzaniga, Michael S. et al., <i>COGNITIVE NEUROSCIENCE: THE BIOLOGY OF THE MIND</i> (2d ed. 2002).....	<i>passim</i>
Giedd, Jay N. et al., <i>Anatomical Brain Magnetic Resonance Imaging of Typically Developing Children and Adolescents</i> , 48:5 <i>J. AM. ACAD. CHILD ADOLESCENT PSYCHIATRY</i> 465 (2009)	18, 23, 27
Giedd, Jay N. et al., <i>Brain Development During Childhood and Adolescence: A Longitudinal MRI Study</i> , 2 <i>NATURE NEUROSCI.</i> 861 (1999)	15, 17, 20
Giedd, Jay N., <i>The Teen Brain: Insights from Neuroimaging</i> , 42 <i>J. ADOLESCENT HEALTH</i> 335 (2008).....	20
Gläscher, Jan & Adolphs, Ralph, <i>Processing of the Arousal of Subliminal and Supraliminal Emotional Stimuli by the Human Amygdala</i> , 23 <i>J. NEUROSCI.</i> 10274 (2003).....	26
Gogtay, Nitin et al., <i>Dynamic Mapping of Human Cortical Development During Childhood Through Early Adulthood</i> , 101 <i>PROC. NAT'L ACAD. SCI.</i> 8174 (2004)	<i>passim</i>

Cited Authorities

	<i>Pages</i>
Goldberg, Elkhonon, <i>THE EXECUTIVE BRAIN: FRONTAL LOBES & THE CIVILIZED MIND</i> (Oxford Univ. Press, 2001)	21, 26, 27
Hare, Todd A. et al., <i>Biological Substrates of Emotional Reactivity and Regulation in Adolescence During an Emotional Go-Nogo Task</i> , 63:10 <i>BIOLOGICAL PSYCHIATRY</i> 927 (2008).....	25
Hariri, Amhad et al., <i>Modulating Emotional Responses: Effects of a Neocortical Network on the Limbic System</i> , 11 <i>NEUROREPORT</i> 43 (2000).....	27
Huttenlocher, Peter R., <i>Synaptic Density in Human Frontal Cortex: Developmental Changes and Effects of Aging</i> , 163 <i>BRAIN RES.</i> 195 (1979)	19
Kandel, Eric R. et al., <i>PRINCIPLES OF NEURAL SCIENCE</i> (James H. Schwartz & Thomas M. Jessel, eds., McGraw-Hill 2000).....	18
Kennedy, David N. et al., <i>Basic Principles of MRI and Morphometry Studies of Human Brain Development</i> , 5 <i>DEVELOPMENTAL SCI.</i> 268 (2002)	20

Cited Authorities

	<i>Pages</i>
Killgore, William D.S. & Yurgelun-Todd, Deborah, <i>Activation of the Amygdala and Anterior Cingulate During Nonconscious Processing of Sad Versus Happy Faces</i> , 21 NEUROIMAGE 1215 (2004)	27
Kim, Sang Hee & Hamann, Stephan, <i>Neural Correlates of Positive and Negative Emotion Regulation</i> , 19:5 J. COGNITIVE NEUROSCI. 776 (2007)	10
Krain, Amy L. et al., <i>An fMRI Examination of Developmental Differences in the Neural Correlates of Uncertainty and Decision Making</i> , 47:10 J. CHILD PSYCHOL. & PSYCHIATRY 1023 (2006)	25
LaBar, Kevin S. et al., <i>Human Amygdala Activation During Conditioned Fear Acquisition and Extinction: A Mixed-Trial fMRI Study</i> , 20 NEURON 937 (1998).....	26
Lane, Richard D. et al., <i>Neuroanatomical Correlates of Pleasant and Unpleasant Emotion</i> , 35 NEUROPSYCHOLOGIA 1437 (1997).....	26
Langleben, D. D. et al., <i>Brain Activity During Simulated Deception: An Event-Related Functional Magnetic Resonance Study</i> , 15 NEUROIMAGE 727 (2002).....	17

Cited Authorities

	<i>Pages</i>
LeDoux, Joseph, THE EMOTIONAL BRAIN: THE MYSTERIOUS UNDERPINNINGS OF EMOTIONAL LIFE (1996).....	27
Lenroot, R. K. & Giedd, Jay N., <i>Brain Development in Children And Adolescents: Insights from Anatomical Magnetic Resonance Imaging</i> , 30 NEUROSCI. & BEHAV. REVS. 718 (2006)	6
Luna, B. & Sweeney, J. A., <i>The Emergence of Collaborative Brain Function: fMRI Studies of the Development of Response Inhibition</i> , 1021 ANNALS N.Y. ACAD. SCI. 296 (2004).....	23
Luna, Beatrice, <i>The Maturation of Cognitive Control and the Adolescent Brain</i> , in FROM ATTENTION TO GOAL-DIRECTED BEHAVIOR (Francisco Aboitiz and Diego Cosmelli eds., Springer Berlin Heidelberg 2009)	<i>passim</i>
Manes, Facundo et al., <i>Decision-Making Processes Following Damage to the Prefrontal Cortex</i> , 125 BRAIN 624 (2002)	16
McGivern, Robert F. et al., <i>Cognitive Efficiency on a Match to Sample Task Decreases at the Onset of Puberty in Children</i> , 50 BRAIN & COGNITION 73 (2002)..	19, 20

Cited Authorities

	<i>Pages</i>
Moll, Jorge et al., <i>Frontopolar and Anterior Temporal Cortex Activation in a Moral Judgment Task: Preliminary Functional MRI Results in Normal Subjects</i> , 59 ARQ NEUROPSYCHIATR 657 (2001).....	17
Muetzel, Ryan L. et al., <i>The Development of Corpus Callosum Microstructure and Associations With Bimanual Task Performance in Healthy Adolescents</i> , 39:4 NEUROIMAGE 1918 (2008)	30
Nagy, Zoltan, Westerberg, Helena & Klingberg, Torkel, <i>Maturation of White Matter is Associated with the Development of Cognitive Functions During Childhood</i> , 16:7 J. COGNITIVE NEUROSCI. 1227 (2004)21, 22, 24	
O'Doherty, J. et al., <i>Abstract Reward and Punishment Representations in the Human Orbitofrontal Cortex</i> , 4 NATURE NEUROSCI. 95 (2001).....	16
Olson, Elizabeth A., <i>Delay and Probability Discounting Behavior in Healthy Adolescents: Associations With Age, Personality Style, and Other Measures of Executive Function</i> , 43:7 PERSONALITY AND INDIVIDUAL DIFFERENCES 1886 (2007)	30

Cited Authorities

	<i>Pages</i>
Olson, Elizabeth A., <i>White Matter Integrity Predicts Delay Discounting Behavior In Adolescents: A Diffusion Tensor Imaging Study</i> , 21:7 J. COGNITIVE NEUROSCI. 1406 (2008).....	30
Paus, Tomas et al., <i>Structural Maturation of Neural Pathways in Children and Adolescents: In Vivo Study</i> , 283 SCI. 1908 (1999).....	21
Pfefferbaum, Adolf et al., <i>A Quantitative Magnetic Resonance Imaging Study of Changes in Brain Morphology from Infancy to Late Adulthood</i> , 51 ARCHIVES OF NEUROLOGY 874 (1994).....	22
Phan, K. Luan et al., <i>Functional Neuroanatomy of Emotion: A Meta-Analysis of Emotion Activation Studies in PET and fMRI</i> , 16 NEUROIMAGE 331, 336 (2002).....	26, 27
Rogers, Robert D. et al., <i>Choosing Between Small, Likely Rewards and Large, Unlikely Rewards Activates Inferior and Orbital Prefrontal Cortex</i> , 20 J. NEUROSCI. 9029 (1999).....	16

Cited Authorities

	<i>Pages</i>
Rosso, Isabelle M. et al., <i>Cognitive and Emotional Components of Frontal Lobe Functioning in Childhood and Adolescence</i> , 1021 ANNALS N.Y. ACAD. SCI. 355 (2004).....	10, 16
Rubia, K. et al., <i>Functional Frontalisation with Age: Mapping Neurodevelopmental Trajectories with fMRI</i> , 24 NEUROSCI. & BIOBEHAV. REVS. 13 (2000)	22
Siegel, Daniel J., THE DEVELOPING MIND: TOWARD A NEUROBIOLOGY OF INTERPERSONAL EXPERIENCE (Guilford Press 1999).....	19
Sowell, Elizabeth R. et al., <i>Development of Cortical and Subcortical Brain Structures in Childhood and Adolescence: A Structural MRI Study</i> , 44 DEVELOPMENTAL MED. & CHILD NEUROLOGY 4 (2002)	14, 19
Sowell, Elizabeth R. et al., <i>In Vivo Evidence for Post-Adolescent Brain Maturation in Frontal and Striatal Regions</i> , 2 NATURE NEUROSCI. 859 (1999)	15, 17, 18, 22

Cited Authorities

	<i>Pages</i>
Sowell, Elizabeth R. et al., <i>Mapping Continued Brain Growth and Gray Matter Density Reduction in Dorsal Frontal Cortex: Inverse Relationships During Postadolescent Brain Maturation</i> , 21 J. NEUROSCI. 8819 (2001)	14, 17, 21
Sowell, Elizabeth R. et al., <i>Mapping Cortical Change Across the Human Life Span</i> , 6 J. NEUROSCI. 8819 (2001)	15, 18, 21, 22
Spear, Linda Patia, <i>The Adolescent Brain and Age-Related Behavioral Manifestations</i> , 24 NEUROSCI. & BIOBEHAV. REVS. 417 (2000) .. <i>passim</i>	
Steinberg, Laurence & Monahan, Kathryn C., <i>Age Differences in Resistance to Peer Influence</i> , 43 DEVELOPMENTAL PSYCHOL. 1531 (2007).....	9, 11
Steinberg, Laurence & Scott, Elizabeth S., <i>Less Guilty by Reason of Adolescence: Developmental Immaturity, Diminished Responsibility, and the Juvenile Death Penalty</i> , 58 AM. PSYCHOL. 1009 (2003).....	12
Steinberg, Laurence, <i>Adolescent Development and Juvenile Justice</i> , 16:3 ANN. REV. CLINICAL PSYCHOL. 47 (2009)	<i>passim</i>

Cited Authorities

	<i>Pages</i>
Steinberg, Lawrence et al., <i>Age Differences in Future Orientation and Delay Discounting</i> , 80 CHILD DEV. 28 (2009).....	6, 9, 27
Steinberg, Lawrence et al., <i>Age Differences in Sensation Seeking and Impulsivity as Indexed by Behavior and Self-Report: Evidence of a Dual Systems Model</i> , 44:6 DEVELOPMENTAL PSYCHOL. 1774 (2008).....	5, 8, 9
Stevens, Michael C. et al., <i>Functional Neural Networks Underlying Response Inhibition in Adolescents and Adults</i> , 181 BEHAV. BRAIN RESEARCH 12 (2007).....	21
Talukder, Gargi, <i>Decision-Making is Still a Work in Progress for Teenagers</i> , July 2000, http://www.brainconnection.com	28
Towbin, Kenneth E. & Schowalter, John E., <i>Adolescent Development</i> , in PSYCHIATRY (Allan Tasman ed., 2d ed. 2003).....	18, 22
Watts, Liston C. et al., <i>Frontostriatal Microstructure Predicts Individual Differences in Cognitive Control</i> , 16:4 CEREBRAL CORTEX 553 (2006).....	25

Cited Authorities

	<i>Pages</i>
Wright, Samantha B. et al., <i>Neural Correlates of Fluid Reasoning in Children and Adults</i> , 1:8 FRONTIERS HUMAN NEUROSCI. 7 (2008).....	17
Yurgelun-Todd, Deborah, <i>Emotional and Cognitive Changes During Adolescence</i> , 17 CURRENT OPINION IN NEUROBIOLOGY 251 (2007).....	6, 14, 16, 21

INTERESTS OF AMICI CURIAE*

The American Medical Association. With approximately 240,000 members, the American Medical Association is the nation's largest professional organization of physicians and medical students. Founded in 1847, its purpose is to promote the science and art of medicine and the betterment of public health.

The American Academy of Child and Adolescent Psychiatry. Founded in 1953, the American Academy of Child and Adolescent Psychiatry (the "AACAP") is comprised of over 7,500 child and adolescent psychiatrists and other interested physicians. Consistent with the focus of the juvenile court system on rehabilitation rather than retribution and multiple international treaties, including the UN Convention of Rights of the Child, the AACAP has adopted a policy statement strongly opposing the imposition of a sentence of life without the possibility of parole for crimes committed as juveniles. AACAP Policy Statement, June 2009, *available at* http://www.aacap.org/cs/root/policy_statements/life_without_parole_for_juvenile_offenders.

* The parties have consented to the filing of this brief. Pursuant to Rule 37.3(a), letters consenting to the filing of this brief are on file with the Clerk of the Court. No counsel for a party authored this brief in whole or in part, and no counsel or party made a monetary contribution intended to fund the preparation or submission of this brief. No person other than *amici curiae*, their members, or their counsel made a monetary contribution to its preparation or submission.

Each of the above-referenced *amici* is committed to the advancement of science. While not taking a formal position on whether sentencing a juvenile to a term of imprisonment of life without the possibility of parole violates the protections provided by the Eighth Amendment of the U.S. Constitution, *amici* submit this brief to describe the scientific findings of medical, psychiatric, and psychological research relevant to this issue.

SUMMARY OF ARGUMENT

The adolescent's mind works differently from ours. Parents know it. This Court has said it. Legislatures all over the world have presumed it for decades or more. And scientific evidence now sheds light on how and why adolescent behavior differs from adult behavior.

The differences in behavior have been documented by scientists along several dimensions. Scientists have found that adolescents as a group, even at later stages of adolescence, are more likely than adults to engage in risky, impulsive, and sensation-seeking behavior. This is, in part, because they overvalue short-term benefits and rewards, are less capable of controlling their impulses, and are more easily distracted from their goals. Adolescents are also more emotionally volatile and susceptible to stress and peer influences. In short, the average adolescent cannot be expected to act with the same control or foresight as a mature adult.

Behavioral scientists have observed these differences for some time, but only recently have studies provided an understanding of the biological underpinnings for why adolescents act the way they do. For example, brain imaging studies reveal that adolescents generally exhibit more neural activity than adults or children in areas of the brain that promote risky and reward-based behavior. These studies also demonstrate that the brain continues to mature, both structurally and functionally, throughout adolescence in regions of the brain responsible for controlling thoughts, actions, and emotions.

While science cannot gauge moral culpability, scientists can shed light on some of the measurable attributes that the law has long treated as highly relevant to culpability and the appropriateness of punishment. This brief focuses on what science can tell us about the neurological, physiological, psychological, emotional, and behavioral development of adolescents from the perspective of researchers and medical professionals.

ARGUMENT

THE STRUCTURAL AND FUNCTIONAL IMMATURITIES OF THE ADOLESCENT BRAIN PROVIDE A BIOLOGICAL BASIS FOR THE BEHAVIORAL IMMATURITIES EXHIBITED BY ADOLESCENTS.

Although adolescents¹ can, and on occasion do, exhibit adult levels of judgment and control, their ability to do so is limited and unreliable compared to that of adults. Adolescents, as a group, are less capable than adults of accurately assessing risks and rewards; controlling their impulses; and recognizing and regulating emotional responses — in short, they are less consistent in their ability to self-regulate their behavior. *See Point A, infra.*

Moreover, recent advances in brain-imaging technology confirm that the very regions of the brain that are associated with voluntary behavior control and regulation of emotional response and impulsivity are structurally immature during adolescence. Studies have also revealed that these structural immaturities are consistent with age-related differences in both brain function and behavior. *See Point B, infra.*

¹ There is a continuum of differences in brain maturation and cognitive abilities between the youngest and oldest of adolescents. All of the scientific conclusions recounted in this brief, however, are applicable to adolescents as a class—ranging from ages 12 to 17.

A. Adolescents Are Less Able Than Adults to Voluntarily Control Their Behavior.

Numerous studies of adolescent behavior over the last two decades confirm the stereotype that adolescents, as a group, are prone to making impulsive or reactive judgments. “Relative to individuals at other ages, . . . adolescents . . . exhibit a disproportionate amount of reckless behavior, sensation seeking and risk taking.”² Sensation-seeking peaks during adolescence across cultures and species, and may be a normal part of development that promotes learning and independence.³ Nevertheless, sensation-seeking behavior can result in actions that compromise survival (referred to as “risk-taking” behaviors) and involve sub-optimal decision-making. Risk-taking of all sorts — whether drunk driving, unprotected sex, experimentation with drugs, or even criminal activity — is so pervasive that “it is

² Linda Patia Spear, *The Adolescent Brain and Age-Related Behavioral Manifestations*, 24 NEUROSCI. & BIOBEHAV. REVS. 417, 421 n. 1 (2000); Lawrence Steinberg et al., *Age Differences in Sensation Seeking and Impulsivity as Indexed by Behavior and Self-Report: Evidence of a Dual Systems Model*, 44:6 DEVELOPMENTAL PSYCHOL. 1774 (2008); B.J. Casey et al., *The Adolescent Brain*, 28 DEVELOPMENTAL REV. 62, 62-77 (2008); see generally Sarah Durston & B.J. Casey, *What Have We Learned About Cognitive Development from Neuroimaging?*, 44 NEUROPSYCHOLOGIA 2149 (2006).

³ Beatrice Luna, *The Maturation of Cognitive Control and the Adolescent Brain*, in FROM ATTENTION TO GOAL-DIRECTED BEHAVIOR 250 (Francisco Aboitiz and Diego Cosmelli eds., Springer Berlin Heidelberg 2009) (explaining that “these behaviors may be necessary to develop the social skills needed to gain independence in adulthood”).

statistically aberrant to refrain from such [risk-taking] behavior during adolescence.”⁴ The difference between adolescent and adult behavior, however, is not a function of adolescents’ inability to distinguish right from wrong or in their intellectual abilities *per se*, but rather from psychosocial limitations in their ability to consistently and reliably control their behavior.⁵

Specifically, adolescents are less able, on average, than adults to self-regulate, or “cognitively” control, their behavior.⁶ In this sense, “cognitive control” refers to the ability to voluntarily behave in a goal-oriented manner that requires a plan to be executed, especially when presented with more

⁴ Spear, *supra* note 2, at 421; *see also* Casey (2008), *supra* note 2, at 65 (“[R]isk-taking appears to increase during adolescence relative to childhood and adulthood . . .”).

⁵ Elizabeth Cauffman & Lawrence Steinberg, *(Im)Maturity of Judgment in Adolescents: Why Adolescents May Be Less Culpable Than Adults*, 18 BEHAV. SCI. & L. 741, 742 (2000); *see also* William Gardner, *A Life-Span Rational-Choice Theory of Risk Taking*, in ADOLESCENT AND ADULT RISK TAKING: THE EIGHTH TEXAS TECH SYMPOSIUM ON INTERFACES IN PSYCHOLOGY 66, 67 (N. Bell & R. Bell eds., 1993).

⁶ *See* Deborah Yurgelun-Todd, *Emotional and Cognitive Changes During Adolescence*, 17 CURRENT OPINION IN NEUROBIOLOGY 251, 253 (2007); *see also* R.K. Lenroot & Jay N. Giedd, *Brain Development In Children And Adolescents: Insights From Anatomical Magnetic Resonance Imaging*, 30 NEUROSCI. & BEHAV. REVS. 718, 723 (2006); Luna, *supra* note 3, at 249, 51; *see also* Lawrence Steinberg et al., *Age Differences in Future Orientation and Delay Discounting*, 80 CHILD DEV. 28, 40-41 (2009) [hereinafter Steinberg, *Future Orientation*] (“[C]hanges in impulse control and planning are mediated by a ‘cognitive control’ network . . . which matures more gradually and over a longer period of time, into early adulthood.”).

compelling short-term alternatives.⁷ Scientists have identified various interrelated limitations in adolescents' self-regulatory abilities that contribute to their relative inability to control their impulses and their greater tendency to engage in risky or reckless behavior. To name just a few, adolescents (1) tend to be more strongly motivated by the possibility of reward than adults; (2) have greater difficulty controlling their impulses; and (3) have greater difficulty recognizing and regulating emotional responses. We take a closer look at each of these factors below.

Reward Sensitivity. One of the main reasons adolescents are more likely to engage in risky behavior than adults is that adolescents tend to experience heightened levels of sensitivity to rewards, especially to immediate rewards.⁸ Placing a higher value on the potential reward leads to lower risk ratios for adolescents, relative to adults, and thus a higher likelihood of engaging in the risky behavior.⁹ Adolescent behavioral research suggests that adolescents take more risks because they overvalue the potential reward, not because they are less able to appreciate the risks, as was once believed.¹⁰ “[A]dolescents’ greater involvement in risk-taking activity, as

⁷ See Luna, *supra* note 3, at 251.

⁸ See Laurence Steinberg, *Adolescent Development and Juvenile Justice*, 16:3 ANN. REV. CLINICAL PSYCHOL. 47, 57 (2009) [hereinafter Steinberg, *Adolescent Development*].

⁹ *Id.* at 57-58.

¹⁰ *Id.* at 58.

compared to adults, does not appear to stem from youthful ignorance, irrationality, delusions of invulnerability, or misperceptions of risk.”¹¹ Rather, it appears that adolescents and adults perceive *risks* similarly, but they evaluate potential *rewards* differently, especially when the risky behavior is weighed against the cost.¹²

Impulse Control. “A cornerstone of cognitive development is the ability to suppress inappropriate thoughts and actions in favor of goal-directed ones, especially in the presence of compelling incentives.”¹³ Impulse control means allowing a goal-directed response to override a more compelling, yet goal-inappropriate response.¹⁴ The ability to control one’s impulsive reactions to an event or problem is necessary to achieve adult levels of problem solving ability, logical reasoning,

¹¹ Elizabeth Cauffman & Elizabeth Shulman, *Age Differences in Affective Decision Making as Indexed by Performance on the Iowa Gambling Task*, DEVELOPMENTAL PSYCHOL. (forthcoming 2009) (manuscript at 4); see also Steinberg, *Adolescent Development*, *supra* note 8, at 57.

¹² See Susan L. Andersen, *Trajectories of Brain Development: Point of Vulnerability or Window of Opportunity?* 27 NEUROSCI. AND BIOBEHAV. REVS 3, 3-18 (2003); Fulton Crews, Jun He & Clyde Hodge, *Adolescent Cortical Development: A Critical Period of Vulnerability for Addiction*, 86 PHARMACOLOGY BIOCHEMISTRY AND BEHAV. 189 (2007); Spear, *supra* note 2; Cauffman (2009), *supra* note 11, at 4; Steinberg (2008), *supra* note 2, at 1776 (linking lack of impulse control to sensation seeking behaviors).

¹³ See Casey (2008), *supra* note 2, at 64.

¹⁴ See Luna, *supra* note 3, at 251.

and the consistent exercise of good judgment.¹⁵

Adolescents have observable limitations in their ability to control their impulses. The relative inability of adolescents to control impulsive behavior is well-documented by studies on developmental changes in impulsivity and self-management over the course of adolescence.¹⁶ “A number of classic developmental studies have shown that this ability develops throughout childhood and adolescence.”¹⁷ Capacity for self-direction has been shown to increase gradually throughout adolescence and into young adulthood.¹⁸ Likewise, impulsivity tends to decline linearly between the ages of 10 and 30.¹⁹ These findings indicate that adolescents have not yet attained adult levels of impulse control. In other words, adolescents are less able than adults to consistently reflect before they act.

Emotional Regulation. All individuals regulate their emotional responses to events. They increase or decrease their emotional

¹⁵ *See id.*

¹⁶ *See* Steinberg, *Adolescent Development*, *supra* note 8, at 58; *see also* Laurence Steinberg & Kathryn C. Monahan, *Age Differences in Resistance to Peer Influence*, 43 *DEVELOPMENTAL PSYCHOL.* 1531, 1538 (2007); Steinberg (2008), *supra* note 2, at 1772-74.

¹⁷ *See* Casey (2008), *supra* note 2, at 64.

¹⁸ *See* Steinberg, *Future Orientation*, *supra* note 6, at 28-29, 38-40.

¹⁹ Steinberg (2008), *supra* note 2, at 1776; *see* Steinberg, *Adolescent Development*, *supra* note 8, at 57.

reactions to stimuli in accordance with their behavioral goals.²⁰ The ability to regulate one's emotions efficiently is crucial for mental and physical health as well as for appropriate social interactions, and impairment of this capability is associated with affective disorders and a variety of other maladaptive psychological conditions.²¹ This ability, however, does not develop fully until young adulthood.²² As a result, similar to their ability to control impulses, adolescents have less ability to regulate their emotional responses to stimuli than adults.²³

This relative limitation is important for understanding adolescents' ability to voluntarily control their behavior. Indeed, many situations, particularly those involving social interactions, arouse adolescents' emotional system and impact their ability to make informed decisions about their actions. Peer pressure, for example, can arouse emotions of fear, rejection, or desire to impress friends that can undermine the reliability of adolescent behavioral control systems and

²⁰ See Sang Hee Kim & Stephan Hamann, *Neural Correlates of Positive and Negative Emotion Regulation*, 19:5 J. COGNITIVE NEUROSCI. 776 (2007); Kelly Anne Barnes et al., *Developmental Differences in Cognitive Control of Socio-Affective Processing*, 32:3 DEVELOPMENTAL NEUROPSYCHOL. 787 (2007).

²¹ *Id.* at 776.

²² See Casey (2008), *supra* note 2, at 65.

²³ Isabelle M. Rosso et al., *Cognitive And Emotional Components of Frontal Lobe Functioning in Childhood and Adolescence*, 1021 ANNALS N.Y. ACAD. SCI. 355, 360-61 (2004).

result in actions taken without full consideration or appreciation of the consequences.²⁴

Each of these attributes continues to develop throughout adolescence and early adulthood, and is critical to the ability to effectively and consistently control one's behavior.²⁵ The developmental immaturities that adolescents exhibit with respect to each of these attributes compound to make them particularly prone to engage in risky and sensation-seeking behavior.

Researchers have also found that these limitations are especially pronounced when other factors — such as stress, emotions, and peer pressure — enter the equation. These factors affect everyone's cognitive functioning, but they operate on the adolescent mind differently and with special force.

The interplay among stress, emotion, cognition, and voluntary behavior control in teenagers is particularly complex — and different from adults. Stress affects the ability to effectively regulate behavior as well as the ability to weigh costs and benefits and override impulses with rational thought.²⁶ Adolescents are more susceptible to stress from daily events than adults, which

²⁴ See Steinberg (2007), *supra* note 16, at 1536-38 (explaining that “resistance to peer influence increases linearly over the course of adolescence, especially between ages 14 and 18”).

²⁵ See Casey (2008), *supra* note 2, at 68.

²⁶ See Spear, *supra* note 2, at 423; Lita Furby & Ruth Beyth-Maron, *Risk Taking in Adolescence: A Decision-Making Perspective*, 12 DEVELOPMENTAL REV. 1, 22 (1992).

translates into a further distortion of their already skewed cost-benefit analysis.²⁷

Emotion, like stress, also plays an important role in the ability to voluntarily control behavior, influencing decision-making and risk-taking behavior.²⁸ Because of both their greater stress and more drastic hormonal fluctuations, and their relative inability to consistently regulate their emotional responses, adolescents are more emotionally volatile than adults — and children, for that matter.²⁹ As a result, adolescents tend to experience emotional states that are more extreme and more variable than those experienced by adults.³⁰

In sum, the conclusion of the scientific research is that, for a variety of interrelated reasons, adolescents, as a group, cannot be expected to behave or make decisions in the same way as adults.

²⁷ See Spear, *supra* note 2, at 423; Furby, *supra* note 26, at 22.

²⁸ See Laurence Steinberg & Elizabeth S. Scott, *Less Guilty by Reason of Adolescence: Developmental Immaturity, Diminished Responsibility, and the Juvenile Death Penalty*, 58 AM. PSYCHOL. 1009, 1011-13 (2003).

²⁹ See Spear, *supra* note 2, at 429.

³⁰ See *id.* at 429; Cauffman (2000) *supra* note 5, at 743-45, 756-57, 59.

B. Recent Studies of the Brain Have Established a Biological Basis for the Observed Immaturities in Adolescent Behavior.

Modern brain research technologies have developed a body of data from the late 1990s to the present that provides a compelling picture of the inner workings of the adolescent brain.³¹ Indeed, brain imaging data provides convergent evidence for the ways in which adolescents are still immature.³² Developmental neuroscience has now gathered extensive evidence that both the structure of the adolescent brain, and the way it functions, are immature compared to the adult brain.

This insight emerges from sophisticated and non-invasive brain imaging techniques performed by high-resolution structural and functional magnetic resonance imaging (“MRI”) and other technologies.³³ These imaging techniques are a

³¹ See Sarah Durston et al., *Anatomical MRI of the Developing Human Brain: What Have We Learned?* 40 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 1012, 1012 (2001) (reviewing results of MRI studies of brain development in childhood and adolescence); Michael S. Gazzaniga et al., COGNITIVE NEUROSCIENCE: THE BIOLOGY OF THE MIND 20-21, 138 (2d ed. 2002).

³² See Nitin Gogtay et al., *Dynamic Mapping of Human Cortical Development During Childhood Through Early Adulthood*, 101 PROC. NAT’L ACAD. SCI. 8174, 8177 (2004).

³³ “MRI measures the response of atoms in different tissues when they are pulsed with radio waves that are under the influence of magnetic fields thousands of times the strength of the earth’s. Each type of tissue responds differently, emitting

quantum leap beyond previous mechanisms for assessing brain development. Before the rise of neuroimaging, the understanding of brain development was gleaned largely from post-mortem examinations.³⁴ Modern imaging techniques, however, have begun to shed light on how a live brain operates, and how a particular brain develops over time.³⁵

Technological breakthroughs have not only enabled scientists to confirm some of what was previously known or believed, but have also provided new evidence that has changed the way scientists understand the development of the

characteristic signals from the nuclei of its cells. The signals are fed into a computer, the position of those atoms is recorded, and a composite picture of the body area being examined is generated and studied in depth.” Florence Antoine, *Cooperative Group Evaluating Diagnostic Imaging Techniques*, 81 J. NAT’L CANCER INST. 1347, 1348 (1989); *see also* Yurgelun-Todd, *supra* note 6, at 251-52 (explaining that “structural MRI and functional MRI (fMRI), have become important modalities for research on brain development as they have been able to provide a more detailed picture of how the brain changes. The application of these methods to the study of children and adolescents provides an extraordinary opportunity to advance our understanding of neurobiological changes and functional abilities associated with the brain.”).

³⁴ *See* Gazzaniga, *supra* note 31, at 63.

³⁵ *See generally* Elizabeth R. Sowell et al., *Development of Cortical and Subcortical Brain Structures in Childhood and Adolescence: A Structural MRI Study*, 44 DEVELOPMENTAL MED. & CHILD NEUROLOGY 4 (2002); Elizabeth R. Sowell et al., *Mapping Continued Brain Growth and Gray Matter Density Reduction in Dorsal Frontal Cortex: Inverse Relationships During Postadolescent Brain Maturation*, 21 J. NEUROSCI. 8819 (2001).

human brain as it progresses from childhood through adolescence and into adulthood.³⁶ “Structural brain imaging studies in normal children and adolescents have been helpful in relating the dramatic maturation of cognitive, emotional, and social functions with the brain structures that ultimately underlie them.”³⁷

In this regard, two complementary observations have been especially revealing. First, the parts of the brain that work together to support the control of behavior, including the prefrontal cortex (which comprises roughly the front third of the human brain), continue to mature even through late adolescence.³⁸ Second, in making behavioral choices, adolescents rely more heavily than adults on systems and areas of the brain that promote risk-taking and sensation-seeking behavior.

³⁶ See Elizabeth R. Sowell et al., *In Vivo Evidence for Post-Adolescent Brain Maturation in Frontal and Striatal Regions*, 2 NATURE NEUROSCI. 859 (1999); see also Jay N. Giedd et al., *Brain Development During Childhood and Adolescence: A Longitudinal MRI Study*, 2 NATURE NEUROSCI. 861 (1999).

³⁷ Elizabeth R. Sowell et al., *Mapping Cortical Change Across the Human Life Span*, 6 NATURE NEUROSCI. 309 (2003); see also Gogtay, *supra* note 32, at 8177.

³⁸ See Casey (2008), *supra* note 2, at 68.

1. Adolescent Brains Are Structurally Immature in Areas of the Brain Associated With Enhanced Abilities of Executive Behavior Control.

When it comes to “response inhibition, emotional regulation, planning and organization,” the so-called executive functions, a crucial part of the brain is the prefrontal cortex.³⁹ The prefrontal cortex is associated with a variety of cognitive abilities,⁴⁰ including those associated with voluntary behavior control and inhibition⁴¹ such

³⁹ Sowell (1999), *supra* note 36, at 860; *see* Eveline A. Crone et al., *Neurocognitive Development of Relational Reasoning*, 12:1 DEVELOPMENTAL SCI. 55, 56 (2009) (explaining that “[n]europsychological and neuroimaging studies have shown that prefrontal cortex is strongly implicated in relational reasoning.”); *see also* Gazzaniga, *supra* note 31, at 75; Isabelle M. Rosso et al., *Cognitive and Emotional Components of Frontal Lobe Functioning in Childhood and Adolescence*, 1021 ANNALS N.Y. ACAD. SCI. 355, 360-61 (2004) (finding a correlation between frontal lobe development in adolescents, response inhibition and social anxiety levels); *see generally*, Silvia A. Bunge et al., *Immature Frontal Lobe Contributions to Cognitive Control in Children: Evidence from fMRI*, 33 NEURON 301 (2002).

⁴⁰ *See* B.J. Casey et al., *Structural and Functional Brain Development and Its Relation to Cognitive Development*, 54 BIOLOGICAL PSYCHOL. 241, 244 (2000).

⁴¹ *See* R. Dias et al., *Dissociable Forms of Inhibitory Control Within Prefrontal Cortex With an Analog of the Wisconsin Card Sort Test: Restriction to Novel Situations and Independence From “On-Line” Processing*, 17 J. NEUROSCI. 9285 (1997); Durston, *supra* note 27, at 1016; *see also* Yurgelun-Todd, *supra* note 6, at 253.

as risk assessment,⁴² evaluation of reward and punishment,⁴³ and impulse control.⁴⁴ More generally, other functions associated with the prefrontal cortex include decision-making,⁴⁵ the ability to judge and evaluate future consequences,⁴⁶ recognizing deception,⁴⁷ responses to positive and negative feedback,⁴⁸ working memory,⁴⁹ and making moral judgments.⁵⁰

⁴² See Facundo Manes et al., *Decision-Making Processes Following Damage to the Prefrontal Cortex*, 125 *BRAIN* 624 (2002).

⁴³ See J. O'Doherty et al., *Abstract Reward and Punishment Representations in the Human Orbitofrontal Cortex*, 4 *NATURE NEUROSCI.* 95 (2001); Robert D. Rogers et al., *Choosing Between Small, Likely Rewards and Large, Unlikely Rewards Activates Inferior and Orbital Prefrontal Cortex*, 20 *J. NEUROSCI.* 9029 (1999).

⁴⁴ See Antoine Bechara et al., *Characterization of the Decision-Making Deficit of Patients with Ventromedial Prefrontal Cortex Lesions*, 123 *BRAIN* 2189, 2198-99 (2000).

⁴⁵ See Samantha B. Wright et al., *Neural Correlates of Fluid Reasoning in Children and Adults*, 1:8 *FRONTIERS HUMAN NEUROSCI.* 7 (2008) (finding that important changes in the prefrontal cortex during adolescence lead to the development of logical reasoning abilities); see also Antoine Bechara et al., *Dissociation of Working Memory from Decision Making Within the Human Prefrontal Cortex*, 18 *J. NEUROSCI.* 428 (1998).

⁴⁶ See Bechara (2000), *supra* note 44.

⁴⁷ See D. D. Langleben et al., *Brain Activity During Simulated Deception: An Event-Related Functional Magnetic Resonance Study*, 15 *NEUROIMAGE* 727 (2002).

⁴⁸ See R. Elliott et al., *Differential Neural Response to Positive and Negative Feedback in Planning and Guessing Tasks*, 35 *NEUROPSYCHOLOGIA* 1395 (1997).

⁴⁹ See Luna, *supra* note 3, at 264.

The brain's frontal lobes are still structurally immature well into late adolescence,⁵¹ and the prefrontal cortex is "one of the last brain regions to mature."⁵² This, in turn, means that "response inhibition, emotional regulation, planning and organization . . . continue to develop between adolescence and young adulthood."⁵³

The adolescent's frontal lobes, and specifically the prefrontal cortex, are underdeveloped in two distinct ways, each of which directly affects brain functioning. First, pruning is incomplete. Second,

⁵⁰ See Jorge Moll et al., *Frontopolar and Anterior Temporal Cortex Activation in a Moral Judgment Task: Preliminary Functional MRI Results in Normal Subjects*, 59 ARQ NEUROPSYCHIATR 657 (2001); Steve W. Anderson et al., *Impairment of Social and Moral Behavior Related to Early Damage in Human Prefrontal Cortex*, 2 NATURE NEUROSCI. 1032 (1999).

⁵¹ See Gogtay, *supra* note 32, at 8174 (subjects of study aged 4 to 21 years); Giedd, *supra* note 36, at 861 (subjects of study aged 4.2 to 21.6 years); Sowell (1999), *supra* note 36, at 860-61 (subjects of study aged 12 to 16 and 23 to 30 years); see also Sowell (2001), *supra* note 35, at 8026 (noting pronounced brain maturational processes continuing into post-adolescence; subjects of study aged 7 to 30 years); Sowell (2003), *supra* note 37, at 309 (subjects of study aged 7 to 87 years).

⁵² Casey, *supra* note 40, at 243; see also Gogtay, *supra* note 32, at 8175.

⁵³ Sowell (1999), *supra* note 36, at 860; see also Kenneth E. Towbin & John E. Schowalter, *Adolescent Development*, in PSYCHIATRY 145, 151-52 (Allan Tasman ed., 2d ed. 2003).

This paper recognizes the link between "improvement during adolescence in specific cognitive skills such as organizing information, conceptualization, perspective taking, and social perception, to structural changes in frontal cortical and sub-cortical structures." *Id.* at 152.

myelination is incomplete. We discuss each in turn.

Pruning. Gray matter, which comprises the outer surfaces of the brain, is composed of cells called neurons that perform the brain's tasks, such as the higher functions that are carried out in the prefrontal cortex.⁵⁴ As the brain matures, gray matter *decreases*⁵⁵ through a process called pruning. Just as the pruning of a rose bush strengthens the remaining branches, the pruning of excess neurons and connections which make up the gray matter leads to greater efficiency of neural processing and strengthens the brain's ability to reason and consistently exercise good judgment.⁵⁶ Thus, pruning establishes some pathways and extinguishes others, enhancing overall brain functioning.

⁵⁴ See Gazzaniga, *supra* note 31, at 64-65; see Eric R. Kandel et al., *PRINCIPLES OF NEURAL SCIENCE* 9 (James H. Schwartz & Thomas M. Jessel, eds., McGraw-Hill 2000).

⁵⁵ See Durston, *supra* note 31, at 1014; Jay N. Giedd et al., *Anatomical Brain Magnetic Resonance Imaging of Typically Developing Children and Adolescents*, 48:5 *J. AM. ACAD. CHILD ADOLESCENT PSYCHIATRY* 465, 469 (2009).

⁵⁶ See Robert F. McGivern et al., *Cognitive Efficiency on a Match to Sample Task Decreases at the Onset of Puberty in Children*, 50 *BRAIN & COGNITION* 73 (2002) (subjects of study aged 10 to 22 years); Casey, *supra* note 40, at 241 ("findings are consistent with the view that increasing cognitive capacity during childhood coincides with a gradual loss rather than formation of new synapses . . ."); see also Daniel J. Siegel, *THE DEVELOPING MIND: TOWARD A NEUROBIOLOGY OF INTERPERSONAL EXPERIENCE* 13-14 (Guilford Press 1999).

Scientists have known about pruning for decades,⁵⁷ but modern brain imaging technology has provided important insights into the process.⁵⁸ Until MRI technology emerged, the common wisdom was that the volume of gray matter spurted only once, shortly after birth, and then declined gradually over time. Brain scans have revealed a more complicated reality: In particular regions of the brain, gray matter blossoms once again later in childhood.⁵⁹ Gray matter volumes peak during the ages from 10-20 years,⁶⁰ and the prefrontal cortex is one of the places where gray matter increases — before adolescence — and

⁵⁷ See generally Peter R. Huttenlocher, *Synaptic Density in Human Frontal Cortex: Developmental Changes and Effects of Aging*, 163 BRAIN RES. 195 (1979).

⁵⁸ See, e.g., Sowell (2002), *supra* note 35, at 4.

⁵⁹ See McGivern, *supra* note 56, at 85; see also David N. Kennedy et al., *Basic Principles of MRI and Morphometry Studies of Human Brain Development*, 5 DEVELOPMENTAL SCI. 268, 274 (2002).

Studies showed . . . nonlinear changes in cortical gray matter, summarized as a preadolescent increase followed by a postadolescent decrease. Further localization of these changes indicated that the frontal and parietal lobe peaked at about age 12, the temporal lobe at about age 16, and the occipital lobe continued its increase through age 20, although the confidence intervals on these observations are large.

Giedd, *supra* note 36, at 861.

⁶⁰ See Giedd, *supra* note 36, at 861; McGivern, *supra* note 56, at 85; Yurgelun-Todd, *supra* note 6, at 252, 55.

then gets pruned over time, beyond adolescence.⁶¹ The prefrontal cortex is also one of the last regions where pruning is complete and this region continues to thin past adolescence.⁶² This means that one of the last areas of the brain to reach full maturity, as measured by pruning, is the region most closely associated with risk assessment, impulse control, emotional regulation, decision-making, and planning — in other words, the ability to reliably and voluntarily control behavior.⁶³

Myelination. Another important measure of brain maturity is myelination.⁶⁴ Myelination is the process by which the brain's axons are coated with a fatty white substance called myelin. Myelin surrounds the axons, which are neural fibers that use electrical impulses to carry

⁶¹ See Jay N. Giedd, *The Teen Brain: Insights from Neuroimaging*, 42 J. ADOLESCENT HEALTH 335, 339 (2008).

⁶² A study by the National Academy of Sciences measured gray matter density in individuals longitudinally from childhood to early adulthood and concluded that “the [gray matter] maturation ultimately involves the dorsolateral prefrontal cortex, which loses [gray matter] only at the end of adolescence.” Gogtay, *supra* note 32, at 8175.

⁶³ See *id.* at 8177 (explaining that “[l]ater to mature were areas involved in executive function”); see also Michael C. Stevens et al., *Functional Neural Networks Underlying Response Inhibition in Adolescents and Adults*, 181 BEHAV. BRAIN RESEARCH 12 (2007).

⁶⁴ See Elkhonon Goldberg, *THE EXECUTIVE BRAIN: FRONTAL LOBES & THE CIVILIZED MIND* 144 (Oxford Univ. Press, 2001); see also Sowell (2001), *supra* note 32, at 8819; Sowell (2003), *supra* note 37, at 311; Yurgelun-Todd, *supra* note 6, at 253.

information across long distances, and insulates the pathway, speeding the neural signal along the pathway.⁶⁵ “The presence of myelin makes communication between different parts of the brain faster and more reliable.”⁶⁶ Myelination of “white matter”⁶⁷ continues through adolescence and into adulthood.⁶⁸

⁶⁵ See Zoltan Nagy, Helena Westerberg & Torkel Klingberg, *Maturation of White Matter is Associated with the Development of Cognitive Functions During Childhood*, 16:7 J. COGNITIVE NEUROSCI. 1227, 1231-32 (2004) (explaining that “the physiological effects of increases in axon thickness and myelination are similar in that they both increase conduction speed.”); Gazzaniga, *supra* note 31, at 31, 48-49.

⁶⁶ Goldberg, *supra* note 64, at 144.

⁶⁷ White matter is the tissue that composes the pathways between brain regions and that permits communication and interaction within the brain and between the brain and the body. See Gazzaniga, *supra* note 31, at 70, 72. For example, the corpus callosum, a critical white matter structure, bridges the two halves of the frontal lobes, permitting and regulating communication between the two halves of the brain. See Tomas Paus et al., *Structural Maturation of Neural Pathways in Children and Adolescents: In Vivo Study*, 283 SCI. 1908 (1999).

⁶⁸ See Zoltan Nagy, Helena Westerberg & Torkel Klingberg, *Maturation of White Matter is Associated with the Development of Cognitive Functions During Childhood*, 16:7 J. COGNITIVE NEUROSCI. 1227, 1231-32 (2004); Durston, *supra* note 31, at 1014; Sowell (1999), *supra* note 36, at 860; Adolf Pfefferbaum et al., *A Quantitative Magnetic Resonance Imaging Study of Changes in Brain Morphology from Infancy to Late Adulthood*, 51 ARCHIVES OF NEUROLOGY 874, 885 (1994) (after age 20 white matter volume did not fluctuate until about age 70; subjects of study aged 3 months to 70 years).

As measured by myelination, different parts of the brain mature at different rates.⁶⁹ Brain imaging data, supported by data gathered through the older autopsy technique,⁷⁰ provides credible evidence that the prefrontal cortex is still developing well into adolescence and beyond and is among the last portions of the brain to mature.⁷¹ In other words, development of the region of the brain associated with voluntary behavior control (*i.e.*, risk assessment, impulse control, and emotional regulation) is not complete until late adolescence or beyond.

Myelination also increases the efficiency of information processing and supports the integration of the widely distributed circuitry needed for complex behavior.⁷² These structural changes are believed to underlie the functional integration (discussed below) of frontal regions with the rest of the brain.⁷³ The functional improvement of the

⁶⁹ See Sowell (2003), *supra* note 37, at 311; Sowell (2002), *supra* note 35, at 4; Towbin & Schowalter, *supra* note 53, at 151.

⁷⁰ See Paus, *supra* note 67, at 1908.

⁷¹ Nitin Gogtay et al., *Dynamic Mapping of Human Cortical Development During Childhood Through Early Adulthood*, 101 PROC. NAT'L ACAD. SCI. 8174, 8177 (2004) (noting that different parts of the brain undergo myelination and pruning at different rates, and finding that the higher-order cortices mature later than lower-order cortices.); see also Sowell (1999), *supra* note 36, at 859; K. Rubia et al., *Functional Frontalisation with Age: Mapping Neurodevelopmental Trajectories with fMRI*, 24 NEUROSCI. & BIOBEHAV. REVS.13 (2000) (subjects of study aged 12 to 19 and 22 to 40 years).

⁷² See Luna, *supra* note 3, at 257.

⁷³ See *id.*; see also Giedd, *supra* note 55, at 467.

connections between the various regions of the brain is believed to result from myelination that occurs during adolescence and is necessary for improved abilities of reliable self-control and better decision-making.⁷⁴ For example, recent research on the neural underpinnings of resistance to peer influence in adolescence indicates that improvements in this capacity may be linked to the development of greater connectivity between brain regions, and likely facilitates the better coordination of affect and cognition.⁷⁵ More generally, however, the development of improved self-regulatory abilities during and after adolescence is positively correlated with white matter maturation through the process of myelination.⁷⁶

2. Adolescent Brains Tend to Be More Active Than Adult Brains in Regions Associated With Risky, Impulsive, and Sensation-Seeking Behavior and Less Active in Regions Associated With the Ability to Voluntarily Control Behavior.

The brain is a complex network of interrelated parts. Each part is associated with different

⁷⁴ See Steinberg, *Adolescent Development*, *supra* note 8, at 56; B. Luna & J. A. Sweeney, *The Emergence of Collaborative Brain Function: fMRI Studies of the Development of Response Inhibition*, 1021 ANNALS N.Y. ACAD. SCI. 296-309 (2004); Damien A. Fair et al., *Development of Distinct Control Networks Through Segregation and Integration*, 104 PROC. NAT'L ACAD. SCI. U.S. 13507 (2007).

⁷⁵ See Steinberg, *Adolescent Development*, *supra* note 8, at 56.

⁷⁶ See Nagy, *supra* note 65, at 1231-32.

functions and works in conjunction with other parts to form systems. In general, the two neurobiological systems that inform our understanding of adolescent behavior, as discussed above in Point A, are (1) the socioemotional system, which is localized in the limbic and paralimbic regions of the brain; and (2) the cognitive control system, which is generally comprised of regions of the frontal lobes, and specifically, the prefrontal cortex.⁷⁷ The differences between adolescent and adult behavior correlate with their respective and disparate reliance on each of these systems and their related brain structures.⁷⁸

The structural immaturities of the adolescent brain discussed above represent only one dimension of the immaturity of the adolescent brain. Developmental neuroimaging studies demonstrate that the regions of the brain associated with voluntary behavior control mature structurally at the same time as specific changes occur in how the brain functions.⁷⁹ These findings

⁷⁷ See Steinberg, *Adolescent Development*, *supra* note 8, at 54.

⁷⁸ Stephanie Burnett et al., *Development During Adolescence of the Neural Processing of Social Emotion*, 21:9 J. COGNITIVE NEUROSCI. 173 (2009); S J Blakemore, *Adolescent Development of the Neural Circuitry for Thinking About Intentions*, 2:2 SOC. COGNITIVE & AFFECTIVE NEUROSCI. 130 (2007).

⁷⁹ Amy L. Krain et al., *An fMRI Examination of Developmental Differences in the Neural Correlates of Uncertainty and Decision Making*, 47:10 J. CHILD PSYCHOL. & PSYCHIATRY 1023, 1024 (2006); *see also* Liston C. Watts et al., *Frontostriatal Microstructure Predicts Individual Differences in Cognitive Control*, 16:4 CEREBRAL CORTEX 553 (2006); B.J. Casey et al.,

reveal that adolescents and adults exhibit different patterns of brain activity during decision-making tasks and provide insight into the neural underpinnings of the risky, impulsive, and sensation-seeking behavior of adolescents.⁸⁰

Studies show that the socioemotional system, which is responsible for motivating risky and reward-based behavior, develops earlier than the cognitive control system, which regulates such behavior. Furthermore, during adolescence, the socioemotional system continues to develop more quickly than the cognitive control system.⁸¹ The result is that adolescents experience increasing motivation for risky and reward-seeking behavior without a corresponding increase in the ability to self-regulate behavior.

The earlier development of the socioemotional system is evident in a number of areas of the brain. Among these are the amygdala and the

Contribution of Frontostriatal Fiber Tracts to Cognitive Control in Parent–Child Dyads With ADHD, 164:11 AM. J. PSYCHIATRY 1729 (2007).

⁸⁰ Krain, *supra* note 79; see also Adriana Galvan et al., *Earlier Development of the Accumbens Relative to Orbitofrontal Cortex Might Underlie Risk-Taking Behavior in Adolescents*, 26:25 J. NEUROSCI. 6885 (2006); Todd A. Hare et al., *Biological Substrates of Emotional Reactivity and Regulation in Adolescence During an Emotional Go-Nogo Task*, 63:10 BIOLOGICAL PSYCHIATRY 927 (2008).

⁸¹ See Steinberg, *Adolescent Development*, *supra* note 8, at 54; see also Monique Ernst et al., *Neurobiology of the Development of Motivated Behaviors in Adolescence: A Window into a Neural Systems Model*, 93 PHARMACOLOGY, BIOCHEMISTRY & BEHAV. 199 (2009).

nucleus accumbens. An imbalance of dopamine and serotonin levels in the adolescent brain also contributes to the relative dominance of the adolescent socioemotional system.

Amygdala. The amygdala is associated with aggressive and impulsive behavior.⁸² The amygdala is “a neural system that evolved to detect danger and produce rapid protective responses without conscious participation.”⁸³ It dictates instinctive gut reactions, including fight

⁸² See generally Jan Gläscher & Ralph Adolphs, *Processing of the Arousal of Subliminal and Supraliminal Emotional Stimuli by the Human Amygdala*, 23 J. NEUROSCI. 10274 (2003); Ralph Adolphs, *Neural Systems for Recognizing Emotion*, 12 CURRENT OPINION IN NEUROBIO. 169 (2002); Gazzaniga, *supra* note 31, at 553-72; K. Luan Phan et al., *Functional Neuroanatomy of Emotion: A Meta-Analysis of Emotion Activation Studies in PET and fMRI*, 16 NEUROIMAGE 331, 336 (2002); Goldberg, *supra* note 64, at 31; Kevin S. LaBar et al., *Human Amygdala Activation During Conditioned Fear Acquisition and Extinction: A Mixed-Trial fMRI Study*, 20 NEURON 937 (1998); Richard D. Lane et al., *Neuroanatomical Correlates of Pleasant and Unpleasant Emotion*, 35 NEUROPSYCHOLOGIA 1437, 1441 (1997); Hans C. Breiter et al., *Response and Habituation of the Human Amygdala During Visual Processing of Facial Expression*, 17 NEURON 875 (1996); Steinberg, *Future Orientation*, *supra* note 6, at 40.

⁸³ Abigail A. Baird et al., *Functional Magnetic Resonance Imaging of Facial Affect Recognition in Children and Adolescents*, 38 J. AM. ACAD. CHILD & ADOLESCENT PSYCHIATRY 1, 1 (1999) (study found that adolescents 12-17 years old showed significant amygdala activation in response to a task that required the judgment of fearful facial affect); see also William D.S. Killgore & Deborah Yurgelun-Todd, *Activation of the Amygdala and Anterior Cingulate During Nonconscious Processing of Sad Versus Happy Faces*, 21 NEUROIMAGE 1215 (2004); Phan, *supra* note 82, at 336

or flight responses.⁸⁴ The amygdala is also a key component of circuitry involved in assessing salience, or the importance of environmental stimuli to survival, and is generally associated with processing emotional responses to a perceived danger.⁸⁵

The prefrontal cortex — the primary region associated with self-regulation and the cognitive control system — modulates function in the amygdala⁸⁶ to which it is strongly connected.⁸⁷ A still-maturing prefrontal cortex exerts less control over the amygdala and has less influence over behavior and emotions than a fully mature prefrontal cortex.⁸⁸

⁸⁴ See Goldberg, *supra* note 64, at 31; Phan, *supra* note 82, at 336.

⁸⁵ See Giedd (2008), *supra* note 61, at 338.

⁸⁶ See Mario Beauregard et al., *Neural Correlates of Conscious Self-Regulation of Emotion*, 21 J. NEUROSCI. 165RC (2001); Ahmad Hariri et al., *Modulating Emotional Responses: Effects of a Neocortical Network on the Limbic System*, 11 NEUROREPORT 43 (2000).

⁸⁷ Ralph Adolphs, *The Human Amygdala and Emotion*, 5 NEUROSCIENTIST 125, 125-26 (1999); see also Joseph LeDoux, *THE EMOTIONAL BRAIN: THE MYSTERIOUS UNDERPINNINGS OF EMOTIONAL LIFE* 303 (1996).

⁸⁸ See Neir Eshel et al., *Neural Substrates of Choice in Adults and Adolescents: Development of the Ventrolateral Prefrontal and Anterior Cingulate Cortices*, 45 NEUROPSYCHOLOGIA 1270, 1270-71 (2007) (reporting prefrontal brain areas associated with higher-order cognition, emotional regulation, reward values, and behavior control are some of the last to mature and that this lag in maturation may explain why adolescents demonstrate poor decision-making); see also Gargi Talukder,

Nucleus Accumbens. The nucleus accumbens, on the other hand, is associated with reward processing. Its primary function is to process emotional response to a potential reward.⁸⁹ Studies show that when making decisions, “relative to children and adults, adolescents show exaggerated activation of the accumbens, in concert with less mature recruitment of top-down prefrontal control.”⁹⁰ This exaggerated activity is consistent with the tendency of adolescents to overvalue rewards in risk-reward assessment and provides an anatomical basis for the “increased impulsive and risky behaviors observed during [adolescence].”⁹¹

Dopamine and Serotonin. Dopamine is a neurotransmitter known to be involved with pleasure and motivation and plays a critical role in the functioning of the developing adolescent brain.⁹² Around the time of puberty, adolescents experience “a rapid and dramatic increase in dopaminergic activity within the socioemotional system.”⁹³ Because dopamine plays a critical role in the brain’s reward circuitry this increase in

Decision-Making Is Still a Work in Progress for Teenagers, Report dated July 2000 at <http://www.brainconnection.com>; see also Spear, *supra* note 2, at 440 (reporting Dr. Yurgelun-Todd’s research); see also Adolphs (1995), *supra* note 81, at 5889.

⁸⁹ Galvan, *supra* note 80, at 6890.

⁹⁰ See Casey, *supra* note 2, at 69.

⁹¹ See *id.* at 69-70.

⁹² See Andersen, *supra* note 12, at 3-18; Crews, *supra* note 12, at 189-199; Spear (2000), *supra* note 2, at 417-63.

⁹³ Steinberg, *Adolescent Development*, *supra* note 8, at 54.

activity is likely to promote reward-seeking behavior.⁹⁴ At the same time, adolescents have correspondingly lower levels of serotonin, a neurotransmitter known to support inhibitory control.⁹⁵ This imbalance between lower levels of serotonin and higher levels of dopamine during adolescence correlates with the observed prevalence of risky and impulsive decision making by adolescents.

In sum, adolescent behavior is characterized by a hyperactive reward-driven system (involving the nucleus accumbens), a limited harm-avoidant system (involving the amygdala), and an immature cognitive control system (involving the prefrontal cortex).⁹⁶ As a result, adolescent behavior is more likely to be impulsive and motivated by the possibility of reward, with less self-regulation and effective risk assessment.

Adolescence is a time of great physiological and psychological development. It is also a time marked by impulsive, risky, and sensation-seeking behavior. Scientific research has shed light on the biological mechanisms that help to explain this behavior. The latest scientific

⁹⁴ *Id.* at 258; see Luna, *supra* note 3, at 258.

⁹⁵ See Luna, *supra* note 3, at 258; R. Andrew Chambers, Jane R. Taylor & Marc N. Potenza, *Developmental Neurocircuitry of Motivation in Adolescence: A Critical Period of Addiction Vulnerability*, 160 AM. J. PSYCHIATRY 1041 (2003).

⁹⁶ Monique Ernst et al., *Triadic Model of the Neurobiology of Motivated Behavior in Adolescence*, 36 PSYCHOL. MED. 299, 300-02 (2006).

research on the development of the adolescent brain establishes that “the brain systems that are crucial for exerting cognitive control over behavior and processing rewards are still immature during adolescence.”⁹⁷ “These immaturities result in a system that is able to exert cognitive control, but in an inconsistent manner with limited flexibility and motivational control.”⁹⁸ In other words, “the basic elements are established, but refinements are needed to support the necessary efficiency in circuit processing to establish reliable executive control.”⁹⁹ As one researcher put it, the process of adolescent development is akin to “starting the engines without a skilled driver behind the wheel.”¹⁰⁰

CONCLUSION

While not formally supporting either party in these cases, the *amici* hope that the Court will consider the scientific evidence presented here in

⁹⁷ See Luna, *supra* note 3, at 258; see also Ryan L. Muetzel et al., *The Development of Corpus Callosum Microstructure and Associations With Bimanual Task Performance in Healthy Adolescents*, 39:4 NEUROIMAGE 1918 (2008); Elizabeth A. Olson, *White Matter Integrity Predicts Delay Discounting Behavior in Adolescents: A Diffusion Tensor Imaging Study*, 21:7 J. COGNITIVE NEUROSCI. 1406 (2008); Elizabeth A. Olson, *Delay and Probability Discounting Behavior in Healthy Adolescents: Associations With Age, Personality Style, and Other Measures of Executive Function*, 43:7 PERSONALITY AND INDIVIDUAL DIFFERENCES 1886 (2007).

⁹⁸ See Luna, *supra* note 3, at 258.

⁹⁹ *Id.*

¹⁰⁰ Steinberg, *Adolescent Development*, *supra* note 8, at 56.

its deliberations about whether, in the present case, the Eighth Amendment (1) requires that these defendants be held to a different standard of culpability from that which applies to adults and (2) prohibits the imposition of a sentence of life without the possibility of parole on an adolescent offender.

Respectfully submitted,

E. Joshua Rosenkranz

Counsel of Record

Gregory S. Schwegmann

ORRICK, HERRINGTON & SUTCLIFFE LLP

666 Fifth Avenue

New York, NY 10103-0001

(212) 506-5000

Khai LeQuang

ORRICK, HERRINGTON & SUTCLIFFE LLP

777 South Figueroa Street

Suite 3200

Los Angeles, CA 90017-5855

213-629-2020

Counsel for Amici Curiae

July 23, 2009

CERTIFICATION

As required by Supreme Court Rule 33.1(h), I certify that the document contains 7,327 words, excluding the parts of the document that are exempted by Supreme Court Rule 33.1(d).

I declare under penalty of perjury that the foregoing is true and correct.

Executed on July 23, 2009.

E. Joshua Rosenkranz