

ScienceDirect



Review

Impulsive and risky decision-making in adolescents with attention-deficit/hyperactivity disorder (ADHD): The need for a developmental perspective

Tycho J. Dekkers^{1,2,3,4,5}, Erik de Water⁶ and Anouk Scheres⁷

Abstract

Impulsive and risky decision-making peaks in adolescence, and is consistently associated with the neurodevelopmental disorder Attention-Deficit/Hyperactivity Disorder (ADHD), regardless of age. In this brief review, we demonstrate the similarity of theoretical models explaining impulsive and risky decision-making that originate in two relatively distinct literatures (i.e., on adolescence and on ADHD). We summarize research thus far and conclude that the presence of ADHD during adolescence further exacerbates the tendency that is already present in adolescents to make impulsive and risky decisions. We also conclude that much is still unknown about the developmental trajectories of individuals with ADHD with regard to impulsive and risky decision making, and we therefore provide several hypotheses that warrant further longitudinal research.

Addresses

- ¹ University of Amsterdam, Department of Psychology, Amsterdam, the Netherlands
- ² Levvel, Academic Center for Child and Adolescent Psychiatry en Specialized Youthcare, Amsterdam, the Netherlands
- ³ University of Groningen, University Medical Center Groningen, Department of Child and Adolescent Psychiatry, Groningen, the Netherlands
- ⁴ Accare Child Study Center, Groningen, the Netherlands
- ⁵ Amsterdam University Medical Centers, Department of Child and Adolescent Psychiatry, Amsterdam, the Netherlands
- ⁶ Great Lakes Neurobehavioral Center, Edina, MN, United States
- 7 Radboud University, Behavioural Science Institute, Nijmegen, the Netherlands

Corresponding author: Scheres, Anouk (anouk.scheres@ru.nl)

Current Opinion in Psychology 2022, 44:330-336

This review comes from a themed issue on **Adolescent Development** (2022)

Edited by Lydia Krabbendam and Barbara Braams

For complete overview about the section, refer Adolescent Development (2022)

Available online 26 November 2021

https://doi.org/10.1016/j.copsyc.2021.11.002

2352-250X/© 2021 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).

Keywords

Attention-Deficit/Hyperactivity Disorder (ADHD), Adolescence, Impulsive decision making, Risky decision making.

Introduction

Reckless driving, trying drugs, having unsafe sex, or conducting criminal behavior: impulsive or risky decision making peaks during the adolescent years [1], and is observed disproportionately often in individuals with Attention-Deficit/Hyperactivity Disorder (ADHD) [2]. This raises the questions (1) whether the presence of ADHD during adolescence further exacerbates the tendency that is already present in adolescents to make impulsive and risky decisions, and (2) whether going through adolescence further exacerbates the tendency that is already present in individuals with ADHD to make impulsive and risky decisions? The current review is centered on these two research questions.

While the real-life examples above are often interchangeably referred to as impulsive or risky acts, in psychological research, a distinction is made between impulsive and risky decision-making [3,4]. Impulsive decision-making refers to a preference for small, immediate rewards over larger, delayed rewards [5,6]. Risky decision-making refers to a preference for choices with a high variability in possible outcomes (i.e., large uncertain rewards) over choices with lower variability in potential outcomes (i.e., small certain rewards) [7,8].

According to dual-system models [9–12], impulsive and risky behaviors peak in adolescence as result of an imbalance between two brain systems and their interconnections: (a) The early maturation of the affective system (involving ventral striatum, amygdala, medial prefrontal cortex) that subserves emotion and reward processing, and (b) the slower maturation of the cognitive control system (involving lateral prefrontal cortex and lateral parietal cortex). Similarly, the dual-pathway model of ADHD [13–16] proposes two pathways that rather independently lead to the expression of ADHD symptoms: (a) a dysregulated cognitive control pathway (involving the dorsolateral prefrontal cortex

and dorsal striatum) characterized by weak response inhibition and executive dysfunctioning, and (b) a reward pathway (involving ventral striatum, amygdala, ACC, and medial prefrontal cortex) characterized by a shortened delay reward gradient. While there is clear overlap in the systems proposed to play a role in adolescence and ADHD, there are also important differences. While an imbalance between systems is proposed to be key during adolescence, ADHD models do not necessarily suggest an imbalance, but rather propose that "deficits" in either of these systems can form a pathway to ADHD. Further, while the role of the cognitive control system is suggested to be comparable in adolescence and in ADHD (in both cases, a slowly developing/immature cognitive control system), this is not the case for the affective system. Dual-system theories suggest that adolescence-induced hyperresponsivity of this system leads to reward-seeking behaviors, whereas the dual-pathway model of ADHD proposes a unique motivational style related to ADHD, characterized by delay aversion.

Impulsive decision making

Impulsive decision making is typically assessed with temporal discounting (TD) tasks [6], which involve choices between a small, immediate reward (e.g., \$2 today), and a larger, delayed reward (e.g., \$10 after 30 days). Studies that included participants from a relatively narrow age range showed that late adolescents choose less impulsively than early adolescents on TD tasks [17], that adolescents make less impulsive decisions than children [18,19], but they make more impulsive decisions than young adults [20,21]. However, studies including participants with a wider age range found that adolescents were less impulsive than both children and young adults [22,23], which could reflect the fact that adolescents may be able to engage the cognitive control system more than children and young adults when they are motivated by rewards [12]. Achterberg et al. [23] found linear decreases in impulsive decision making with age in cross-sectional analyses, but non-linear (i.e., decreased impulsive decision making in adolescents compared to young adults) effects of age in longitudinal analyses. This suggests that longitudinal designs may be more sensitive to detecting subtle individual differences and developmental trajectories.

Four recent meta-analyses examined group differences between ADHD and controls on impulsive decision making measured with TD and/or single choice tasks [24–27]. Patros et al. [25] reported impulsive decision making in children and adolescents with ADHD relative to typically developing controls. Group differences were large for preschoolers, and medium for school-age children and adolescents. Similarly, Jackson et al. [24] reported increased impulsive decision making in individuals with ADHD relative to controls. Effect sizes were similar for children, adolescents and adults. Pauli-Pott et al. [26] performed a meta-regression to evaluate ADHD-control differences on impulsive decision making as a function of developmental transition periods. Based on previous findings reporting a peak in impulsive choice during mid-adolescence [28], they hypothesized that group differences would be smallest during this period because these would be obscured by the inter-individual variance induced by puberty. Indeed, the effect size was larger for children than for adolescents. Marx et al. [27] reported an up-to-date meta-analysis on ADHD-control comparisons (all ages). Between-group differences were small on single choice paradigms and medium on TD tasks. Effects were not moderated by age, but adolescents were not treated as a separate group.

This consistent increase in impulsive decision making in ADHD is considered a consequence of delay aversion. Sonuga-Barke [13,14,29] proposed that individuals with ADHD experience negative emotions during waiting, causing a desire to escape this. Indeed, several studies support this notion in adolescents with ADHD. For example, adolescents with ADHD discounted delayed rewards, but not effortful rewards, more steeply than controls [30], suggesting a specific role for delay aversion. This was accompanied by a delay-sensitive response in the amygdala for those adolescents with ADHD who were more delay averse in daily life. Similarly, Van Dessel et al. [31] found that adolescents with ADHD, relative to controls, demonstrated delay-related increases in the amygdala following cues signaling impending waiting times, which was interpreted as signaling aversion to waiting. In a behavioral study [22], impulsive decision making was more strongly correlated with the subjective experience of difficulty waiting in adolescents with ADHD relative to adolescents without ADHD. This suggests that adolescents with ADHD based their (impulsive) choice more on how difficult it feels to wait than controls. Similarly, Mies and colleagues [32] found that delay aversion—but not reward sensitivity—drove impulsive choices on TD tasks in adolescents with ADHD. Marx et al. [27] showed that delay, independent of reward, exacerbated impulsive decision making in ADHD, also supporting the crucial role of delay aversion.

Taken together, in answer to question 1, we conclude that adolescents with ADHD engage in more impulsive decision making on experimental tasks than adolescents without ADHD (see Table 1, RQ1). As for question 2, there is no evidence suggesting that going through adolescence exacerbates the tendency that is already present in ADHD to make impulsive decisions (see Table 1, RQ2). If anything, there is some evidence that impulsive decision making is less characteristic of adolescents with ADHD than of children with ADHD [26]. Delay aversion appears an important contributing Table 1

Overview of meta-analyses on ADHD versus control comparisons for impulsive and risky decision making
UVERVIEW OF META-ANALYSES ON ALIMIT VERSUS CONTROL COMPARISONS FOR IMPULISIVE AND RISKY DECISION MAKING

	ES adolescents	ES other age groups	ADHD—control difference in adolescents (RQ1)	Adolescence-related peak in ADHD (RQ2)
Impulsive decision making				
Pauli-Pott et al. [26]	d = .33	Children: <i>d</i> = .62	Υ	N
Patros et al. [25]	<i>g</i> = .45	Preschoolers: $g = .83$ School-age: $g = .46$	Y	N
Jackson et al.[24]	$d = .47^{a}$	Adults: $d = .40$	Υ	?
Marx et al. [27]—single choice tasks	$d = .36^{b}$	Children versus all other	Υ	N
Marx et al. [27]—DD tasks	$d = .43^{b}$	ages: no moderating effect	Y	N
Risky decision making				
Dekkers et al. [35]	g = .41	Children: $g = .34$ Adults: $g = .36$	Y	N
Dekkers et al. [37] (risky = suboptimal)	$g = .37^{b}$	No moderator analyses on age	Y	?
Dekkers et al. [37] (risky = optimal)	$g =03^{b}$	No moderator analyses on age	N	?
Roberts et al. [36]—gambling tasks	$g = .27^{b}$	No moderation by age	Υ	N
Roberts et al. [36]—VR measures	$g = .43^{b}$	(children/adolescents versus adults)	Y	N

Note:

mechanism of impulsive decision making in adolescents with ADHD.

Risky decision making

Risky decisions are typically assessed with gambling tasks involving choices between low-risk options (e.g., high probability of small reward) and high-risk options (e.g., low probability of larger reward). A meta-analysis of experimental studies employing risky decisionmaking tasks showed that adolescents make more risky decisions than adults, but adolescents do not differ from children [33]. Defoe et al. [34] proposed that age differences in risk exposure (i.e., opportunities to engage in risky behaviors) might explain why adolescents show increased risk-taking compared to children in daily life, but not in experimental studies.

Adolescents with ADHD consistently engage in increased real-life risk-taking behavior relative to their typically developing peers [2]. We discuss three metaanalyses summarizing all studies that compared groups with and without ADHD on gambling tasks, and we particularly focus on age-related differences.

The first meta-analysis found more risky decision making in groups with ADHD, with effects of small-tomedium size [35]. Notably, the difference in risky choice between individuals with and without ADHD

was similar across age. Second, an updated meta-analysis similarly observed a small-to-medium sized effect indicating increased risky decision-making in groups with ADHD [36]. This meta-analysis distinguished between traditional gambling tasks and virtual reality (VR) measures of risky decision making, and demonstrated that group differences were larger when VR measures were used. For both types of outcome measures, age did not moderate the effects.

A third meta-analysis [37] particularly focused on one underlying mechanism: suboptimal decision making. Groups with and without ADHD only differed in risky decision-making when risky decisions were suboptimal in terms of expected value, whereas there were no differences when risk taking was advantageous. This suggests that, at group level, individuals with ADHD rather show a tendency towards suboptimal decision making instead of an inherent risk proneness.

In conclusion, in answering question 1, ADHD is consistently associated with risky decision making, as indicated by three meta-analyses (Table 1). This effect was stable across age. There is no evidence for the notion that going through adolescence exacerbates the tendency to make risky decisions that is present in individuals with ADHD (question 2). Notably, the link between risky decision making and ADHD was limited

^a Collapsed effect size for children and adolescents.

^b Collapsed effect size for all ages. Abbreviations: ES = effect size, N = No, RQ = research question, Y = Yes.

to situations in which the risky choice was the suboptimal choice.

General discussion and future directions


We conclude that adolescents with ADHD show increased impulsive and risky decision making compared to typically developing adolescents (RQ1). Increased delay aversion in adolescents with ADHD may explain some of these group differences, particularly in impulsive decision making. There are many similarities between the neurobiological models of impulsive decision making developed for ADHD [13-16] and for typical development [9,10], including the hypothesis that two interconnected brain systems play a role: an affective system and a cognitive control system. However, ADHD models emphasize that the affective system underpins both reward sensitivity and delay aversion while models of adolescence tend to focus on reward sensitivity alone. Nonetheless, recent research showed that in typically developing adolescents, impulsive decision making was associated with higher levels of delay aversion [20]. Therefore, delay aversion may also be relevant for impulsive decision making in adolescents without ADHD.

The second research question, whether the tendency to make impulsive and risky decisions in individuals with ADHD is exacerbated during adolescence, is harder to answer. Few studies have used a developmental perspective in research on ADHD [38]. While ADHD is regarded a neurodevelopmental disorder, the majority of research compares individuals with ADHD with agematched controls, thereby missing pivotal knowledge about the development of individuals with ADHD. While a cross-sectional approach is informative to identify ADHD-control differences in decision making in different age groups (see Table 1, RQ2), longitudinal research is needed to examine ADHD-control differences in developmental trajectories of impulsive and risky decision making [26,38-42]. Delineating such trajectories will enable the identification of key developmental periods during which interventions may be particularly helpful. Additionally, it will enable the identification of key developmental periods of impulsivity- and risk-related opportunities such as creativity, curiosity, and starting new social contacts. The following hypotheses, following from the dual system models, may be formulated (also see Figure 1):

- (1) The developmental trajectory as observed in typical adolescents, namely a peak in impulsive and risky decision making in adolescence as compared to childhood and adulthood may be exaggerated in individuals with ADHD, for example, due to the delayed maturation of the prefrontal cortex in these individuals [43,44].
- (2) As proposed by Pauli-Pott et al. [26], the peak in impulsive and risky decision making in adolescence may be obscured in individuals with ADHD because puberty-related changes contribute to more variability in decision-making, thereby obscuring group differences.
- (3) The developmental trajectories of adolescents with and without ADHD are similar in shape, but adolescents with ADHD are higher in impulsive and risky decision making than adolescents without ADHD.

When addressing such hypotheses, it will be important to consider the use of more ecologically valid tasks, including not only rewards but also losses and effort costs, not only monetary but also primary and social

Figure 1



Schematic representation of hypothetical development of impulsive and risky decision making (y-axis) across development (x-axis); numbers correspond with hypotheses in text.

rewards, and integrating temporal and probabilistic aspects in relevant contexts [5,45]. Additionally, while intuitively related, not many studies investigated the direct link between impulsive and risky choice in adolescents with ADHD, as most tasks only capture one of these constructs. An exception is the Cambridge Gambling Task (CGT) [46], which disentangles risk proneness, risk adjustment (i.e., the adjustment to changes in the level of risk) and delay aversion. A few studies used the CGT in samples with ADHD, although not in adolescents. In children, groups with and without ADHD did not differ in their risk proneness, but children with ADHD had more problems adjusting their bets to changes in risk, and showed increased delay aversion [47]. Crucially, these aspects were correlated, which suggests that risky decision making in relation to ADHD is potentially driven by a different motivational style in which immediate rewards are preferred to escape delay [47], which aligns with the motivational part of the dual pathway model.

Clinical implications

The research reviewed here may also contribute to the development of interventions to reduce impulsive and risky decision making in adolescents with ADHD. Delay aversion seems to play an important role in impulsive decision making, and may contribute to risky decision making as well. Commonly used psychotherapies such as mindfulness and acceptance and commitment therapy were found to decrease impulsive decision making and risky behaviors (e.g., smoking, overeating) in typically developing young adults [48]. Further, short-term interventions such as episodic future thinking (e.g., vividly imagining a valued delayed reward during decision-making) appear to reduce impulsive decision making in typically developing young adults [48]. Future studies should investigate the effectiveness of these interventions in adolescents with ADHD.

Contextual factors are crucial when developing such interventions, as affective brain systems are particularly activated in the presence and under the influence of peers [10,49,50]. Empirically, this is mirrored by many studies demonstrating that typically developing adolescents engage in increased impulsive and risky decision making in the presence and under the influence of peers [51-54]. In the sole experimental investigation of susceptibility to peer influence in ADHD, adolescents with and without ADHD were equally susceptible to peer influence on risky decision-making [55], whereas there are no experimental studies yet on susceptibility to peer influence with regard to impulsive choice in groups with ADHD.

A final direction for clinicians is to not only consider negative aspects of impulsive and risky decision-making (also see study by Green et al. [5]). In clinical practice,

adolescents with ADHD often report positive forms of impulsive or risky behaviors, such as asking others on a date, talking with strangers or trying new hobbies. Yet, empirical evidence for these observations is lacking, and reviews on studies in typically developing adolescents suggest the opposite: positive and negative risk taking were generally negatively correlated or entirely distinct, and adolescents with low self-regulatory capacities showed more negative and less positive risk taking [56,57]. Also, self-reported impulsivity was linked to negative but not positive risk taking [58].

In conclusion, we found that adolescents with ADHD make more impulsive and risky choices than age-matched peers on lab-based tasks, with delay aversion playing a key role. An important question to be answered is which developmental trajectories in impulsive and risky decision making individuals with ADHD follow, as compared to controls. Longitudinal research is needed, using ecologically valid tasks. Clinically speaking, knowledge about these trajectories will give insight into time windows of opportunity and intervention.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-forprofit sectors.

Conflict of interest statement

Nothing declared.

References

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- ** of outstanding interest
- Rosenbaum GM, Hartley CA: Developmental perspectives on risky and impulsive choice. Phil Trans Roy Soc Lond Feb. 2019. 374:20180133.
- Pollak Y, Dekkers TJ, Shoham R, Huizenga HM: Risk-taking behavior in attention deficit/hyperactivity disorder (ADHD): a review of potential underlying mechanisms and of interventions. Curr Psychiatr Rep 2019, 21.
- Dalley JW, Everitt BJ, Robbins TW: Impulsivity, compulsivity, and top-down cognitive control. Neuron Feb. 2011, 69:680-694.
- Stevens L, Verdejo-García A, Goudriaan AE, Roeyers H, Dom G, Vanderplasschen W: Impulsivity as a vulnerability factor for poor addiction treatment outcomes: a review of neuro-. cognitive findings among individuals with substance use disorders. J Subst Abuse Treat Jul. 2014, 47:58-72.
- Green L. Myerson J: On the complexity of discounting, choice situations, and people. Perspect Behav Sci Jun. 2019. 42: 433-443

The authors of this interesting paper emphasize that steep delay discounting is best not viewed as a character flaw (impulsivity), and that future research needs to implement tasks that better reflect the complexities of decision making in real life.

Scheres A, de Water E, Mies GW: The neural correlates of temporal reward discounting. Wiley Interdiscip Rev Cogn Sci Sep. 2013, 4:523-545.

- Figner B, Weber EU: Who takes risks when and why? Determinants of risk taking. Curr Dir Psychol Sci Aug. 2011, 20:
- van Duijvenvoorde ACK, Jansen BRJ, Bredman JC, Huizenga HM: Age-related changes in decision making: comparing informed and noninformed situations. Dev Psychol Jan. 2012, 48:192-203.
- Casey BJ, Galván A, Somerville LH: Beyond simple models of adolescence to an integrated circuit-based account: a commentary. Dev Coan Neurosci Feb. 2016, 17:128-130.
- 10. Shulman EP, Smith AR, Silva K, Icenogle G, Duell N, Chein J, et al.: The dual systems model: review, reappraisal, and reaffirmation. Dev Cogn Neurosci Feb. 2016, 17:103-117.
- Steinberg L, Icenogle G, Shulman EP, Breiner K, Chein J, Bacchini D, et al.: Around the world, adolescence is a time of heightened sensation seeking and immature self-regulation. Dev Sci Mar. 2018, 21:e12532

Using a very large sample, this study provides evidence for the dual systems theory of adolescent risk taking across many different countries.

- 12. Crone EA, Dahl RE: Understanding adolescence as a period of social-affective engagement and goal flexibility. Nat Rev Neurosci Sep. 2012, 13:636-650.
- Sonuga-Barke EJS: Psychological heterogeneity in AD/HD—a dual pathway model of behaviour and cognition. Behav Brain Res Mar. 2002, 130:29-36.
- Sonuga-Barke EJS: The dual pathway model of AD/HD: an elaboration of neuro-developmental characteristics. Neurosci Biobehav Rev Nov. 2003, 27:593-604.
- Sonuga-Barke EJS, Sergeant JA, Nigg J, Willcutt E: Executive dysfunction and delay aversion in attention deficit hyperactivity disorder: nosologic and diagnostic implications. Child Adolesc Psychiatr Clin N Am Apr. 2008, 17:367-384.
- Sonuga-Barke EJS, Cortese S, Fairchild G, Stringaris A: Annual
 research review: transdiagnostic neuroscience of child and adolescent mental disorders differentiating decision making in attention-deficit/hyperactivity disorder, conduct disorder, depression, and anxiety. JCPP (J Child Psychol Psychiatry) 2016. 57:321-349.

Extensive review that provides a transdiagnostic framework to investigate neurobiological underpinnings of decision making in child and adolescent mental disorders.

- Lee NC, de Groot RHM, Boschloo A, Dekker S, Krabbendam L, Jolles J: **Age and educational track influ**ence adolescent discounting of delayed rewards. Front Psychol 2013, 4:993.
- 18. Prencipe A, Kesek A, Cohen J, Lamm C, Lewis MD, Zelazo PD: Development of hot and cool executive function during the transition to adolescence. J Exp Child Psychol Mar. 2011, 108: 621-637.
- Scheres A, Dijkstra M, Ainslie E, Balkan J, Reynolds B, Sonuga-Barke E, *et al.*: **Temporal and probabilistic discounting of rewards in children and adolescents: effects of age and ADHD** symptoms. Neuropsychologia 2006, 44:2092-2103.
- de Water E, Mies GW, Figner B, Yoncheva Y, van den Bos W, Castellanos FX, et al.: Neural mechanisms of individual differences in temporal discounting of monetary and primary rewards in adolescents. *Neuroimage* Jun. 2017, **153**:198–210.

Using mixed-effects model analyses, this study provides more insight into the underlying mechanisms (i.e., reward sensitivity and delay sensitivity) of individual differences in temporal discounting and their neural correlates in adolescents.

- Olson EA, Hooper CJ, Collins P, Luciana M: Adolescents' performance on delay and probability discounting tasks: contributions of age, intelligence, executive functioning, and self-reported externalizing behavior. Pers Indiv Differ Nov. 2007, **43**:1886-1897.
- 22. Scheres A, Tontsch C, Thoeny AL, Sumiya M: Temporal reward discounting in children, adolescents, and emerging adults during an experiential task. Front Psychol 2014, 5:711.
- Achterberg M, Peper JS, van Duijvenvoorde ACK, Mandl RCW, Crone EA: Frontostriatal white matter integrity predicts

development of delay of gratification: a longitudinal study. *J Neurosci* Feb. 2016, **36**:1954–1961.

Importantly, this study with a large sample used a longitudinal design. The data demonstrated that impulsive choice on a hypothetical delay discounting task developed with age in a non-linear, with impulsive choice peaking in mid adolescence and slightly decreasing in late adolescence/young adulthood.

- Jackson JNS, MacKillop J: Attention-deficit/hyperactivity disorder and monetary delay discounting: a meta-analysis of case-control studies. Biol Psychiatr Cogn Neurosci Neuroimag Jul. 2016, 1:316-325.
- Patros CHG, Alderson RM, Kasper LJ, Tarle SJ, Lea SE, Hudec KL: Choice-impulsivity in children and adolescents with attention-deficit/hyperactivity disorder (ADHD): a meta-analytic review. Clin Psychol Rev 2016, 43:162–174.
- Pauli-Pott U, Becker K: Time windows matter in ADHD-related developing neuropsychological basic deficits: a compre hensive review and meta-regression analysis. Neurosci Biobehav Rev Aug. 2015, **55**:165–172.

Meta-analysis on impulsive decision making in ADHD, using a developmental perspective, and with a focus on developmental influences.

- Marx I, Hacker T, Yu X, Cortese S, Sonuga-Barke E: ADHD and the choice of small immediate over larger delayed rewards: a comparative meta-analysis of performance on simple choicedelay and temporal discounting paradigms. J Atten Disord May 2021, **25**:171–187.
- Steinberg L, Graham S, O'Brien L, Woolard J, Cauffman E, Banich M: **Age differences in future orientation and delay** discounting. Child Dev Jan. 2009, 80:28-44.
- Sonuga-Barke EJS: Causal models of attention-deficit/ hyperactivity disorder: from common simple deficits to multiple developmental pathways. Biol Psychiatr Jun. 2005, 57:1231-1238.
- 30. Mies GW, Ma I, de Water E, Buitelaar JK, Scheres A: Waiting * and working for rewards: attention-deficit/hyperactivity disorder is associated with steeper delay discounting linked to amygdala activation, but not with steeper effort discounting. Cortex Sep. 2018, 106:164-173.

This study found steeper delay discounting in adolescents with ADHD relative to those without, and observed link between delay discounting and amygdala activation. Of note, effects were specific for delay discounting, as no such associations were found for effort discounting.

- Van Dessel J, Sonuga-Barke E, Mies G, Lemiere J, Van der Oord S, Morsink S, et al.: Delay aversion in attention deficit/hyperactivity disorder is mediated by amygdala and prefrontal cortex hyper-activation. J Child Psychol Psychiatry Allied Discip Aug. 2018, **59**:888–899.
- Mies GW, de Water E, Wiersema JR, Scheres A: Delay discounting of monetary gains and losses in adolescents with ADHD: contribution of delay aversion to choice. Child Neuropsychol May 2019, 25:528-547.
- 33. Defoe IN, Dubas JS, Figner B, van Aken M: A meta-analysis on age differences in risky decision making: adolescents versus children and adults. Psychol Bull 2014, 141:48-84.
- Defoe IN: Towards a hybrid criminological and psychological model of risk behavior: the developmental neuro-ecological risk-taking model (DNERM). Dev Rev Dec. 2021, 62:100995. Review explaining increased adolescent risk taking by the increased exposure to risk conducive situations.
- Dekkers TJ, Popma A, Agelink van Rentergem JA, Bexkens A, Huizenga HM: Risky decision making in attention-deficit/ hyperactivity disorder: a meta-regression analysis. Clin Psychol Rev 2016, 45:1-16.

Meta-analysis showing that on average, groups of individuals with ADHD engaged in more risky decision making on laboratory gambling tasks than groups without ADHD. Effects were similar for all ages.

- Roberts DK, Alderson RM, Betancourt JL, Bullard CC: Attentiondeficit/hyperactivity disorder and risk-taking: a three-level meta-analytic review of behavioral, self-report, and virtual reality metrics. Clin Psychol Rev Jul. 2021, 87:102039.
- Dekkers TJ, Agelink JA, Huizenga HM, Raber H, Shoham R, Popma A, et al.: Decision-making deficits in ADHD are not related to risk seeking but to suboptimal decision-making:

- meta-analytical and novel experimental evidence. J Atten Disord Dec. 2018
- Franke B, Michelini G, Asherson P, Banaschewski T, Bilbow A, Buitelaar JK, et al.: Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. Eur Neuropsychopharmacol 2018, 28:1059-1088.

Review on ADHD using a lifespan perspective, concluding an urgent need for more large-scale longitudinal studies on ADHD.

- Nigg JT, Casey BJ: An integrative theory of attention-deficit/ hyperactivity disorder based on the cognitive and affective neurosciences. Dev Psychopathol Jul. 2005, 17:785–806.
- Halperin JM, Schulz KP: Revisiting the role of the prefrontal 40. cortex in the pathophysiology of attention-deficit/ hyperactivity disorder. *Psychol Bull Jul.* 2006, **132**:560–581.
- 41. Willoughby MT: Developmental course of ADHD symptomatology during the transition from childhood to adolescence: a review with recommendations. J Child Psychol Psychiatry Allied Discip Jan. 2003, 44:88-106.
- 42. Cherkasova M, Sulla EM, Dalena KL, Pondé MP, Hechtman L: Developmental course of attention deficit hyperactivity disorder and its predictors. J Can Acad Child Adolesc Psychiatr 2013, 22:47-54.
- 43. Shaw P, Eckstrand K, Sharp W, Blumenthal J, Lerch JP, Greenstein D, et al.: Attention-deficit/hyperactivity disorder is characterized by a delay in cortical maturation. *Proc Natl Acad Sci Unit States Am* Dec. 2007, **104**(49):19649–19654.
- 44. Castellanos FX, Lee PP, Sharp W, Jeffries NO, Greenstein DK, Clasen LS, et al.: Developmental trajectories of brain volume abnormalities in children and adolescents with attentiondeficit/hyperactivity disorder. J Am Med Assoc Oct. 2002, 288: 1740-1748.
- 45. Sullivan-Toole H, DePasque S, Holt-Gosselin B, Galván A: Worth working for: the influence of effort costs on teens' choices during a novel decision making game. Dev Cogn Neurosci Jun. 2019, **37**:100652.

In this pilot study, the authors present a newly developed physical effort task, to examine the willingness to expend effort in adolescents and adults. They found that adolescents were more willing than adults to expend physical effort during goal pursuit.

- Rogers RD, Everitt BJ, Baldacchino A, Blackshaw AJ, Swainson R, Wynne K, et al.: Dissociable deficits in the deci-sion-making cognition of chronic amphetamine abusers, opiate abusers, patients with focal damage to prefrontal cortex, and tryptophan-depleted normal volunteers: evidence for monoaminergic mechanisms. Neuropsychopharmacology 1999. **20**:322-339.
- Sørensen L, Sonuga-Barke E, Eichele H, van Wageningen H, Wollschlaeger D, Plessen KJ, et al.: Suboptimal decision making by children with ADHD in the face of risk: poor risk

adjustment and delay aversion rather than general proneness to taking risks. *Neuropsychology* 2017, **31**:119–128.

This study showed, using the Cambridge Gambling Task, that decision making problems in children with ADHD were potentially driven by delay aversion.

Scholten H, Scheres A, de Water E, Graf U, Granic I, Luijten M: Behavioral trainings and manipulations to reduce delay discounting: a systematic review. Psychon Bull Rev Jul. 2019, **26**·1803-1849

This systematic review provides an overview of research studies examining the effects of trainings and manipulations to reduce temporal discounting.

- 49. Chein J, Albert D, O'Brian L, Uckert K, Steinberg L: Peers increase adolescent risk taking by enhancing activity in the brain's reward circuitry. Dev Sci Mar. 2011, 14:1-10.
- 50. Nelson EE, Jarcho JM, Guyer AE: Social re-orientation and brain development: an expanded and updated view. Dev Cogn Neurosci Feb. 2016, 17:118-127.
- 51. Silva K, Patrianakos J, Chein J, Steinberg L: Joint effects of peer presence and fatigue on risk and reward processing in late adolescence. J Youth Adolesc 2017, 46:1878-1890.
- Gardner M, Steinberg L: Peer influence on risk taking, risk preference, and risky decision making in adolescence and adulthood: an experimental study. Dev Psychol 2005, 41(4):625-635.
- 53. Weigard A, Chein J, Albert D, Smith A, Steinberg L: Effects of anonymous peer observation on adolescents' preference for immediate rewards. Dev Sci 2014. 17:71-78.
- Reiter AMF, Moutoussis M, Vanes L, Kievit R, Bullmore ET, Goodyer IM, et al.: Preference uncertainty accounts for 54. developmental effects on susceptibility to peer influence in adolescence. Nat Commun Jun. 2021, 12:3823.
- Dekkers TJ, Popma A, Sonuga-Barke EJS, Oldenhof H, Bexkens A, Jansen BRJ, et al.: Risk taking by adolescents with attention-deficit/hyperactivity disorder (ADHD): a behavioral and psychophysiological investigation of peer influence. J Abnorm Child Psychol Sep. 2020, 48:1129-1141.

Experimental study that showed that adolescents with ADHD on average were susceptible to peer influence regarding risk taking, to the same extent as their typically developing peers.

- Duell N, Steinberg L: Positive risk taking in adolescence. Child Dev Perspect Mar. 2019, 13:48-52.
- 57. Duell N, Steinberg L: Adolescents take positive risks, too. Dev Rev Dec. 2021, 62:100984.

Review on positive forms of adolescent risk taking, stressing that risk taking is not something inherently harmful.

Duell N, Steinberg L: Differential correlates of positive and negative risk taking in adolescence. J Youth Adolesc Apr. 2020, 49:1162-1178.