

ENCODER FOR MOBILE CRANE

**Machine Category:**

Knuckle boom cranes, mobile cranes

Industry: Material Handling

Country: Austria

Product Series:

OCD

Specification:

CanKingdom protocol, IP67, Single Turn

Competing Technical Solution:

(Potentiometer)

Benefits of Technical Solution

The encoder is used to measure the position of the crane arms. Compare to analog signal the digital CanKingdom interface allows a better integration into the digital CAN based crane control system. In comparison to potentiometers the optical technology is wear free and can be parameterized.

Reasons For Choosing POSITAL

Best price among competitors, unique customized technical solution

Author: KMA



Confidential! For internal use and training of authorized sales partners of POSITAL only.
Information may not be disclosed to third parties!

AMERICAS
FRABA Inc.
1800 East State Street, Suite 148
Hamilton, NJ 08609-2020, USA
T +1 609 750-8705, F +1 609 750-8703
www.posital.com, info@posital.com

EUROPE
POSITAL GmbH
Carlswerkstrasse 13c
D-51063 Köln, GERMANY
T +49 221 96213-0, F +49 221 96213-20
www.posital.eu, info@posital.eu

ASIA
FRABA Pte. Ltd.
60 Alexandra Terrace,
#02-05 The Comtech, SINGAPORE 118502
T +65 6514 8880, F +65 6271 1792
www.posital.sg, info@posital.sg

ADDITIONAL INFORMATION

Feel free to add additional text or pictures, if you feel that this is highly important to understand the application. Otherwise, please delete this page.

Important Remarks

Please complete the first page anyway to keep the structure equal in all documents!

Please do not disclose confidential technical information on a low level of detail!

This is a sales document and not a guideline for technical implementation!

Please consider and respect existing confidentiality agreements with our customers!

CONFIDENTIAL