

## Automatics Price List

EUR | 2025



## Table of Contents

- **Swing Doors**
- 3 ED 100 / ED 250 Swing Doors
   5 ED 100 / ED 250 Swing Door Accessories
- Swing Door Accessories
- 16 Signage

#### **Sliding Doors**

- 17 ES Sliding Doors
- 18 Sliding Door Accessories
- 23 CS 80 MAGNEO Sliding Doors
- 25 CS 80 MAGNEO Accessories
- 27 Terms and Conditions

## ED 100 / ED 250 Swing Doors

	Finish	Function Part Number	Price (EUR)
dormakaba ED	100 LE C	perator (Body Only) XEA	
		operator suitable for doors up to 100Kg. Excludes cover and arm or slide channel. CE marked and tly tested to EN 16005. CERTIFIRE approved (Cert. No. CF844) ITT120.	
A STATE OF THE STA	Silver	29222311	1624.85
dormakaba ED	) 100 LE C	Operator & Cover XEA	
	0,	operator suitable for doors up to 100Kg. Closing force EN 1154, EN 2 - 4, adjustable Door-leaf ngle-leaf version 700-1100mm. *Check technical documentation for full specification.	
	Silver	ED10010001	1724.18
	Colour	ED10010002	1770.20
dormakaba ED	250 LE C	Operator (Body Only) XEA	
		operator suitable for doors up to 250Kg. Excludes cover and arm or slide channel. CE marked and tly tested to EN 16005. CERTIFIRE approved (Cert. No. CF844) ITT120 MM/IMM 30.	
A STATE OF THE PARTY OF THE PAR	Silver	29202311	2159.33
dormakaba ED	250 LE C	Operator & Cover XEA	
		operator suitable for doors up to 250Kg. Closing force EN 1154, EN 4 - 6, adjustable Door-leaf ngle-leaf version 700-1600mm. *Check technical documentation for full specification.	
	Silver	ED25020003	2251.94
	Colour	ED25020004	2297.95
dormakaba ED	100 LE C	Operators & Full Length Cover XEA	
0		operator suitable for doors up to 100Kg. Closing force EN 1154, EN 2 - 4, adjustable Door-leaf ouble-leaf version 1450-2200mm. *Check technical documentation for full specification.	
	Silver	ED10099102	3515.91
	Colour	ED10099103	3561.94
dormakaba ED	250 LE C	Operators & Full Length Cover XEA	
A		operator suitable for doors up to 250Kg. Closing force EN 1154, EN 4 - 6, adjustable Door-leaf ouble-leaf version 1450-3200mm. *Check technical documentation for full specification.	
	Silver	ED25099105	4646.19
	Colour	ED25099106	4692.21
dormakaba ED	100 A O <sub>I</sub>	perator & Cover XEA	
	Operator su	vitable for doors up to 100Kg. Closing force EN 1154, EN 2 - 4, adjustable Door-leaf width for version 700-1100mm. *Check technical documentation for full specification.	
9	Silver	ED10010005	1851.52
	Colour	ED10010006	1897.55



## ED 100 / ED 250 Swing Doors

	Finish	Function Part Number	r Price (EUR)
dormakaba ED	250 A Ope	rator & Cover XEA	
		ble for doors up to 250Kg. Closing force EN 1154, EN 4 - 6, adjustable Door-leaf width for sion 700-1600mm. *Check technical documentation for full specification.	
	Silver	ED2502000	2379.34
	Colour	ED2502000	2425.34
dormakaba ED	100 A Ope	rators & Full Length Cover XEA	
· ·	•	ble for doors upto 100Kg. Closing force EN 1154, EN 2 - 4, adjustable Door-leaf width for rsion 1450-2200mm. *Check technical documentation for full specification.	
	Silver	ED1009910	3770.62
	Colour	ED1009911	3816.63
dormakaba ED	Operator suita	rators & Full Length Cover XEA  ble for doors up to 250Kg. Closing force EN 1154, EN 4 - 6, adjustable Door-leaf width for rision 1450-3200mm. *Check technical documentation for full specification.	
	Silver	ED2509911	4900.97
	Colour	ED2509911	4946.98
dormakaba ED	) 100 / ED 2	50 Integral UPS	
	to install within	g power when mains power is interupted. One A01 battery and single leaf mounting kit require a standard cover for single doors increasing length of operator to 915mm. One A01 battery f kit required to install within a vario cover for double doors. Note, minimum hinge distance 0mm.	d
		A01 Battery 29263020	161.16
	Silver Cover	Single leaf mounting kit 29263021	225.88
	White Cover	Single leaf mounting kit 29263022	250.26
	Without Cover	Double leaf mounting 29263023 kit	211.13



## ED 100 / ED 250 Swing Door Accessories

	Finish Function	Part Number	Price (EUR)
dormakaba N	otionIQ		
dormolabo val	tailoring opening and door closing time accordingly o	ability to detect distance, speed and angle of approach, and reducing building energy costs. Requires CAN all ulti Adapter also available to facilitate the addition of	
	CAN Connection Unit	29256002	142.93
	CAN Multi Adapter	29280061	65.92
	Black Radar Sensor M A01	86891900	353.69
	Silver Radar Sensor M A01	86892900	353.69
	White Radar Sensor M A01	86893900	353.69
Professional •	 Card		
Section Sectio	Nurse-Bed function. Partial open function for double- Flip-Flop function.	leaf systems. Extended hold-open time 0-180 seconds.	
	Green ED 100	29253001	340.42
	Green ED 250	29253001	340.42
ED 100 / ED 2	50 Basic Cover		
	Silver	29241001	91.98
	Colour	4029241009	138.02
ED 100 / ED 2	50 Vario Cover & Cable Set		
	Aluminium cover designed to create a continuous co- program switch, mains power link cable and operato with two basic covers (order basic covers separately		
	Silver 1500-2200mm	29242001	245.11
	Colour 1500-2200mm	ED10030010	296.21
	Silver 1500-2800mm	29242002	319.49
	Colour 1500-2800mm	ED10030011	365.55
ED 100 / ED 2	50 Standard Arm 0-225mm XEA		
	Suit reveal depths 0-225mm		
A Comment	Silver	29271021	91.99
	Colour	4029271029	138.01
ED 100 / ED 1	50 Standard Arm 225 500 V54		
ED 100 / ED 2	50 Standard Arm 225-500mm XEA		
100	Suit reveal depths 225-500mm Silver	29272021	220.07
			229.94
	Colour	4029272029	277.58



### ED 100 / ED 250 Swing Door Accessories

	Finish Function	Part Number	Price (EUR)
ED 100 / ED 2	250 XEA Heavy Duty Lever Arm		
	Heavy duty lever milled from solid material for replacement of standard arm push version wh doors with high external influences and loads i.e. strong wind, vandalism etc. Note this is onl not the complete arm set		
	Silver	29280059	112.93
	Colour	28280060	116.32
ED 100 / ED 2	250 Slide Channel Set 0-30mm XEA		
	To suit reveal depth 0-30mm		
	Silver	29275021	91.99
	Colour	4029275029	143.80
ED 100 / ED 2	250 Slide Channel Set 30-60mm (Cranked) XEA		
	To suit reveal depth 30-60mm		
	Silver	29276021	91.99
450	Colour	4029276029	143.78
	Silver Colour	29276028 29276030	200.93 258.18
Integrated D	oor Coordinator		
	ED ESR set, integrated door coordinator for hinge distances of up to 2800mm		
The state of the s		29261001	421.75
Communicat	ion Cable For Double Leaf Operators		
	Facilitates control signals between two operators for synchronised opening and closing on toperation enabling primary / secondary operator function.	win door	
0	L1 1400-1550mm	29262002	40.84
	L2 1551-2200mm	29262003	40.84
	L3 2201-2800mm	29262004	40.84
ED Glass Doc	or Bracket Adaptor		
Q: .	For installation of Slide Channel on a glass door of glass thickness 10 to 13.5mm		
	Silver	29275030	128.29



## ED 100 / ED 250 Swing Door Accessories

	Finish Function	Part Number	Price (EUR)
ED XEA Axl	e Extension		
3523			
	Silver 20mm	29278012	25.98
	Silver 30mm	29278013	27.24
	Silver 60mm	29278016	34.02
	Silver 90mm	29278019	54.51



	Finish	Function	Part Number	Price (EUR)
AGLE ARTE	K			
			on to open an automatic door on approach. Its pehind the first, from premature door closure.	
	Black		86901000	175.01
	Silver		86902000	175.01
	White		86903000	175.01
AGLE ARTE	K - Rain Access	ory		
	For protection ag	gainst moderate exposure.		
	Transparent		86930000	57.82
AGLE ARTE	K - Retrofit Acc	essory		
	Adaptor when up	ograding an EAGLE One		
1111			86999000	17.76
AGLE ARTE	K - Ceiling Acc	essory		
	For flush ceiling i	nstallation		
	White		86940000	76.54
EAGLE ARTE	K - Bracket			
	For adaption of r	nounting position		
			86950000	41.85
LZR®-FLATSO	CAN SW, KIT Let	t + Right		
	complete protec		nerates 170 measurement points to provide ATSCAN SW is enough to cover both the height	
	Black		86501300	1100.77
	Grey		86502300	1142.58
	White		86503300	1100.77



	Finish	Function	Part Number	Price (EUR)
LZR®-FLATS	SCAN SW, Left			
	LH Sensor with o	abling.		
1	Black		86501301	574.07
	Grey		86502301	599.16
	White		86503301	574.07
LZR®-FLATS	SCAN SW, Right			
	RH Sensor with o	abling.		
	Black		86501302	574.07
	Grey		86502302	599.16
	White		86503302	574.07
LZR - FLATS	SCAN 3D KIT Left	 t & Right		
	The FLATSCAN 3 around the hinge	D SW takes the functionality of FLATSCAN SW to	certain circumstances). Can also be used to to	
	Black		86521300	1210.71
	White		86513300	1210.71
	Grey		86522300	1370.45
LZR - FLATS	SCAN 3D Left			
b	Left Hand Senso	r with cabling		
	Black		86521301	622.92
	White		86523301	622.92
	Grey		86522301	642.86
LZR - FLATS	SCAN 3D Right			
	Right Hand Sens	or with cabling		
	Black		86521302	622.92
	White		86523302	622.92
	Grey		86522302	642.86
IZD FLATO	SCAN SW & 3D K	IT Loft Lland		
LZR - FLAIS			il (il la la Flattocan 7D il	
	closing side. Witl	on combining a FLATSCAN fitted to the opening on FLATSCAN 3D certified to offer protection are certain circumstances). Comes with cabling.		
	Black		4020009050	1152.44
	White		4020009052	1152.44
	Grey		4020009054	1244.63



	Finish	Function	Part Number	Price (EUF
ZR - FLA1	SCAN SW & 3D	KIT Right Hand		
	closing side. W	tion combining a FLATSCAN fitted to the opening side Jith FLATSCAN 3D certified to offer protection around (in certain circumstances). Comes with cabling.		
	Black		4020009051	1152.44
	White		4020009053	1152.44
	Grey		4020009055	1244.63
LATSCAN	l power cable			
			0/570700	44.00
	5m		86570300	11.22
	10m		4020009066	23.68
LATSCAN	I SW Interface F	ire Door Accessory		
	To be used in p	place of standard connection cable when installing Fl	LATSCAN SW pairs to timber fire doors.	
			86590005	56.07
LATSCAN		ire Door Accessory		
FLATSCAN		place of standard connection cable when installing Fl	LATSCAN pairs to timber fire doors where	
FLATSCAN	To be used in p	place of standard connection cable when installing Fl	LATSCAN pairs to timber fire doors where	56.07
	To be used in pone or both ar	olace of standard connection cable when installing Fl re 3D.	·	56.07
	To be used in pone or both ar	place of standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.	86590006	56.07
	To be used in pone or both ar  Intumescent Ty  For wrapping of	place of standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.	86590006	56.07
nterdens	To be used in pone or both ar  Intumescent Ty  For wrapping of (Pack of 3 piece)	place of standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.	86590006  nber door when fitting FLATSCANS of IRS-4	
nterdens	To be used in pone or both are in the second Ty  For wrapping of (Pack of 3 piece)  ared Sensor  Self-monitoring	place of standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.  The standard connection cable when installing Flee 3D.	86590006  nber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  in accordance with BS EN 16005, includes	
nterdens	To be used in pone or both are in the second Ty  For wrapping of (Pack of 3 piece)  ared Sensor  Self-monitoring	place of standard connection cable when installing Flee 3D.  TPE 5  Taround cable(s) to line any holes drilled through a times.	86590006  nber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  in accordance with BS EN 16005, includes	
nterdens	To be used in pone or both are some or both are some or both are some or both are some one or both are some or both are so	place of standard connection cable when installing Flee 3D.  The square of standard connection cable when installing Flee 3D.  The square of standard connection cable when installing Flee 3D.  The square of standard connection cable (s) to line any holes drilled through a time cas).  The square of standard connection cable (s) to line any holes drilled through a time cas).	86590006  nber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  in accordance with BS EN 16005, includes and 650mm cable loop	2.86
nterdens	To be used in pone or both are some or both are some or both are some or both are some one or both are some or both ar	place of standard connection cable when installing FI in a 3D.  Type 5  Taround cable(s) to line any holes drilled through a time ces).  The standard connection cable when installing FI in a 3D.  Type 5  Type 5  Type 5  Type 5  Type 5  Type 5  Type 7  Type 8  Type 9  Type 1  Type 1  Type 1  Type 1  Type 2  Type 2  Type 3  Type 5  Ty	86590006  The door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  In accordance with BS EN 16005, includes and 650mm cable loop  294350	2.86
nterdens	To be used in pone or both are one one	place of standard connection cable when installing Flee 3D.  Trpe 5  Tround cable(s) to line any holes drilled through a times.  Trough for full user safety in opening and closing direction lection cable, linking cable for optical sensor units an 350mm Single Sensor	86590006  nber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  in accordance with BS EN 16005, includes and 650mm cable loop  294350  4010009201	2.86 188.12 190.90
nterdens	To be used in pone or both are one one or both are one one or	place of standard connection cable when installing FI in 3D.  Type 5  Ground cable(s) to line any holes drilled through a time ces).  If of full user safety in opening and closing direction and cable, linking cable for optical sensor units an 350mm Single Sensor  900mm Single Sensor  1200mm Dual Sensor	86590006  Inber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  In accordance with BS EN 16005, includes and 650mm cable loop  294350  4010009201  294110	2.86 188.12 190.90 278.68
nterdens	To be used in pone or both are one one or both are one one of the policy o	place of standard connection cable when installing FI in 3D.  Type 5  Transport of the standard connection cable when installing FI in 3D.  Type 5  Transport of the standard connection cable(s) to line any holes drilled through a time cas).  Type 5  Transport of the standard connection cable(s) to line any holes drilled through a time cas).  Type 5  Transport of the standard connection cable (s) to line any holes drilled through a time cas).  Type 5  Transport of the standard connection cable when installing FI in 3D.  Type 5  Transport of the standard connection cable when installing FI in 3D.  Type 5  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connection cable when installing FI in 3D.  Transport of the standard connectio	86590006  The aber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  In accordance with BS EN 16005, includes and 650mm cable loop  294350  4010009201  294110  4010009205	2.86 188.12 190.90 278.68 188.12
Interdens	To be used in pone or both are one one or	place of standard connection cable when installing Flee 3D.  Type 5  Ground cable(s) to line any holes drilled through a times.  In ground cable(s) to line any holes drilled through a times.  In ground cable, linking cable for optical sensor units an	86590006  The above the second	2.86 188.12 190.90 278.68 188.12 190.90
Interdens	To be used in pone or both are some or both are some or both are some or both are some one or both are some or bot	place of standard connection cable when installing Flee 3D.  Type 5  Ground cable(s) to line any holes drilled through a times.  In ground cable(s) to line any holes drilled through a times.  In ground cable, linking cable for optical sensor units an	86590006  Inber door when fitting FLATSCANS of IRS-4  40EDSENINTERDENS  In accordance with BS EN 16005, includes and 650mm cable loop  294350  4010009201  294110  4010009205  4010009206	2.86 188.12 190.90 278.68 188.12 190.90



	Finish	Function	Part Number	Price (EUR
RS-4 Weath	er Protection	Hoods		
		350mm	294352	32.75
		1200mm	294112	68.09
RS-4 Maste	r Adapter			
		nables you to connect standard cables of other suppliers to IRS-4 s nd easy way	safety sensors in a	
	<u>·</u>		294020	18.68
Remote Cor	itrol Unit (Pro	gramming Tool)		
	For adjustmen			
			4010009031	54.00
Spot Finder				
	For visualising	the exact position of infrared curtains		
. <b>8</b> -			4010009030	136.22
Program Sw	itch			
	Flush mounting	g 3 position remote switch, lockable		
© © ⊕ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			19135601150	127.26
Program Sw	itch Surface	Mounting Box		
91	White		5080531332	25.40
	wille		5060531532	25.12
Safety Barri				
- 6		th 6mm clear toughened safety glass.		
	Silver	900mm Wide	40BARRIERSTANDARD	412.00



1	Finish	Function	Part Number	Price (EUR)
Safety Barrier	Floor To Floor			
8 3	Glass in-fill with 6m	m clear toughened safety glass.		
9	Silver	900mm Wide	40BARRIER900	632.19
	Silver	1200mm Wide	40BARRIER1200	670.56
	Silver	1500mm Wide	40BARRIER1500	745.86
Blind Floor Sp				
		spring when swing door operator is installed.		
W. Constitution of the second	BTS75V includes cement box		61753000	165.23
Equipment	BTS80		21713601150	222.49
Blind Transom	n Closer			
	Blind Dummy Closer	for Single & Double Action Doors		
	RTS85		85341101	130.92
150mm Wall S	Switches			
150mm Watt S	Square: Press to Op	on		
	Satin Stainless Stee		4021225900	67.15
5		Features wheelchair	4021226600	67.15
TO OPEN		disability logo		07.10
Surface Moun		m Wall Switch (No Transmitter)	1.0	
P TENEROR	Surface mounted bo	ack box for hard wired installation (switch not incl		
			406U0	30.51
Surface Moun	t Box For 150m	m Including Transmitter		
	Surface mounted bo	ackbox for wireless installation (switch not include	d). Note requires Receiver 4023380400	
			406U4	85.45
Radio Control	Receiver			
		uding wiring harness & connector		
			4023380400	54.34
Hand Held Tro	nsmitters			
	RC433 Transmitters			
		1 Channel	4023446500	112.92
		2 Channel	4023446700	119.00
		4 Channel	4023446900	143.46



	Finish	Function	Part Number	Price (EUF
key Fob 2 B	utton			
	RC433 key fob			
		Dual Channel / 2 Button	4023451800	52.94
		Button		
4mm Sliml	ine Barrier / J	amb Switch (Disability Logo)		
	For mounting of	on door frame or safety barrier		
	Satin Stainless	Steel	40AA-3	108.39
ack Box Fo	or 44mm Slimli	ne Switch		
	Surface mount	: back box		_
	Black		40JSB	29.75
lbow Pad				
- CONTINUE	Elbow pad act	ivation device, hard wired.		
	Silver		90410015	212.74
	55.		70110010	212.74
uchless A	activation - Cla	an Switch Rasic		
ouchless A	Surface mount	ean Switch Basic red touch free microwave activation switch IP 65 ra	ited available in black or white with choice	
ouchless A	Surface mount		ated available in black or white with choice	102.04
ouchless A	Surface mount of pictogram.	red touch free microwave activation switch IP 65 ra No optical feedback.		102.04
ouchless A	Surface mount of pictogram. White	ted touch free microwave activation switch IP 65 ra No optical feedback. Blank	4020009040	
ouchless A	Surface mount of pictogram. White	eed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair	4020009040 4020009041	102.04
ouchless A	Surface mount of pictogram. White White White	ted touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042	102.04 102.04
ouchless A	Surface mount of pictogram. White White White Black	eed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank	4020009040 4020009041 4020009042 4020009140	102.04 102.04 102.51
0	Surface mount of pictogram. White White White Black Black Black	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042 4020009140 4020009141	102.04 102.04 102.51 102.51
0	Surface mount of pictogram. White White White Black Black Black Black	eed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142	102.04 102.04 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142	102.04 102.04 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  deed touch free microwave activation switch IP 65 ra	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142	102.04 102.04 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  Blank  wheelchair  Hand  Cean Switch  seed touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142	102.04 102.04 102.51 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  ted touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  atted available in black or white with choice 4020009037	102.04 102.04 102.51 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  red touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank  Wheelchair	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  atted available in black or white with choice 4020009037 4020009038	102.04 102.04 102.51 102.51 102.51
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White  White	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  red touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  Auted available in black or white with choice 4020009037 4020009038 4020009039	102.04 102.04 102.51 102.51 102.51 129.90 129.90
0	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White  White  White  Black	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  ded touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  Blank	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  atted available in black or white with choice 4020009037 4020009038 4020009039 4020009137	102.04 102.04 102.51 102.51 102.51 129.90 129.90 129.90
ouchless A	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White  White  Black  Black  Black  Black  Black  Black  Black	ead touch free microwave activation switch IP 65 ranko optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  red touch free microwave activation switch IP 65 range of the country of the cou	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  atted available in black or white with choice 4020009037 4020009038 4020009039 4020009137 4020009138 4020009138 4020009139	102.04 102.04 102.51 102.51 102.51 129.90 129.90 129.90 129.90
Touchless A	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White  White  White  Black  Black  Black  Black  Black  Black  Black  Black  Black  Black	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  ean Switch  red touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  steed available in black or white with choice 4020009037 4020009038 4020009039 4020009137 4020009138 4020009139	102.04 102.04 102.51 102.51 102.51 129.90 129.90 129.90 129.90
Fouchless A	Surface mount of pictogram.  White  White  White  Black  Black  Black  Surface mount of pictogram.  White  White  White  White  White  Black  Black  Black  Black  Black  Black  Black  Black  Black  Black	ed touch free microwave activation switch IP 65 ra No optical feedback.  Blank  Wheelchair  Hand  Blank  Wheelchair  Hand  Bean Switch  ted touch free microwave activation switch IP 65 ra Outer standby colour changes when activated.  Blank  Wheelchair  Hand  Blank  Wheelchair	4020009040 4020009041 4020009042 4020009140 4020009141 4020009142  steed available in black or white with choice 4020009037 4020009038 4020009039 4020009137 4020009138 4020009139	102.04 102.04 102.51 102.51 102.51 129.90 129.90 129.90 129.90



	Finish	Function	Part Number	Price (EUR
Touchless Ad	ctivation - Mag	gic Switch 2020		_
		d touch free microwave activation switch IP optical feedback.	54 rated available in white with choice of	
			4020009048	103.21
urface mou	ınt back box f	or Magic Switch 2020		
	White		4020009049	10.92
ouchless Ac	ctivation - Mag	gic Switch Chroma		
		owave activation switch IP 65 rated available when activated .	in white with hand pictogram. Outer standby	
	Recessed		4020009056	122.84
	Surface mount		4020009057	122.84
ouchless Ac	ctivation - Mag	gic Switch Chroma Advanced		
		owave activation switch IP 65 rated available when activated, audible signal, external inpu	e in white with hand pictogram. Outer standby tt and extra settings available .	
<b>3 3</b>	Recessed		4020009058	137.29
	Surface mount		4020009059	137.29
ouchless Ac	ctivation - Cle	ar Wave		
		d touch free microwave activation switch IP5 ve to Open. Optical feedback via small green		
			4020009036	112.50
inger Prote	ctor - Not For	Doors Exceeding 1950mm		
d	Roller Blind 250	mm (Length 1925mm)		
	Silver		40FP200S	206.23
	Bronze		40FP200B	206.23
inger Prote	ction For Hing	ed Doors To Meet EN16005		
q	Roller Blind 250	mm (Length 2015mm)		
//20	Silver		40AFP200X11	217.37
	Bronze		40AFP200X08	217.37



Finish	Function	Part Number	Price (EUR)
ninal			
		modules or doors: ED 100, ED 250, ES	
		9900001	367.33
	or set-up, maintena		For set-up, maintenance and diagnostics for the following operators, modules or doors: ED 100, ED 250, ES 200, ES 200 FST, KTC-2, KTC 3/4 and KTV.



## Signage

	Finish	Part Number	Price (EUR)
Automatic Da	oor		
Automatic door	Black & White	40AUTODOORSTICKER	0.82
Disability Log	o		
E	Black & White	40DISABLEDSTICKER	0.82
Keep Clear			
Keep clear	Blue & White	40KEEPCLEARSTICKER	0.82
Directional A	row		
	Blue & White	40DIRARROWSTICKER	0.82
In Emergency	Push to Open		
In emergency push to open	Green & White	40EMERPUSHSTICKER	0.82
No Entry Stic	ker		
	Red & White	40NOENTRYSTICKER	0.96



### **ES Sliding Doors**

	Finish Part Num	nber	Price (EUR
i-Parting Op	erators (2 x 125Kg) / Up to 6000mm Operator Length - 100mm Cover		
++	Ideal for use with Fine Framed & AP Doors. Includes ES 250 PRO Easy operator, remote lockable prograwitch, double roller door carriers, cover and end plates plus battery pack for emergency escape. No activation & locking not included. Please supply cover length and door width dimensions (mm) whe	Note	
	Silver ES250PEP	PAIR100SIL	2655.32
	Colour ES250PEP	PAIR100RAL	2704.11
i-Parting Op	erators (2 x 125Kg) / Up to 6000mm Operator Length - 150mm Cover		
<b>+</b> +	Ideal for use with Fully Framed Doors. Includes ES 250 PRO Easy operator, remote lockable program double roller door carriers, cover and end plates plus battery pack for emergency escape. Note act locking not included. Please supply cover length and door width dimensions (mm) when ordering		
	Silver ES250PEP	PAIR150SIL	2655.26
	Colour ES250PEP	PAIR150RAL	2704.11
-Parting Op	erators (2 x 160Kg) / Up to 6000mm Operator Length -100mm Cover		
++	Ideal for use with Fine Framed & AP Doors. Includes ES 200 operator, remote lockable program switch roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering		
	Silver ES200500	087	3535.94
	Colour ES200500		750/00
	Colodi	188	3584.82
i-Parting Op	verators (2 x 160Kg) / Up to 6000mm Operator Length - 150mm Cover	188	3584.82
i-Parting Op		ouble	3584.82
-Parting Op	perators (2 x 160Kg) / Up to 6000mm Operator Length - 150mm Cover  Ideal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation	ouble & locking	
-Parting Op	derators (2 x 160Kg) / Up to 6000mm Operator Length - 150mm Cover  Ideal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering	ouble & locking	3536.00
<b>++</b>	ldeal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver ES200515  Colour ES200515	ouble & locking	3536.00
<b>+</b> +	rerators (2 x 160Kg) / Up to 6000mm Operator Length - 150mm Cover  Ideal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver ES200515	Jouble & locking 587 588 gram	3536.00
<b>+</b> +	perators (2 x 160Kg) / Up to 6000mm Operator Length - 150mm Cover  Ideal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver  ES200515  Colour  ES200515  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 100mm Cover ledeal for use with Fine Framed & AP Doors. Includes ES 250 PRO Easy operator, remote lockable programs witch, double roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) when the cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) when the cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) when the cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) when the cover and end plates plus battery pack for emergency escape. Note activation & locking not included.	Jouble & locking 587 588 gram Note	3536.00 3584.85
<b>+</b> +	ldeal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver  Colour  ES200515  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 100mm Cover switch, double roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) whe ordering. Also direction of opening, Left hand or Right hand.  Silver  ES250PES	Jouble & locking 587 588 gram Note	3536.00 3584.85 2360.62
ingle Door O	ldeal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver  Colour  ES200515  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 100mm Cover ldeal for use with Fine Framed & AP Doors. Includes ES 250 PRO Easy operator, remote lockable program switch, double roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) whe ordering. Also direction of opening, Left hand or Right hand.  Silver  ES250PES	Jouble & locking 587 588 gram Note en	3536.00 3584.85 2360.62
ingle Door O	ldeal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver  Colour  ES200515  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 100mm Cover ldeal for use with Fine Framed & AP Doors. Includes ES 250 PRO Easy operator, remote lockable programs witch, double roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) whe ordering. Also direction of opening, Left hand or Right hand.  Silver  ES250PES  Colour  ES250PES	gram Note en  GGL 100SIL  GGL 100RAL  a switch, tivation &	
single Door O	ldeal for use with Fully Framed Doors. Includes ES 200 operator, remote lockable program switch, do roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation not included. Please supply cover length and door width dimensions (mm) when ordering  Silver  ES2005 15  Colour  ES2005 15  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 100mm Cover switch, double roller door carriers, cover and end plates plus battery pack for emergency escape. Note activation & locking not included. Please supply cover length and door width dimensions (mm) when ordering. Also direction of opening, Left hand or Right hand.  Silver  ES250PES  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 150mm Cover activation & locking not included. Please supply cover length and door width dimensions (mm) when ordering. Also direction of opening, Left hand or Right hand.  Silver  ES250PES  Operator (1 x 125Kg) / Up to 3000mm Operator Length - 150mm Cover ldeal for use with Fully Framed Doors. Includes ES 250 PRO Easy operator, remote lockable program double roller door carriers, cover and end plates plus battery pack for emergency escape. Note act locking not included. Please supply cover length and door width dimensions (mm) when ordering. A direction of opening, Left hand or Right hand.	gram Note en  GGL 100SIL  GGL 100RAL  a switch, tivation &	3536.00 3584.85 2360.62



	Finish	Function	Part Number	Price (EUR)
EAGLE ARTEK				
		for standard automatic doors. Primary function to open an automatic doction is to protect another user approaching behind the first, from prema		
	Black		86901000	175.01
	Silver		86902000	175.01
	White		86903000	175.01
EAGLE ARTEK	- Rain Acces	ssory		_
	For protection	against moderate exposure.		
	Transparent		86930000	57.82
EAGLE ARTEK	- Retrofit Ac	ccessory		
	Adaptor when	upgrading an EAGLE One		
30 mi			86999000	17.76
EAGLE ARTEK	- Ceiling Aco	cessory		
	For flush ceiling	g installation		
	White		86940000	76.54
EAGLE ARTEK	- Bracket			
	For adaption o	f mounting position		
			86950000	41.85
IXIO-DT1				
		tivation & infrared user protection sensor with 2.5 metre cable.		
	IXIO-DT1 active safety sensor -		86800001	253.48
	Cable Power IX Dorma 8 wires metre		86800029	23.85
	Cable Power IX Dorma 8 wires		86800014	23.85



Moniotored radar door activation & infrared user protection sensor with 2.5 metre cable.  IXIO-DT3 monitored activation and safety sensor - Black  Cable Power IXIO DT3 86800028 23.85  Dorma 10 wires: 2.5 metre  Cable Power IXIO DT3 86800013 33.41  Dorma 10 wires: 5 metre		Finish Function	Part Number	Price (EUR)
IXIO-ST1 monitored activation and safety   86800004   280.34   280.34   280.34   280.34   280.34   280.34   280.34   280.34   280.34   280.35   23.8	IXIO-DT3			
Cotivotion and safety   Sensor - Block   Cable Power IXIO DT3   86800028   23.85   Dorm to 10 wiles 2.5   metre   Cable Power IXIO DT3   86800013   33.41   Dorm to 10 wiles 2.5   metre   Cable Power IXIO DT3   86800013   33.41   Dorm to 10 wiles 5   metre   Cable Power IXIO DT3   86800013   33.41   Dorm to 10 wiles 5   Milo-ST1 reor edge safety sensor - Block   86800007   195.08   Sensor - Block   Received From the Power	~	Moniotored radar door activation & infrared user protection sensor with 2.5 metre cable.		
Dorma 10 wires: 2.5 metre		activation and safety	86800004	280.34
Dorma 10 wires: 5 metre		Dorma 10 wires: 2.5	86800028	23.85
Accessories For IXIO Sensors    XIO-ST1 rear edge safety sensor - Black   8680007   195.08		Dorma 10 wires: 5	86800013	33.41
XIO-ST1 rear edge safety sensor - Black   195.08	IXIO-ST1			
NIO-DT3 Retrofit   86800030   47,74		Active Infrared rear edge presence sensor with self monitoring.		
IXIO-DT3 Retrofit   86800030   47.74     Interface			86800007	195.08
Interface   IXIO-D BA: Bracket - NOT SUITABLE for IXIO ST   IXIO CA: Ceilling Accessory Kit   86800019   120.40   120.	Accessories F	or IXIO Sensors		
Interface   IXIO-D BA: Bracket - NOT SUITABLE for IXIO ST   IXIO CA: Ceilling Accessory Kit   86800019   120.40   120.				
NOT SUITABLE for IXIO ST   IXIO CA: Ceiling   Accessory Kit   Remote Control Unit - for adjustment of sensors (Programming Tool)   Spot Finder - for visualising the exact position of infrared curtains   Section 200			86800030	47.74
Accessory Kit   Remote Control Unit - for adjustment of sensors (Programming Tool)   Spot Finder - for visualising the exact position of infrared curtains   4010009030   136.22		NOT SUITABLE for IXIO	86800016	24.05
for adjustment of sensors (Programming Tool)  Spot Finder - for visualising the exact position of infrared curtains  Electromechanical Locking Devices ES 200  ES 200 Standard Locking Device on Pulley, Bistable  ES 200 VE FIA Magnetic 4000107 474.73 Lock  ES 200 VE Locking Status Contact			86800019	120.40
Electromechanical Locking Devices ES 200  ES 200 Standard Locking Device on Pulley, Bistable  ES 200 VE FIA Magnetic Lock ES 200 VE Locking Status Contact  ES 200 VE Locking Status Contact		for adjustment of sensors (Programming	4010009031	54.00
ES 200 Standard Locking Device on Pulley, Bistable  ES 200 VE FIA Magnetic Lock  ES 200 VE Locking Status Contact  4000107 474.73  4000115 28.21		visualising the exact position of infrared	4010009030	136.22
ES 200 Standard Locking Device on Pulley, Bistable  ES 200 VE FIA Magnetic 4000107 474.73 Lock  ES 200 VE Locking 4000115 28.21 Status Contact	Electromecho	ınical Locking Devices ES 200		
ES 200 Standard Locking Device on Pulley, Bistable  ES 200 VE FIA Magnetic 4000107 474.73 Lock  ES 200 VE Locking 4000115 28.21 Status Contact				
ES 200 VE Locking 4000115 28.21 Status Contact		Locking Device on	4000105	462.01
Status Contact Status			4000107	474.73
Electromechanical Locking Devices ES 250 PRO			4000115	28.21
	Electromecho	unical Lockina Devices ES 250 PRO		
ES PRO Standard 30030001 256.08 Locking Device, Bistable		ES PRO Standard	30030001	256.08
ES PRO Magnetic Lock 30030007 483.70		ES PRO Magnetic Lock	30030007	483.70
ES PRO Locking Device, 30030002 499.83 Fail Safe / Secure			30030002	499.83
ES PRO Locking Status 30030014 63.45 Contact			30030014	63.45



	Finish	Function Part Number	Price (EUR)
Touchless A	ctivation - Cle	an Switch Basic	
		ed touch free microwave activation switch IP 65 rated available in black or white with choice No optical feedback.	
	White	Blank 4020009040	102.04
	White	Wheelchair 4020009041	102.04
	White	Hand 4020009042	102.04
	Black	Blank 4020009140	102.51
	Black	Wheelchair 4020009141	102.51
	Black	Hand 4020009142	102.51
ouchless A	ctivation - Cle	ean Switch	
		ed touch free microwave activation switch IP 65 rated available in black or white with choice Duter standby colour changes when activated.	
(1)	White	Blank 4020009037	129.90
	White	Wheelchair 4020009038	129.90
	White	Hand 4020009039	129.90
	Black	Blank 4020009137	129.90
	Black	Wheelchair 4020009138	129.90
	Black	Hand 4020009139	129.90
		back box for Clean Switch and Clean Switch Basic	47.70
	White	4020009043	16.72
	Black	4020009143	16.78
ouchless A	ctivation - Ma	gic Switch 2020	
	Surface mounte	ed touch free microwave activation switch IP 54 rated available in white with choice of optical feedback.	
3		4020009048	103.21
urface mou	ınt back box f	for Magic Switch 2020	
	White	4020009049	10.92
ouchless A			
	ctivation - Ma	gic Switch Chroma	
	Touch free micr	gic Switch Chroma  rowave activation switch IP 65 rated available in white with hand pictogram. Outer standby swhen activated .	
	Touch free micr	rowave activation switch IP 65 rated available in white with hand pictogram. Outer standby	122.84
	Touch free micr colour changes	rowave activation switch IP 65 rated available in white with hand pictogram. Outer standby s when activated .  4020009056	122.84



	Finish	Function Part Number	Price (EUR)
Touchless Ac	tivation - Mag	gic Switch Chroma Advanced	
		owave activation switch IP 65 rated available in white with hand pictogram. Outer standby when activated, audible signal, external input and extra settings available .	
	Recessed	4020009058	137.29
	Surface mount	4020009059	137.29
Touchless Ac	tivation - Cle	ar Wave	
		d touch free microwave activation switch IP55 Rated. Supplied with 3 Faceplates - Hand, re to Open. Optical feedback via small green light.	
		4020009036	112.50
Hand Held Te	rminal		
		stenance and diagnostics for the following operators, modules or doors: ED 100, ED 250, ES KTC-2, KTC 3/4 and KTV	
		99000001	367.33
All Glass Barr			
	Silver	ighened safety glass. Size made to order, maximum length 1000mm. 4010005085	508.78
ES Adjustable	Floor Guide		
		92212007	49.38
ES Floor Guid	e Channel, Si	lver - Price Per 1metre length	
		19102202120	43.11
Program Swit	tch		
	Flush mounting	5 position remote switch, lockable	
		19135602150	156.79



	Finish	Function	Part Number	Price (EUR)
<b>Program Swit</b>	ch Surface M	Nounting Box		
	White		5080531332	25.12
Nightbank Ex	ternal Key S	vitch - Flush Mounting		
		<u> </u>	4010005091	84.65
Green Nightb	ank Internal	Button		
			4010009059	25.72
Emergency Po	ower Supply	for ES/CS/ED		
			4010009114	168.19
Glass Clampi	ng Rail			
	Silver	1 metre	4400180	119.16
	Silver	1.5 metre	4400150	168.15



### CS 80 MAGNEO Sliding Doors

#### Finish Function Part Number Price (EUR) dormakaba CS 80 MAGNEO 2.1 On-Wall MANET Kit (Glass Door) Consists of: CS 80 operator, MANET door kit, cover kit/fixing kit for MANET, shim plate complete, set of wall connection profiles and mains cable 230V with plug. This kit includes everything to set up a door for 'push and go' activation. If you require 'push pad' activation please order additional components. Silver Anodised LV1 (875mm) CS802.11LV1 2389.32 Silver Anodised LV2 (1000mm) CS802.12LV2 2389.32 Silver Anodised CS802.13LV3 LV3 (1125mm) 2389.32 Matt Stainless Steel LV1 (875mm) CS802.11SSDLV1 2593 11 Design Matt Stainless Steel LV2 (1000mm) CS802.12SSDLV2 2593.11 Design Matt Stainless Steel LV3 (1125mm) CS802.13SSDLV3 2593.11

#### dormakaba CS 80 MAGNEO 2.2 On-Wall Clamping Rail Kit (Glass Door)



Consists of: CS 80 operator, glass clamping rail, cover kit/fixing kit for glass clamping rail, set of wall connection profiles and mains cable 230V with plug. This kit includes everything to set up a door for 'push and go' activation. If you require 'push pad' activation please order additional components. LV1 (875mm) CS802.21LV1 2062.49 Silver Anodised LV2 (1000mm) CS802.22LV2 2062.49 Silver Anodised LV3 (1125mm) CS802.23LV3 2062.49 Matt Stainless Steel LV1 (875mm) CS802.21SSDLV1 2218.42 Design Matt Stainless Steel LV2 (1000mm) CS802.22SSDLV2 2218.42 Matt Stainless Steel LV3 (1125mm) CS802.23SSDLV3 2218.42

#### dormakaba CS 80 MAGNEO 2.3 In-Wall Clamping Rail Kit (Glass Door)



Desian

Consists of: CS 80 operator, glass clamping rail and mains cable 230V with plug. This kit includes everything to set up a door for 'push and go' activation. If you require 'push pad' activation please order additional components.

Silver Anodised	LV1 (875mm)	CS802.31LV1	1853.89
Silver Anodised	LV2 (1000mm)	CS802.32LV2	1853.89
Silver Anodised	LV3 (1125mm)	CS802.33LV3	1853.89

#### dormakaba CS80 MAGNEO 2.4 On-Wall Kit (Timber Door)



Consists of: CS 80 operator, door kit for timber door, cover kit/fixing kit for timber door, set of wall connection profiles and mains cable 230V with plug. This kit includes everything to set up a door for 'push and go' activation. If you require 'push pad' activation please order additional components.

Silver Anodised	LV1 (875mm)	CS802.41LV1	1942.89
Silver Anodised	LV2 (1000mm)	CS802.42LV2	1942.89
Silver Anodised	LV3 (1125mm)	CS802.43LV3	1942.89
Matt Stainless Steel Design	LV1 (875mm)	CS802.41SSDLV1	2075.98
Matt Stainless Steel Design	LV2 (1000mm)	CS802.42SSDLV2	2075.98
Matt Stainless Steel Design	LV3 (1125mm)	CS802.43SSDLV3	2075.98



### CS 80 MAGNEO Sliding Doors

	Finish	Function	Part Number	Price (EUR)
dormakaba	CS 80 MAGNEO	2.5 In-Wall Kit (Timber Door)		
		operator, door kit for timber door and mains c p a door for 'push and go' activation. If you rec ents.		
NAME OF TAXABLE PARTY.	Silver Anodised	LV1 (875mm)	CS802.51LV1	1768.93
	Silver Anodised	LV2 (1000mm)	CS802.52LV2	1768.93
	Silver Anodised	LV3 (1125mm)	CS802.53LV3	1768.93

#### dormakaba CS 80 MAGNEO 2.6 On-Glass Wall Kit (Glass Door) Consists of: CS 80 operator, MANET door kit, cover kit/fixing kit for MANET, shim plate complete, set of wall connection profiles and mains cable 230V with plug. This kit includes everything to set up a door for 'push and go' activation. If you require 'push pad' activation please order additional components. Silver Anodised LV1 (875mm) CS802.61LV1 2293.76 Silver Anodised LV2 (1000mm) CS802.62LV2 2304.41 Silver Anodised LV3 (1125mm) CS802.63LV3 2315.20 Matt Stainless Steel LV1 (875mm) CS802.61SSDLV1 2569.48 Design Matt Stainless Steel LV2 (1000mm) CS802.62SSDLV2 2592.37 Matt Stainless Steel LV3 (1125mm) CS802.63SSDLV3 2615.24 Design



### CS 80 MAGNEO Accessories

Locking Devi	Finish	Function	Part Number	Price (EUR
Locking Devi	се			
****	CS 80 Magneo	o lock (Fail safe/Fail Secure)		
			84020130	369.01
Touchless Ac	 ctivation - Cle	ean Switch Basic		
		ted touch free microwave activation switch IP 65 rated available i No optical feedback. More Touchless Activation Devices available		
	White	Blank	4020009040	102.04
	White	Wheelchair	4020009041	102.04
	White	Hand	4020009042	102.04
	Black	Blank	4020009140	102.51
	Black	Wheelchair	4020009141	102.51
	Black	Hand	4020009142	102.51
RC-H3 - Co		Held Transmitter		
1		ited Bi-directional hand held transmitter, 4 channels with LED feed 22002. Requires 1x1.5V LR03 (AAA) Battery	back. For use only with BRC-R	
3			29304001	127.05
4				
BRC-R - Com	nfort Receive	er		
		radio receiver for use with BRC-H3 Hand held transmitter and BRC	C-W wall switches	
Tunda.	<del></del>		29302002	164.83
lard Wired,	Wide Rocker	Momentary Push Switch		
Hard Wired,	Wide Rocker Flush mounted			
50			4010005082	14.82
-	Flush mounted		4010005082	14.82
	Flush mounted		4010005082	14.82
	Flush mounted		4010005082	14.82
	Flush mounted White		4010005082	14.82
	Flush mounted White	d.	4010005082	14.82
	Flush mounted White	d. mber doors.	4010005082	14.82
20	Flush mounted White  DOT Grip For glass or tin	d. mber doors.		
	Flush mounted White  DOT Grip For glass or tin	d. mber doors.		
Recessed Do	Flush mounted White  DOT Grip For glass or tin Satin Stainless	mber doors.		
Recessed Do	Flush mounted White  Por Grip For glass or tir Satin Stainless  gram Switch	mber doors.	84020102	
Recessed Do	Flush mounted White  Por Grip For glass or tir Satin Stainless  gram Switch	mber doors.	84020102	



### CS 80 MAGNEO Accessories

	Finish	Function	Part Number	Price (EUR)
Internal Program Switch				
			16610601175	11.46

Made with Daginatio

 $\wedge$ 

These Terms set out the relationship between you and either Kaba Ltd or dormakaba UK Ltd – the appropriate company being identified on the Quotation.

Such documents can be long and complex but we have tried to keep this to a minimum in two ways:

- We have attempted to use plain English but if there are areas you do not understand; please ask.
- The Terms are divided into Sections: the first applies to all contracts with us (these General Terms) and there are further terms
  for specific services (Specific Terms). This means that you will only be given those additional terms that apply to your particular contract with us.

#### 1 Definitions

1.1. So as to be clear, the following words shall have the following meanings:

**Charges:** the charges arising under this Contract; **Door:** the fire door owned and maintained by you to which the Goods are affixed;

Contract: these Terms, any Specific Terms applying to your order, our Quotation and your purchase order; Data Protection Legislation: the Data Protection Acts 1998 to 2018 and the Data Protection Regulation; Good Industry Practice: that degree of skill, care, prudence, foresight, operating systems and practice which would ordinarily be expected of a skilled and experienced supplier engaged in the same or similar type of undertaking as that of the Supplier under similar circumstances;

**Goods:** all physical items listed in the Quotation or ordered by you;

**Group:** your company together with your subsidiaries and holding companies from time to time. 'Holding company' and 'subsidiary' have the meanings given in sections 7 & 8 of the Companies Act 2014 and 'holding companies' and 'subsidiaries' shall be construed accordingly;

IP Rights: patents, rights to inventions, copyright and related rights, trade marks, trade names and domain names, rights in get-up, rights in goodwill or to sue for passing off, rights in designs, rights in computer software, database rights, rights in confidential information (including know-how and trade secrets) and any other intellectual property rights, in each case whether registered or unregistered and including all applications (or rights to apply) for, and renewals or extensions of, such rights and all similar or equivalent rights or forms of protection which may now or in the future subsist in any part of the world; Location: the premises where the Goods are to be installed or Services carried out either as specified in the Quotation, or (in the case of Product Sales) as stated on your order, or, if neither, your principal place of business;

**Product Sales:** supply only of Goods with no design or installation Project Services: services that include

design, supply and installation of Goods;

**Quotation:** the quotation provided to you by either dormakaba Ireland Ltd or Kaba Limited;

**Services:** all services to be supplied to you listed in the Quotation:

**Special Terms:** any terms set out in writing in the Quotation that vary these Terms or the Specific Terms;

**Specific Terms:** those for Installation, Maintenance, Main Contractors and Software.

Terms: these General Terms: and

**Warranty Period:** a period of at least 12 months from the date of issue of an invoice in respect of the Goods or Services. Extended Warranty periods are specified in the relevant quotation or price list

#### 1.2. In this Contract:

- 1.2.1. Personal data, controller, processor, data subject and processing have the meanings respectively set out in the Data Protection Regulation
- 1.2.2. the singular includes the plural and vice versa;
- 1.2.3. references to gender include references to all genders;
- 1.2.4. unless otherwise stated, references to clauses are to clauses of these Terms; and
- 1.2.5. the clause headings are for reference only and shall not affect the construction or interpretation of this Contract.

#### 2. The terms that apply to the Contract

- 2.1. These Terms and the Specific Terms, subject to any Special Terms, shall apply to all dealings between us and you and take precedence over anything inconsistent in or referred to in your purchase order, confirmation of order, or specification, or implied by law, trade custom, practice or course of dealing. In the event of conflict, the order of precedence shall be Special Terms, Specific Terms and then finally these Terms
- 2.2. All Quotations are based on these Terms and the relevant Specific Terms being accepted without variation.
- 2.3. Only additions to, variations of, exclusions or attempted exclusions of any term of the Contract will be binding on us if they are in writing and signed

- by a Director or Senior Manager or they constitute Special Terms.
- 2.4. In the event that the Services include installation Specific Terms: Installation shall apply. In respect of Project Services or Maintenance Services the Specific Terms: Maintenance and the Specific Terms: Installation shall apply. If this Contract is with a contractor on behalf of a client, then the Specific Terms: Main Contractor shall apply. The provision of software is subject to Specific Terms: Software.
- 2.5. Either of us can institute a request to alter the Contract in accordance with paragraph 13. Neither of us can cancel a Contract without the other's agreement.

#### 3. Quotations and Orders

- 3.1. A binding contract shall not come into existence between us and you unless and until we receive a purchase order from you, or, if earlier, when we begin to deliver the Goods. Cancellation of this Contract is not permitted.
- 3.2. We will supply the Goods and the Services as set out in our Quotation or (if there is no Quotation), your purchase order.
- 3.3. We may deliver the Goods and Services in instalments and invoice accordingly.
- 3.4. All drawings, descriptive matter, specifications and advertising issued by us are provided for illustrative purposes only and do not form part of the Contract.
- 3.5. We reserve the right to make any changes in the specification of the Goods which do not materially affect their quality or performance.
- 3.6. Our employees are not authorised to make any contractually binding promises or representations concerning the Goods or the Services. In entering into the Contract, you acknowledge that you do not rely on, and waive any claim for breach of, any such representations which have not been confirmed in writing by a Director or Senior Manager.
- 3.7. Any advice or recommendation given by us or our employees to you or your employees about the storage, application or use of the Goods or the Services, which is not confirmed in writing, is followed or acted on entirely at your own risk.

#### 4. Your Responsibilities

- 4.1. You agree to:
- 4.1.1. check all Quotations for accuracy and omissions;
- 4.1.2. provide the Quotation number on any order;
- 4.1.3. at our request, appoint an authorised individual with authority to bind you and through whom all communication will be passed;
- 4.1.4. ensure that your employees or other independent contractors cooperate reasonably us, our agents and independent contractors; and
- 4.1.5. promptly furnish us with such information as we may request.

4.2. If our performance of our obligations under the Contract is prevented or delayed by your act or omission (other than by reason of a Force Majeure Event), you shall pay us all reasonable costs, charges or direct losses sustained by it as a result, subject to us notifying you in writing of any such claim we might have against you in this respect.

#### 5. Payment and Price

- 5.1. All prices shall be those current when we dispatch Goods unless included in a valid Quotation. All prices are exclusive of VAT.
- 5.2. We may, by notice to you before delivery, increase the price of any undelivered Goods to reflect any change in delivery dates, quantities or specifications requested by you, or any delay caused by you.
- 5.3. Credit Account Existing Customers.
- 5.3.1. Orders to be received on account, as per existing payment terms
- 5.3.2. Order value must be within credit limit unless prior written approval.
- 5.4. Credit Account New User Customers
- 5.4.1. Customer account and credit account is required to be set up prior to orders being submitted
- 5.4.2. Order value must be within credit limit unless prior written approval.
- 5.5. Where goods and site labour are supplied, the following payment terms will apply.
- 5.5.1. 50% of equipment value invoiced upon receipt of agreement/order. This will be a Proforma invoice or 1st Application for payment
- 5.5.2. Remaining 50% of equipment value invoiced when delivered to site, prior to installation or before commissioning. This will be a standard Invoice or application for payment.
- 5.5.3. Balance invoiced as per schedule of works. This will be a standard Invoice or application for payment.
- 5.5.4. The above does not include additional works and agreed variations
- 5.5.5. Abortive or additional visits and lost time due to failure of others will be charge at £750 per visit.
- 5.6. We reserve the right to cease or suspend to procure, or supply products if the order is on hold till the order block is restored, or the customer has provided written evidence to the company's reasonable satisfaction that the order block can be restored.
- 5.7. We reserve the right to revoke or amend payment terms and or credit limit any time, upon giving customers written notice.
- 5.8. Invoices shall be paid in invoice currency within 30 days of their date, or 30 days after the end of the month of the invoice in respect of Product Sales. Unless you have a credit account, they will be rendered in advance and will be payable, whether or not Services have been started, delivery of the Goods has taken place or title in the Goods has passed to



you.

- 5.9. Time for payment of our invoices shall be of the essence of the Contract.
- 5.10. If you do not pay on time, without prejudice to any other right or remedy available to us, we may set-off any payment made by you to any outstanding sum (whether on this or another contract with you or a member of your Group). We may also charge interest and late payment compensation fees on the outstanding debt under the Late Payment of Commercial Debts (Interest) Act 1998 (amended) and suspend all further deliveries of goods and the provision of any services (whether under this or another contract with you or a member of your Group).

#### 6. **Delivery of Goods**

- 6.1. We will use our reasonable endeavours to deliver (and if included in the Order Confirmation) install the Goods and provide the Services on the date or dates specified in our Quotation at the Location, but any such date is approximate only. If no dates are so specified, delivery shall be within a reasonable time. Time is not of the essence as to the delivery of the Goods or the provision of the Services.
- 6.2. Delivery and installation shall be made during normal business hours, and we may levy additional charges for any deliveries made outside such hours at your request.
- 6.3. You are responsible for all delivery charges and for preparing the Location for the delivery of the Goods. In the case of Product Sales delivery charges will be as the current published price list.
- 6.4. Where we are not installing the Goods:
- 6.4.1. we will be responsible for any damage, shortage or loss in transit, provided that you notify us (or its carrier, if applicable) within 3 working days of delivery or the proposed delivery date of the Goods. Any remedy under this paragraph shall be limited, at our option, to the replacement or repair of such Goods which is proven to our satisfaction to have been lost or damaged in transit; and
- 6.4.2. you will be deemed to have accepted the Goods when you have had 3 working days to inspect them after delivery or, if earlier, when you use the Goods.
- 6.5. Provided the Goods have not been purchased by us from a third party, or manufactured particularly for you, then we may agree to accept the return of the Goods, subject to you bearing all costs of delivery and re-delivery together with a payment of 25% of the price of the Goods. Any credit arising will be retained as a credit against future Charges. No returns will be accepted unless we have agreed and have issued a return note.
- 6.6. We will not be liable for any non-delivery of Goods (even if caused by our negligence) unless you notify

- us in writing of the failure to deliver within 7 days after the scheduled delivery date.
- 6.7. Our liability for non-delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro rata contract rate against any invoice raised for such Goods.

#### 7. Risk and ownership

- 7.1. Where we are installing the Goods:
- 7.1.1. The Goods shall be at our risk until delivery of the Goods to the Location.
- 7.1.2. On completion of the installation, we will demonstrate the Goods to you and the Goods will then be deemed accepted by you. You agree to sign the form of acceptance or the delivery note. If at any time you make use of the Goods other than for training or test purposes, then the Goods will be deemed to be accepted.
- 7.1.3. You will not own the Goods until you have paid everything due to us (or if later, on installation). Until you own the Goods you must look after them on our behalf, keep them fully insured on our behalf. Any insurance proceeds from a claim must be kept separate from your money and not paid into an overdrawn account.
- 7.1.4. Your right to possession of the Goods, before ownership has passed to you, shall terminate immediately if any of the circumstances set out in paragraph 14.1 arise or if you mortgage or in any way charge the Goods, or if you fail to make any payment to us on the due date.
- 7.1.5. If you use banking facilities that involve a charge over your assets, then you shall inform the bank or finance house of our ownership and rights in the Goods.
- 7.2. You grant us and our employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or where your right to possession has terminated, to remove them. All costs incurred by us in repossessing the Goods shall be borne by you.
- 7.3. On termination of the Contract for any reason, our rights under this paragraph 7 shall remain in effect.

#### 8. Software licence

If Software is included in the Quotation, your right to use the Software is set out in our Specific Terms: Software Licence.

#### 9. Warranties

- 9.1. We warrant that:
- 9.1.1. we will carry out our duties in accordance with Good Industry Practice;
- 9.1.2. the Goods shall be free of material defects upon delivery;
- 9.1.3. the Goods will be free of material defects in design, materials and workmanship for the Warranty period from the date of invoice
- 9.2. If any Goods is agreed by us to be faulty before

- acceptance, then we will exchange the faulty part or Goods free of charge as quickly as possible.
- 9.3. Our liability for a breach of the warranties contained above is conditional on:
- 9.3.1. you give written notice of the defect to us within fourteen days of when you discover or ought to have discovered the defect;
- 9.3.2. we are given a reasonable opportunity of examining such Goods and you (if asked to do so) return such Goods to our place of business at our cost for the examination to take place there; and
- 9.3.3. if there is a defect or breach, then we will at our sole option either repair or replace the Goods or repeat the Services or refund the Charges or an equitable proportion of the Charges (as applicable) provided that (in our reasonable opinion) the defect or breach is not due to any act or omission by you or any third party.
- 9.4. The person or persons signing the form of acceptance or delivery note warrant that they have authority to sign the same on your behalf.
- 9.5. The following are excluded from the warranty above:
  - Flawed or defective Goods operation(s) caused by unusual or an unforeseeable use or condition,
  - Goods where repairs or alterations performed by anyone other than personnel authorised by us,
  - Goods using unauthorised components or sub-assemblies in place of components supplied with the Goods,
  - Any products or systems in which our Goods are incorporated,
  - Damage or failure caused by a Force Majeure Event,
  - Damage or faults arising from improper operation or maintenance of the Goods, or
  - Damage or failure caused by the installation of the Goods when installed by someone other than us.
- P.6. THE WARRANTIES IN THÉSE TERMS ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF QUALITY, CONDITION, DESCRIPTION, COMPLIANCE WITH SAMPLE, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (WHETHER STATUTORY OR OTHERWISE), SAID WARRANTIES BEING EXPRESSLY DISCLAIMED AND EXCLUDED FROM THESE TERMS AND THE CONTRACT TO THE FULLEST EXTENT PERMITTED BY LAW. We reserve the right to refuse all service and/or warranty claims if the account is deemed "past due" in accordance with the agreed upon terms.
- 10. Limitation of liability
- 10.1. The following provisions set out our entire liability (including any liability for the acts or omissions of our employees) to you in respect of any breach of

- the Contract and any representation, statement or tortious act or omission (including negligence) arising out of or in connection with the Contract.
- 10.2. All warranties, conditions and other terms implied by statute or common law are excluded from the Contract to the fullest extent permitted by law.
- 10.3. Nothing in these conditions excludes or limits our liability for death or personal injury caused by our negligence or fraud or fraudulent misrepresentation.
- 10.4. Subject to paragraph 10.3:
- 10.4.1. Because we cannot work out the potential harm to your organisation, we will not be liable for any loss of profits, loss of business, depletion of goodwill or similar losses or for any special, indirect or consequential loss, costs, damages, charges or expenses howsoever arising; and
- 10.4.2. In the case of Product Sales then our liability, whether in contract or tort or otherwise arising out of or in connection with this Contract shall in any event be limited to an obligation on us to repair, replace or refund the cost of the defective Goods; and otherwise,
- 10.4.3. our total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to one time the price payable for the Goods and Services under paragraph 5.
- 10.5. Under no circumstances shall we be responsible or liable for the condition and/or functionality of the Doors. In particular (but without limit to the foregoing) you acknowledge and agree that it is your responsibility to ensure that the Doors are of satisfactory quality and fit for purpose.
- 11. Intellectual Property Rights
- 11.1. If we manufacture or modify the Goods or incorporate data or other information at your request, you shall indemnify and keep us indemnified against all losses, damages, costs, claims and expenses incurred by us in connection with any claim for infringement of any third-party IP Rights which results from that request.
- 11.2. We hereby assign to you all existing and future IP Rights in any documentation written specifically by us for you and included in the Goods or the Installation Services subject to a prior written agreement.
- 12. Non-Solicitation

Neither party shall, during the continuance of the Contract, or within 6 months of its termination, whether on behalf of itself or a third party, solicit or seek to entice away any employee of the other. In the event of breach of this term the party in default shall pay the other a sum equal to six months



gross pay of the employee concerned being a preestimate of the cost of recruitment and training a replacement.

#### 13. Change Requests

- 13.1. If either party identifies a requirement for a change (including a change to Goods and/ or Services and/ or Charges) it shall provide its requirements to the other party.
- 13.2. If a Change Request is initiated by us, then this will include the effect such a change would have upon the Goods and/ or Services and/ or Charges.
- 13.3. If you instigate a Change Request, we will use reasonable endeavours to confirm the effect such a change would have upon the Goods and/ or Services and/ or Charges within 30 days from instigation.
- 13.4. Together we will then decide whether or not to implement the change. If the change is implemented, the amended goods and/ or services and/ or charges shall then become the Goods and/ or Services and/ or Charges and be deemed incorporated into this Contract. No change shall have effect without the agreement of each of us..

#### 14. Termination for Cause

- 14.1. Either party may terminate this Contract forthwith on giving notice in writing to the other if one party ceases (or threatens to cease) to carry on business or commits any serious breach of any term of this Contract and (in the case of a breach capable of being remedied) shall have failed, within 7 days after the receipt of the request in writing from the other to do so, to remedy the breach.
- 14.2. Termination of the Contract, however arising, shall not affect or prejudice the accrued rights of the parties as at termination or the continuation of any provision expressly stated to survive or implicitly surviving termination..

#### 15. Dispute Resolution Procedure

- 15.1. If any dispute arises in connection with this Contract, directors or other senior representatives of the parties with authority to settle the dispute will, within 7 days of a written request from one party to the other, meet promptly in good faith to resolve the dispute.
- 15.2. If the dispute is not resolved in accordance with paragraph 15.1, we both agree to enter into mediation in good faith to settle such a dispute and will do so in accordance with the Centre for Effective Dispute Resolution (CEDR) Model Mediation Procedure. Unless otherwise agreed between us within 14 days of notice of the dispute, the mediator will be nominated by CEDR.

#### 16. Force Majeure

16.1. We will not be liable to you for any breach of our obligations under this the Contract if such breach is due to an act, event, omission or accident beyond our

- reasonable control (Force Majeure Event).
- 16.2. If a Force Majeure Event occurs, we will inform you as soon as possible and take all reasonable steps to mitigate the effects of the Force Majeure event and resume performance of its obligations as soon as possible..

#### 17. Anti-Bribery

- 17.1. You must
- 17.1.1. comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Criminal Justice (Corruption Offences) Act 2018 (Relevant Requirements):
- 17.1.2. not engage in any activity, practice or conduct which would constitute an offence under sections
  5 to 8 (inclusive) or 18(1) of the Criminal Justice (Corruption Offences) Act 2018 if such activity, practice or conduct had been carried out in Ireland;
- 17.1.3. comply with our Ethics, Anti-bribery and Anti-Corruption Policies available at www.dormakaba.com/policies (Relevant Policies);
- 17.1.4. have and shall maintain in place throughout the term of this Contract its own policies and procedures, including adequate procedures under the Criminal Justice (Corruption Offences) Act 2018, to ensure compliance with the Relevant Requirements, the Relevant Policies, and will enforce them where appropriate;
- 17.1.5. promptly report to us any request or demand for any undue financial or other advantage of any kind received by you in connection with the performance of this Contract; and
- 17.1.6. immediately notify us (in writing) if a foreign public official becomes an officer or employee of yours or acquires a direct or indirect interest in you and you warrant that warrants that you have no foreign public officials as direct or indirect owners, officers or employees of any member of your Group at the date of this Contract.

#### 18. GDPR & Data Protection

- 18.1. Both of us will comply with all applicable requirements of the Data Protection Legislation. We agree that, for the purposes of the Data Protection Legislation, we are the processor, and you are the controller.
- 18.2. You will ensure that you have all necessary consents (or have complied with another processing condition and have the appropriate notices in place) to enable the lawful transfer of personal data to us for the duration and for the purposes of this Contract.
- 18.3. We warrant that to the extent we process any personal data on your behalf we will:
- 18.3.1. act only on your instructions;
- 18.3.2. have in place appropriate technical and organisational security measures against

- unauthorised or unlawful processing of personal data and against accidental loss or destruction of, or damage to, personal data. Such measures will be appropriate to the harm that might result from the unauthorised or unlawful processing;
- 18.3.3. ensure all personnel who have access to the personal data are obliged to keep it confidential;
- 18.3.4. assist you to respond to a data subject's request to enforce their rights of subject access, rectification, erasure and any other rights conferred by the Data Protection Legislation;
- 18.3.5. assist you if requested with respect to security, breach notifications, impact assessments and any investigations by a regulator;
- 18.3.6. notify you without undue delay in the event of a data security breach and assist you with any investigations;
- 18.3.7. at your direction delete or return to you all personal data and copies on termination unless required by law to retain the same; and
- 18.3.8. maintain complete and accurate records to demonstrate our compliance with this clause and allow for audits by you.
- 18.4. We will not appoint a third-party processor without your prior written consent and shall ensure that any third-party processor will enter into an agreement with the same or substantially similar terms in relation to the Data Protection Legislation.
- 18.5. We will not transfer of any personal data outside the EU or the UK unless your prior consent has been obtained and, if required by applicable law, we and you will enter into an appropriate data transfer agreement.
- 18.6. We will comply with our Data Protection and IT Security Policies. The obligations in relation to data protection set out in this clause shall not be affected by the expiry or termination of this agreement.
- 18.7. Our website provides our Privacy Notice, Data Protection Officer contact details and information on how to make a complaint to the Data Protection Commission.
- 19. Waiver

A waiver of any right under the Contract is only effective if it is in writing and signed by or on behalf of the waiving party, and it applies only to the party to whom the waiver is addressed and the circumstances for which it is given.

20. Third Party

None of the provisions of this Contract are intended to or will operate to confer any benefit on a person who is not named as a party to this Contract.

- 21. Entire Agreement
- 21.1. The Contract constitutes the whole agreement between the parties and supersedes all previous agreements between the parties relating to its

- subject matter.
- 21.2. Each party acknowledges that, in entering into this Contract, it has not relied on, and shall have no right or remedy (other than for breach of contract) in respect of, any statement, representation, assurance or warranty (whether made negligently or innocently) other than as expressly set out in this Contract.

#### Assignment

- 22.1. If you are acting as a main contractor or a distributor of our Goods and Services then you may assign your rights, but not your duties, under this Contract, to the ultimate end user of the Goods or Services.
- 22.2. Unless the clause above applies, you shall not, without our prior written consent (such consent not to be unreasonably withheld), assign, transfer, charge, sub-contract or deal in any other manner with all or any of your rights or obligations under the Contract.

#### Notices

Any notice required to be given pursuant to this Contract shall be in writing and shall be delivered by hand or sent by pre-paid first-class post or recorded delivery post to your address of the party as set out in your purchase order (or if none, your last known address), or, if to us, by email to notices@dormakaba.com or such other address as may be notified by one party to the other.

24. Governing law and jurisdiction

The Contract is governed by Irish Law and the courts of Ireland shall have exclusive jurisdiction.

# Specific Terms: Installation including all other 'on-site' Services.

These Terms apply to the provision of all on-site Services

#### 1. Inspection

- 1.1. We may inspect your Location in accordance with the terms of this Contract. and may then report to you in writing whether the Location is suitable for the provision of the Goods and/ or Services and if they are not, the remedial steps necessary.
- 1.2. You shall use reasonable endeavours to complete any remedial work in accordance with times and dates indicated by us. We may perform repeat inspections (and the procedure outlined above) until we are satisfied that the Location is suitable.

#### 2. Your Obligations

- 2.1. You will (in each case insofar as is reasonably necessary to enable us to effectively carry out our Services):
- 2.1.1. make available to us free of charge such areas of the Location as we request;
- 2.1.2. ensure that the premises where the Goods is to be or is installed are and remain suitable and that at the time of installation comprise a safe place of work for our employees;
- 2.1.3. take all reasonable steps to ensure the health and safety of our employees, agents or independent contractors subject to such employees, agents or independent contractors complying with your health and safety policy, provided this has been supplied to us:
- 2.1.4. provide all necessary facilities, such as light, electricity, proper ventilation and sufficient installation space that we request;
- 2.1.5. comply with our Site Conditions attached;
- 2.1.6. carry out any making good or decorating that is required after installation; and

- 2.1.7. ensure that any IP Rights which we are required to use or modify in order to supply the Services are either owned by you or properly licensed to you and that we are properly authorised to use or modify the IP Rights. You agree to indemnify and hold us harmless in respect of any costs, expenses, damages, third party actions or claims arising out of any actual or alleged infringement of third party IP Rights by us or you.
- 2.2. You are responsible (at your cost) for preparing the Location for the delivery and installation of the Goods. In the event that any making good or decorating is required after installation, then that is your responsibility.
- 2.3. You are responsible for ensuring that our employees have safe access to and from your and you must comply with all health and safety regulations in respect of our employees whilst they are on your premises.
- 2.4. You warrant that the Door complies with all applicable laws and standards, including those in respect of fire safety relevant to a fire safety door in Ireland. You are responsible for the maintenance of the Door and maintaining its structural integrity.
- 2.5. You will at all times indemnify and keep us fully indemnified on demand from and against all and any liabilities losses, damages, charges, costs (including but not limited to legal and other professional expenses) and expenses of any nature incurred by us directly or indirectly as a result of or in connection with a breach by you of clause 2.4 above. You will not be liable if and to the extent that this indemnity would be contrary to public policy.



## Specific Terms: Maintenance Services

These Terms apply to the provision of all Maintenance Services

#### Definitions

So as to be clear, the following words shall have the following meanings:

**Ad-Hoc Maintenance Services;** maintenance services provided on request when no Contracted Maintenance Services are in place;

**Contracted Maintenance Services:** the services described in a Service Schedule:

**End of Life:** the Goods concerned have exceeded the life expectancy we would have reasonably expected given the conditions of their installation, maintenance and use;

**Equipment:** the goods that are the subject of the Maintenance Services;

Maintenance Level: the type of maintenance to be provided as set out in the Quotation; and Maintenance Services: Ad-Hoc and Contracted

#### Inspection

Maintenance Services.

Prior to agreeing to provide Contracted Maintenance Services we may inspect your Equipment to ensure that the Equipment is suitable for Contracted Maintenance Services. If remedial work is required, then we will provide an estimate for the same.

#### 3. Our Obligations

We will, from the start date set out in the Quotation, provide the Contracted Maintenance Services as described in the attached Service Schedule until this Contract is terminated in accordance with the Terms or withdrawn under paragraph 6.2 of these Specific Terms

#### 4. Your Obligations

- 4.1. You will shall (in each case insofar as is reasonably necessary to enable us to effectively carry out Maintenance Services):
- 4.1.1. ensure that adequate electrical power is supplied to all Equipment;
- 4.1.2. store, operate and maintain Equipment in accordance with any instructions in writing from us;
- 4.1.3. keep the external surfaces of Equipment clean and in good condition;
- 4.1.4. ensure that only competent and trained persons operate Equipment;
- 4.1.5. not make any addition, modification or adjustment to Equipment without our prior written consent;
- 4.1.6. use only accessories and consumables approved by us (our approval not to be unreasonably withheld);
- 4.1.7. ensure that only our personnel are permitted to maintain, service or carry out adjustments to

#### Equipment.

- 4.2. You warrant that the Equipment is in good condition and fully operational at the date of this Contract.
- 4.3. You warrant that the Door complies with all applicable laws and standards, including those in respect of fire safety relevant to a fire safety door in Ireland. You are responsible for the maintenance of the Door and maintaining its structural integrity.
- 4.4. You will at all times indemnify and keep us fully indemnified on demand from and against all and any liabilities losses, damages, charges, costs (including but not limited to legal and other professional expenses) and expenses of any nature incurred by us directly or indirectly as a result of or in connection with a breach by you of clause 2.4 above. You will not be liable if and to the extent that this indemnity would be contrary to public policy.

#### 5. Replaced Equipment

- 5.1. All replacement Equipment installed by us during the supply of Maintenance Services ("Replaced Equipment") shall be chargeable unless otherwise confirmed by us or included in the relevant Maintenance Level. The cost of Replaced Equipment provided other than during the supply of Maintenance Services will be charged to you.
- 5.2. Equipment removed shall become our property and the Replaced Equipment shall become your property upon installation, subject to payment of any due Charges.
- 5.3. We do not supply as part of the Maintenance Services, any item we, acting reasonably, consider to be a consumable.

#### Exclusions

- 6.1. Contracted Maintenance Services do not include any maintenance made necessary by:
- 6.1.1. fault or defect occurring in any equipment other than the Equipment:
- 6.1.2. use of Equipment contrary to our written instructions or documentation;
- 6.1.3. accident, fault, act or your omission and/ or any third party;
- 6.1.4. use of Equipment in excess of any maximum usage specified by us or the manufacturer;
- 6.1.5. failure of electrical power, air conditioning, humidity or other environmental controls;
- 6.1.6. electrical work external to any Equipment;
- damage by vandalism, fire, water or adverse weather conditions;
- 6.1.8. movement or relocation of Equipment not performed by us or on our behalf;
- 6.1.9. breach of your obligations in this Contract;
- 6.1.10. emoval of the whole or any part of Equipment;



## Specific Terms: Maintenance Services

- 6.1.11. goods, accessories, attachments, machines, systems or other devices not referred to in our documentation or approved in writing by us;
- 6.1.12. maintenance rendered more difficult because of any changes, alterations, additions, modifications or variations to your Location; or diagnosis and/or rectification of problems not associated with Equipment
- 6.2. We reserve the right to withdraw Maintenance Services in respect of Equipment (or any part of the Equipment) if that Equipment is:
- 6.2.1. moved, repaired or modified other than by us or with our prior written consent. Maintenance Services on such Equipment can resume as soon it has passed our Maintenance Services acceptability tests, carried out at your expense; or
- 6.2.2. in our opinion (acting reasonably), has reached its End of life.

#### 7. Charges

- 7.1. Ad-Hoc Maintenance Services:
- 7.1.1. We will accept written (including email) order if no formal purchase order can be raised. Such an order is not cancellable.
- 7.1.2. The Charge will be based on the call out fee together with the cost of any further time necessary and the cost of Goods. We accept orders with a budgetary limit but, if there is none, our engineer will complete

- the repair.
- 7.1.3. If there is no access or there is no-one on site when we attend, this will give rise to a call out charge.
- 7.1.4. We agree that the signature of your employee or agent on the relevant worksheet will be accepted as confirmation of satisfactory completion of the work.
- 7.2. Contracted Maintenance Services:
- 7.2.1. If we attend your Location to carry out Contracted Maintenance Services a charge will be made in the following circumstances:
- 7.2.1.1. access is refused or there is no-one at the Location;
- 7.2.1.2. the fault arises from one or more of the exclusions in paragraph 6 above; and
- 7.2.1.3. there is no fault and it was not reasonable to request Maintenance Services.
- 7.2.2. Invoices will be rendered in advance of the period to which they relate.

#### 8. Termination

Either party may terminate the provision of Contracted Maintenance Services by giving not less than three months' notice in writing, expiring on any anniversary of the start of the Contracted Maintenance Services.



## Specific Terms: Main Contractor

These Terms apply to any Contract with a main contractor or subcontractor who is entering into a Contract with us on behalf of a client.

#### Definitions

So as to be clear, the following words shall have the following meanings:

**Contractor:** the entity entering into the Contract with us.

**Client:** the Contractor's ultimate client, usually referred to as the 'Employer'.

#### 2. Payments

- 2.1. Notwithstanding any clauses in the sub-contract relating to set-off etc, the maximum amount that may be deducted from us in respect of uninsured liabilities for proven set-off costs is 50% of the subcontract sum.
- 2.2. We will not accept ,pay when paid' clauses. Unless otherwise agreed, our normal payment terms will

#### apply.

- 2.3. In the event of the Client's insolvency, you, the Contractor, will be liable to pay us for the value of works executed including materials manufactured but not delivered and/or installed.
- 2.4. Unless otherwise agreed in writing, all Quotations are based on the General Terms and the relevant Specific Terms being accepted in full and that there is no retention.

#### 3. Liquidated & ascertained damages.

- 3.1. Unless otherwise agreed we will only accept levels of liquidated damages of 1% of our order value per week up to a combined weekly total of 10% of the total order value applicable to those works.
- 3.2. We will only agree to the deduction of liquidated damages where the Client has deducted them from the Contractor and we have caused a delay.



#### **Our Sustainability Commitment**

We are committed to foster a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations. Sustainability at product level is an important, future-oriented approach in the field of construction. In order to give quantified disclosures of a product's environmental impact through its entire life cycle, dormakaba provides Environmental Product Declarations (EPD), based on holistic life cycle assessments.

www.dormakaba.com/sustainability



#### Our offering

#### **Access Automation Solutions**

Entrance Automation Entrance Security



#### **Access Control Solutions**

Electronic Access & Data Escape and Rescue Systems Lodging Systems



#### **Access Hardware Solutions**

Door Closers Architectural Hardware Mechanical Key Systems



#### Services

Technical Support Installation and commissioning Maintenance and Repair



dormakaba UK Ltd

Wilbury Way Hitchin Hertfordshire SG4 0AB

T: 01462 477600 info.gb@dormakaba.com dormakaba.com/gb-en

