

CERTIFICATE OF ANALYSIS

PRODUCED: JUL 11, 2022

SAMPLE: MIXED CITRUS OOLONG BOBA (EDIBLE SOLID) // CLIENT: ROSE LOS ANGELES // BATCH: PASS



BATCH NO.: HHB22177MCI
METRC UID: 1A406030000591A000000533
MATRIX: EDIBLE SOLID
CATEGORY: EDIBLE
SAMPLE ID: BCL-220706-053
COLLECTED ON: JUL 06, 2022
RECEIVED ON: JUL 06, 2022
BATCH/SAMPLE SIZE: 1513 UNITS / 13 UNITS
SERVING/PACKAGE SIZE: 3.4 G / 68 G

CANNABINOID OVERVIEW	
Δ⁹-THC PER SERVING:	2.33 mg
CBD PER SERVING:	0 mg
SUM OF CANNABINOIDS:	2.33 mg

MANUFACTURER INFO

MANUFACTURER
 ROSE LOS ANGELES, LLC
 32A SHOTWELL ST
 SAN FRANCISCO, CA 94103

LICENSE
 CDPH-10002425
 ADULT-USE - MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 ROSE LOS ANGELES LLC
 32A SHOTWELL ST
 SAN FRANCISCO, CA 94103

LICENSE
 C11-0001244-LIC
 ADULT-USE - DISTRIBUTOR LICENSE

BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUL 08, 2022

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	ND	ND	0.0011/0.02496	N/A
CBCA	ND	ND	0.00314/0.02496	N/A
CBD	ND	ND	0.00155/0.02496	N/A
CBDA	ND	ND	0.0008/0.02496	N/A
CBDV	ND	ND	0.0012/0.02496	N/A
CBDVA	ND	ND	0.0008/0.02496	N/A
CBG	< LOQ	< LOQ	0.00145/0.02496	N/A
CBGA	ND	ND	0.001/0.02496	N/A
CBN	ND	ND	0.0008/0.02496	N/A
Δ ⁸ -THC	ND	ND	0.0029/0.02496	N/A
Δ ⁹ -THC	0.06867 %	0.6867 mg/g	0.0021/0.02496	N/A
THCA	ND	ND	0.0015/0.02496	N/A
THCV	ND	ND	0.00165/0.02496	N/A
THCVA	ND	ND	0.00115/0.02496	N/A
TOT THC**	0.06867 %	0.6867 mg/g		N/A
TOT CBD**	ND	ND		N/A
CBD/SRV	ND			N/A
Δ ⁹ -THC/SRV	2.33 mg			PASS
TOT CBD/SRV**	ND			N/A
TOT THC/SRV**	2.33 mg			N/A
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	46.70 mg			PASS
TOT CBD/PKG**	ND			N/A
TOT THC/PKG**	46.70 mg			N/A

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE*	NT	NT		N/A
β-OCIMENE*	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE*	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC

REGULATORY COMPLIANCE TESTING

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. ALL DECISION RULES ARE ESTABLISHED BY THE DCC.

RESULTS CERTIFIED BY: CODY SHEPPARD, PH.D.
SCIENCE DIRECTOR, BELCOSTA LABS
JUL 11, 2022

Cody Sheppard



BCL-13: PESTICIDE TESTING BY GC/MS // JUL 08, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	5 µg/g	ND	0.03143/0.0952	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01112/0.03371	N/A
CHLORDANE TRANS		ND	0.01064/0.03215	N/A
CHLORFENAPYR	Any amt	ND	0.02396/0.07255	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01118/0.03394	PASS
DICHLORVOS	Any amt	ND	0.01177/0.03568	PASS
METHYL PARATHION	Any amt	ND	0.01351/0.04094	PASS
PENTACHLORONI-TROBENZENE	0.2 µg/g	ND	0.01404/0.04261	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JUL 08, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.3 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	5 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	4 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	5 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	40 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	5 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	0.5 µg/g	ND	0.00473/0.04	PASS
BOSCALID	10 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	40 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.5 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	1 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.2 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	20 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	1.5 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	10 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	2 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	2 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	30 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	2 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	3 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
METALAXYL	15 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	0.1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	9 µg/g	ND	0.00867/0.04	PASS
NALED	0.5 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.2 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	20 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.2 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTO-XIDE	8 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.4 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	20 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	1 µg/g	ND		PASS
PYRETHRINS PYRETHRIN I		ND	0.00726/0.04	N/A
PYRETHRINS PYRETHRIN II		ND	0.00754/0.02284	N/A
PYRIDABEN	3 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	3 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	3 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	12 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	13 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	2 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	4.5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROB-IN	30 µg/g	ND	0.00421/0.02	PASS



MALATHION 5 µg/g ND 0.00472/0.02 PASS

BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JUL 08, 2022

ANALYTE	LIMIT AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1681/0.5864 PASS
ACETONE	5000 µg/g	ND	18.92103/58.63956 PASS
ACETONITRILE	410 µg/g	ND	16.79046/58.63956 PASS
BENZENE	1 µg/g	ND	0.07428/0.5864 PASS
BUTANE	5000 µg/g	ND	17.70524/58.63956 PASS
CHLOROFORM	1 µg/g	ND	0.17201/0.5864 PASS
ETHANOL	5000 µg/g	ND	14.51525/58.63956 PASS
ETHYL ACETATE	5000 µg/g	ND	17.92416/58.63956 PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18765/0.5864 PASS
ETHYL ETHER	5000 µg/g	ND	15.78968/58.63956 PASS
HEPTANE	5000 µg/g	ND	13.81548/58.63956 PASS
HEXANE	290 µg/g	ND	21.27052/97.7326 PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	14.65989/58.63956 PASS
METHANOL	3000 µg/g	ND	13.14699/58.63956 PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14855/0.5864 PASS
PENTANE	5000 µg/g	ND	32.32995/97.7326 PASS
PROPANE	5000 µg/g	ND	16.70446/58.63956 PASS
TOLUENE	890 µg/g	ND	9.22987/58.63956 PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07819/0.5864 PASS
O-XYLENE		ND	4.3706/29.31978 N/A
P- AND M-XYLENE		ND	4.05004/29.31978 N/A
TOTAL XYLENES	2170 µg/g	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JUL 08, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.5 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	3 µg/g	< LOQ	0.0001/0.01	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JUL 07, 2022

ANALYTE	LIMIT AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND PASS
MOLD	25 %	ND PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JUL 08, 2022

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JUL 09, 2022

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // JUL 07, 2022

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.85 Aw	0.53	PASS

