


Choosing the right Client Peripherals



September 2024

Choosing the right Dock



Model	HD22	WD22TB4	WD19DCS	WD19S 130W/180W	UD22
Description	Dell Dual Charge Dock – HD22Q	Dell Thunderbolt™ Dock - WD22TB4	Dell Performance Dock - WD19DCS	Dell Dock - WD19S 130W/180W	Dell Universal Dock - UD22
HBR2 PC	For a HBR2 PC (2) FHD @ 60Hz (1) 4K @ 30Hz	For a HBR2 PC with Thunderbolt (3) FHD @ 60Hz (3) QHD @ 60Hz (2) 4K @ 60Hz	For a HBR2 PC with dual USB-C docking support (3) FHD @ 60Hz (3) QHD @ 60Hz (1) 4K @ 60Hz	For a HBR2 PC (2) FHD @ 60Hz (1) QHD @ 60Hz (1) 4K @ 30Hz	For a HBR2 PC (If PC has DisplayLink driver setup) (2) 4K @ 60Hz + (2) FHD @ 60Hz (2) 4K @ 60Hz + (1) 4K @ 30Hz
HBR3 PC	For a HBR3 PC (2) QHD @ 60Hz (1) 4K @ 30Hz For HBR3 PC supporting Display Stream Compression (2) 4K @ 60Hz (1) 8K @ 30Hz	For a HBR3 PC with Thunderbolt (4) FHD @ 60Hz, (4) QHD @ 60Hz, (2) 4K @ 60Hz For HBR3 PC supporting Display Stream Compression (4) 4K @ 60Hz	For a HBR3 PC with dual USB-C docking support (3) FHD @ 60Hz, (3) QHD @ 60Hz, (2) 4K @ 60Hz For HBR3 PC supporting Display Stream Compression (3) 4K @ 60Hz	For a HBR3 PC (3) FHD @ 60Hz, (2) QHD @ 60Hz, (1) 4K @ 60Hz For HBR3 PC supporting Display Stream Compression (3) QHD @ 60Hz, (2) 4K @ 60Hz	For a HBR3 PC (If PC has DisplayLink driver setup) (2) 4K @ 60Hz + (2) QHD @ 60Hz (2) 4K @ 60Hz + (1) 4K @ 30Hz For HBR3 PC (supporting Display Stream Compression) (4) 4K @ 60Hz
Video interfaces	(1) DP1.4 (1) HDMI 2.1	(2) Full size DP1.4 (1) HDMI 2.0 (1) USB-C Multi-function DisplayPort 1.4 (2) Thunderbolt™ 4 USB-C	(2) Full size DP1.4 (1) HDMI 2.0 (1) USB-C Multi-function DisplayPort 1.4	(2) Full size DP1.4 (1) HDMI 2.0 (1) USB-C Multi-function DisplayPort 1.4	(1) HDMI 2.0 (2) DP1.2 (1) USB-C Multi-function DisplayPort 1.4
Ports	USB-A: (4) USB 3.2 Gen 1 USB-C: (1) USB 3.2 Gen 2 with Power Delivery 3.0 RJ45: (1)	(3) USB-A 3.2 Gen 1 (1 with PowerShare) (2) USB-C 3.2 Gen 2 (1 with DisplayPort 1.4 Alt Mode) (1) RJ45	(3) USB-A 3.1 Gen 1 (2) USB-C 3.1 Gen 2 (1) RJ45	(3) USB-A 3.1 Gen 1 (2) USB-C 3.1 Gen 2 (1) RJ45	(4) USB-A: USB 3.2 Gen 2 (1 with PowerShare) (1) USB-C: USB 3.2 Gen 2 with PowerShare; (1) USB 3.2 Gen 2 with DisplayPort 1.4 Alt Mode; (1) RJ45
Power	Power Adapter 130 Watt AC with up to 90 Watt power delivery to USB-C Notebooks	Power Adapter 180 Watt AC with up to 130 Watt power delivery to Dell Commercial Laptops. Up to 90 Watts power delivery to non-Dell systems.	Includes a 240W power adapter and delivers up to 210W of power to compatible Dell PCs via dual connectors. Delivers 130W of power to Dell PCs and up to 90W to non-Dell PCs via a single connector.	WD19S 130: Power Adapter 130 Watt AC with up to 90 Watts power delivery. Up to 90 Watts power delivery to non-Dell systems. WD19S 180: Power Adapter 180 Watt AC with up to 130 Watts power delivery. Up to 90 Watts power delivery to non-Dell systems	Power Adapter 130 Watt AC with up to 96 Watt power delivery to any USB-C Notebook.
Docking Interface	Type-C Connector	Thunderbolt™ 4 (Type-C Connector)	Separable Dual USB-C Connector	Type-C Connector	Type-C Connector
Cable Length	0.8m	0.8m	0.8m	1.0m	0.8m
Warranty	3-Year Limited Hardware Warranty with Advanced Exchange*. Additional 4- & 5-year warranty optional	3-Year Limited Hardware Warranty with Advanced Exchange*. Additional 4- & 5-year warranty optional	3-Year Limited Hardware Warranty with Advanced Exchange*. Additional 4- & 5-year warranty optional	3-Year Limited Hardware Warranty with Advanced Exchange*. Additional 4- & 5-year warranty optional	3-Year Limited Hardware Warranty with Advanced Exchange*. Additional 4- & 5-year warranty optional

*Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies.

Choosing the right mouse



NEW - RTS 29-Aug
Silent Click, 54% PCR

Twist & Go - folds flat

Rechargeable

Rechargeable

Model Number	MS116	MS3220	WM126	MS300	MS355	MS3320W	MS5120W	MS5320W	MS700	MS7421W	MS900
Product Name	Dell Optical Mouse - MS116	Dell Laser Wired Mouse - MS3220	Dell Wireless Mouse - WM126	Dell Full-Size Wireless Mouse - MS300	Dell Silent Mouse – MS355	Dell Mobile Wireless Mouse - MS3320W	Dell Mobile Pro Wireless Mouse - MS5120W	Dell Multi-Device Wireless Mouse - MS5320W	Dell Bluetooth Travel Mouse - MS700	Dell Premier Rechargeable Wireless Mouse - MS7421W	Dell Premier Rechargeable Mouse - MS900
Colours	Black / White / Grey	Black / Titan Gray	Black	Black	Black	Black / Ash Pink / Midnight Green	Black / Titan Gray	Titan Gray	Black / Misty Blue	Platinum White / Graphite Black	Black
Tracking Sensor	Optical	Laser	Optical	Optical	Optical	Optical	Optical	Optical	Optical	Optical	Optical (track-on-glass)
Resolution (DPI)	1000	Adjustable 400, 800, 1600, 3200	1000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 600 to 4020 DPI in increments of 30 (1200 default)	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000, 8000
Connectivity	Wired USB-A	Wired USB-A	2.4GHz Dongle	2.4GHz Dongle	2.4GHz Dell Secure Link, Bluetooth® 5.1, Dell Pair	2.4GHz, Bluetooth®	2.4GHz, Bluetooth®	2.4GHz, Bluetooth® x 2	Bluetooth® x 3 Dell Pair	2.4GHz, Bluetooth® x 2	2.4GHz Dell Secure Link, Bluetooth® x 2, Dell Pair
Full Size	✓	✓		✓				✓			✓
Portable/Compact			✓		✓	✓	✓		✓	✓	
Battery Life	N/A	N/A	12 Months	36 Months	36 Months	36 Months	36 Months	36 Months	24 Months	Rechargeable USB-C (180 days)	RechargeableUSB-C (90 days)
Mains charger included	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	No	No
Mix/Max Watts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.7W / 0.7W	2.5W / 2.5W
Buttons	3	5	3	3	3	3	7	7	2	7	7
Programmable Buttons		✓ (3)		✓ (1)	✓ (1)	✓ (1)	✓ (5)	✓ (5)		✓ (5)	✓ (3)
Ambidextrous Shape	✓	✓	✓	✓	✓	✓	✓	Right-Handed Shape	✓	Right-Handed Shape	Right-Handed Shape
Scroll Wheel									Touch scroll	✓	4-way - Horizontally and vertically (Vertical Fast Scrolling)
Special Features					Silent Click AES-128 54% PCR material Adjustable polling rate						Horizontal Scroll Wheel
Software			Dell Peripheral Manager (for pairing only)	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager
Warranty	1 year Advanced Exchange	3 years Advanced Exchange	1 year Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange
Packaging	Brown Box (Black / White) Retail Box (Black only) PE Bag (Grey kit / Black tied DIB)	Brown Box	Retail Box	Retail Box	Retail Box	Retail Box	Retail Box	Retail Box	Retail Box	Retail Box	Retail Box

Choosing the right keyboard



NEW - RTS 29-Aug

USB-C/-A, Silent, 65% PCR, Copilot Key
Zoom Certified & MS Teams compatible

Zoom Certified & MS Teams compatible,
Rechargeable, Adaptive Backlighting

Model Number	KB216		KB522		KB525C		KB813		KB500		KB740		KB700		KB900	
Product Name	Dell Multimedia Keyboard - KB216		Dell Business Multimedia Keyboard - KB522		Dell Wired Collaboration Keyboard - KB525C		Dell Smartcard Keyboard - KB813		Dell Wireless Keyboard - KB500		Dell Compact Multi-Device Wireless Keyboard - KB740		Dell Multi-Device Wireless Keyboard - KB700		Dell Premier Collaboration Keyboard - KB900	
Colours	Black / White / Grey		Black		Black		Black		Black		Titan Gray		Titan Gray		Black	
Connectivity	Wired USB-A		Wired USB-A		Wired USB-C with USB-A adapter		Wired USB-A		2.4GHz Dongle 		 2.4GHz, Bluetooth® x 2 		 2.4GHz, Bluetooth® x 2 		 2.4GHz Dell Secure Link, Bluetooth® x 2, Dell Pair 	
Keyboard Features																
Keyboard Battery Life	N/A		N/A		N/A		N/A		36 months		36 months		36 months		20 days (Rechargeable USB-C)	
Mains charger included	N/A		N/A		N/A		N/A		N/A		N/A		N/A		No	
Mix/Max Watts	N/A		N/A		N/A		N/A		N/A		N/A		N/A		3.25W / 15W	
Full Sized Keyboard	✓		✓		✓		✓		✓				✓		✓	
Compact Keyboard	-		-		-		-		-		✓		-		-	
Low Profile Design	✓		-		✓		-		✓		✓		✓		✓	
Multimedia Keys	✓		✓		✓		✓		✓		✓		✓		✓	
Copilot Key	-		-		✓		-		-		-		-		-	
Palm Rest	Black Sold Separately (sku 580-ADLR) Grey included. White N/A		✓		-		✓		-		-		-		-	
Backlit	-		-		Collaboration keys only, during call		-		-		-		-		✓	
Height Adjustable Feet	✓		✓		✓		✓		✓		✓		✓		✓	
Keyboard Tilt (angle)	Leg in : 4°	Leg out : 7°	Leg in : 2°	Leg out : 5°	Leg in : 5°	Leg out : 9°	Leg in : 8°	Leg out : 11°	Leg in : 5°	Leg out : 9°	Leg in : 5°	Leg out : 9°	Leg in : 6°	Leg out : 10°	Leg in : 5.8°	Leg out : 6.2°
Keyboard Dimensions (HxLxW)	24.32x441.7x127.3 mm		25.8x445.5x149.5 mm		26.1 x 432.7 x 122.1 mm		40x446.5x151.5 mm		34x433x123 mm		25.34x363.2x121.5 mm		28.36x433.3x121.5 mm		20.7x439.7x121.6 mm	
Programmable Keys	-		-		15		-		12		12		12		15	
Special Features	-		2x additional USB ports		Collaboration Keys Silent typing 65% PCR material		-		-		Multi-Device (Up to 3x)		Multi-Device (Up to 3x)		Collaboration Keys	
Software	-		-		Dell Peripheral Manager		-		Dell Peripheral Manager		Dell Peripheral Manager		Dell Peripheral Manager		Dell Peripheral Manager	
Warranty (Years)	1 year Advanced		1 year Advanced		3 years Advanced Exchange		1 year Advanced		3 years Advanced Exchange		3 years Advanced Exchange		3 years Advanced Exchange		3 years Advanced Exchange	
Packaging	Brown BoxRetail Box (Black, 4 layouts only)		Brown Box		Retail Box		Brown Box		Retail Box		Retail Box		Retail Box		Retail Box	

Choosing the right keyboard & mouse combo



NEW - RTS 29-Aug										Zoom Certified & MS Teams compatible					
Multi-Device, Silent, 64% PCR, Copilot Key										Multi-Device		Multi-Device		Rechargeable, Adaptive Backlighting	
	Model Number	KM3322W	KM5221W	KM555	KM7120W	KM7321W	KM900								
	Product Name	Dell Wireless Keyboard and Mouse - KM3322W	Dell Pro Wireless Keyboard and Mouse - KM5221W	Dell Silent Keyboard and Mouse - KM555	Dell Wireless Multi-Device Keyboard & Mouse - KM7120W	Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W	Dell Premier Collaboration Keyboard and Mouse - KM900								
	Colours	Black	Black / White	Black	Titan Gray	Titan Gray	Black								
	Connectivity	2.4GHz Dongle	2.4GHz Dongle	2.4GHz Dell Secure Link, Bluetooth® 5.1, Dell Pair	2.4GHz, Bluetooth® 5.0 x 2	2.4GHz, Bluetooth® 5.0 x 2	2.4GHz Dell Secure Link, Bluetooth® 5.1 x 2, Dell Pair								
Keyboard Features	Keyboard Battery Life	36 Months	36 Months	36 Months	36 Months	36 Months	20 Days (Rechargeable USB-C)								
	Mains charger included	N/A	N/A	N/A	N/A	N/A	No								
	Mix/Max Watts	N/A	N/A	N/A	N/A	N/A	3.25W / 15W								
	Full Sized Keyboard	✓	✓			✓	✓								
	Compact Keyboard			✓	✓										
	Low Profile Design	✓	✓	✓	✓	✓	✓								
	Multimedia Keys	✓	✓	✓	✓	✓	✓								
	Copilot Key	-	-	✓	-	-	-								
	Palm Rest	-	-	-	-	-	-								
	Backlit	-	-	-	-	-	✓	✓							
	Height Adjustable Feet	✓	✓	✓	✓	✓	✓								
	Keyboard Tilt (angle)		Leg in : 5°Leg out : 9°	Leg in : 5°Leg out : 9°	Leg in : 5°Leg out : 9°	Leg in : 6°Leg out : 10°	Leg in : 5.8° Leg out : 6.2°								
	Keyboard Dimensions (HxLxW)	25.3x444.9x141.22 mm	34x433x123 mm	26x399x127 mm	25.34x363.2x121.5 mm	28.36x433.3x121.5 mm	20.7x439.7x121.6 mm								
	Programmable Keys	-	12	18	12	12	15								
	Special Features	-		Silent typing 64% PCR material			Collaboration Keys								
Mouse Features	Tracking Sensor	Optical	Optical	Optical	Optical	Optical	Optical								
	DPI	1000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 600 to 4020 DPI in increments of 30 (1200 default)	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000	Adjustable 1000, 1600 (default), 2400, 4000, 8000								
	Buttons	2	3	3	7 + connectivity switch	7 + connectivity switch	7 + connectivity switch								
	Full Sized Mouse	✓	✓	✓	✓	✓	✓								
	Portable/Compact			✓											
	Ambidextrous Shape	✓	✓	✓	Right-Handed Shape	Right-Handed Shape	Right-Handed Shape								
	Hyperfast Scrolling	-	-	-	-	-	✓								
	Special Features	-	-	Silent Click AES-128 54% PCR material Adjustable polling rate	-	-	Horizontal Scroll Wheel								
	Mouse Battery Life	18 Months	36 Months	36 Months	36 Months	36 Months	3 Months (Rechargeable USB C. 2 min fast charge for full day)								
	Programmable Buttons	-	✓ (1)	✓ (1)	✓ (5)	✓ (5)	✓ (3)								
Software	Software	-	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager	Dell Peripheral Manager								
	Warranty (Years)	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange								
	Packaging	Retail Box	Brown Box / Retail Box (Black, 4 layouts)	Retail Box	Retail Box	Retail Box	Retail Box								

Note Keyboard country layouts vary by product

Choosing the right active pen



Tile locator app		Cross-protocol		Requires Latitude 7320 Detachable keyboard		Requires Latitude 7350 Detachable Collaboration Keyboard	
Model	PN7522W	PN5122W	PN579X	PN350M	n/a	PN7320A	PN7350A
Description	Dell Premier Rechargeable Active Pen - PN7522W	Dell Active Pen - PN5122W	Dell Premium Active Pen - PN579X	Dell Active Pen - PN350M	XPS Stylus	Dell Active Pen - PN7320A	Dell Active Pen - PN7350A
Performance	Protocol	AES 1 & 2, WGP (auto switch)	AES 1 & 2, WGP (auto switch)	Wacom AES, AES2.0 / MPP 1.51 multi-mode	MPP	Wacom AES 1.0	Wacom AES 1.0
	Simultaneous Pen/Touch Rate			Yes (240Hz / 67Hz)		Yes (120Hz / 67Hz)	Yes (120Hz / 67Hz)
	Accuracy			+/- 0.2mm		+/- 0.2mm	+/- 0.2mm
	High resolution with low latency	Yes	Yes	Yes		Yes	Yes
	Latency (move)			<15ms		<10ms (Based on Wacom G14T touch IC)	<10ms (Based on Wacom G14T touch IC)
	Hover Sensing	Yes	Yes	Yes		Yes	Yes
	Levels of pressure sensitivity	4096 with AES2 platform 2048 with AES1 platform	4096 with AES2 platform 2048 with AES1 platform	4096 with AES2 platform 2048 with AES1 platform	1024	4096	4096
	Tilt	Yes	Yes	Yes	Yes (60 degrees)	No	No
	Palm-rejection	Yes	Yes	Yes	Yes	Yes	Yes
	Battery with typical usage of 1hour/day	Rechargeable USB-C 40 days on single charge (based on Inking use only, 2hr per day)*	12 months (1 x AAAA) (based on 2hr per day, 5days per week)	12 months (1 x AAAA) (based on 2hr per day, 5days per week)	18 months (1 x AAAA)	40 days on single charge	90 mins continuous inking for maximum 30 secs charging from zero to full
Comfort	Fine tip	Yes	Yes	Yes		Yes	Yes
	Nib type	Conductive elastomer	Conductive elastomer				
	Contoured FF	No	No	No		No	No
Productivity	Side buttons	2 (Customizable in DPeM)	2 (Customizable in DPeM)	2 (Customizable in Dell Active Pen app)	2	2 (Customizable)	2 (Customizable)
	Eraser	Yes(side button)	Yes (side button)	Yes(side button)	Yes	Yes(side button)	Yes(side button)
	Wake from lock	Yes	Yes	Yes		No	No
	Top Button	Yes	No	Yes	No	No	No
	Quick launch button	Yes	Yes	Yes	No	No	No
	LED	Yes (Blue, Amber, Green, White, detail as UG)	No	Yes (white)	No	Yes (white)	Yes (white)
Mobility	Pen clip	No	No	No	No	No	No
	Magnetic attach	Yes	No	Yes	Yes	Yes	Yes
	Tile	Yes	No	No	No	No	No
	Tethering via lanyard	No	No	Yes	Yes	No	No
Others	BT connectivity	BT5.0	No	BT4.2	No	Yes (which?)	No
	Colours	1	1	1	Dark Navy	Apollo, Matte	River Light Solid
	Support pen tip kit	Yes (Spare nibs x2)	Yes (Spare nibs x2)	Yes (1 spare included)	No	Yes (1 spare included)	Yes (1 spare included)
	Pen Circumference Shape	Flat - to - Round	Circle	Flat - to - Round	Circle	Oval	Oval
	Power Source	Li-ion Rechargeable with USB-C cable	AAAA x 1	AAAA x 1	AAAA x 1	Wireless Charging via NFC (requires XPS 13 2-in-1 9315)	Rechargeable (EDLC 0.7F)
	Battery charge time	80% charge in 20 mins; 100% charge in 50 mins			60 - 68 mins (up to 96% charge), 108 - 117 mins (up to 100% charge) - TBU after DVT2	Maximum 30 secs charging from zero to full	Maximum 30 secs charging from zero to full
	Dimensions (length x diameter)	155 x 9.8 mm	140 x 9.5 mm	151 x 9.5 mm		157*9.8mm	140mm x 11.3mm x 6.5mm
	Weight	14.2g	10.4g (excl. battery 6.5g)	19.5g with battery		16g - TBU after DVT2	11 +/- 1g
	Warranty	3 years Advanced Exchange	3 years Advanced Exchange	1 year Advanced Exchange	1 year Advanced Exchange	1 year	1 year

For Rugged pens, nibs, and legacy products please see the internal pen compatibility spreadsheet on the One Stop Shop



Choosing the right tablet keyboard



EOL

EOL

Model Number	n/a	n/a	n/a	n/a	n/a
Product Name	IP65 Keyboard with Kickstand for the Latitude 12 Rugged Tablet	Dell Keyboard for Latitude 7230 Rugged Extreme Tablet	Dell Latitude 7320 Detachable Travel Keyboard	Dell Latitude 7350 Detachable Collaboration Keyboard	XPS Folio
Colours	Black	Black	Light apollo	River Light Solid	Silver
Connectivity	Pogo Pins	Pogo Pins	Pogo Pins	Pogo Pins	Pogo Pins
Keyboard Features					
Keyboard Battery Life			Connects to and charges from the 7320 Detachable tablet using pogo pins. No separate charger needed.	Connects to and charges from the 7350 Detachable tablet using pogo pins. No separate charger needed.	Connects to and charges from the XPS 9315 tablet using pogo pins. No separate charger needed.
Full Sized Keyboard					
Compact Keyboard	✓	✓	✓	✓	✓
Low Profile Design			✓	✓	✓
Multimedia Keys	✓		✓	✓	✓
Palm Rest	✓	✓	✓	✓	✓
Backlit			✓	✓	✓
Height Adjustable Feet					
Keyboard Tilt (angle)				✓	
Keyboard Dimensions (HxLxW)			5.1 x 228.14 x 288.42mm	5.6 x 292.95 x 229.9 mm	tbc x 431.55 x 295.40mm
Programmable Keys					
Other	IP-65 , Screen protector, foldable kickstand			Collaboration controls for Zoom & MS Teams	folio supports three angle adjustments (100°, 112.5°, 125°)
Software					
Warranty (Years)	1		1	1	1
Packaging	Brown Box		Brown Box	Brown Box	Brown Box

Choosing the right carry case

Updated 21 Aug 2024



Model	CP5723	CC5623	CC5425C	CV5423	CV5623
Product name	Dell EcoLoop Pro Backpack 15 CP5723	Dell EcoLoop Pro Briefcase 15 CC5623	Dell EcoLoop Pro Classic Briefcase 14 – CC5425C	Dell EcoLoop Pro Sleeve 11-14 CV5423	Dell EcoLoop Pro Sleeve 15 -16 CV5623
SKU	460-BDLE	460-BDLI	460-BDSR	460-BDLJ	460-BDLH
PART	VFFK4/TFRGJ	5TKW6/71F7X	TMT6K	JJKX7	KRRFH
EAN	5397184635544	5397184635568	5397184877838	5397184635599	5397184635612
VPN	Dell-CP5723	Dell-CC5623	Dell-CC5425C	Dell-CV5423	Dell-CV5623
Capacity	20 L	12 L	10 L	--	--
Weight	0.66 kg	0.62 kg	0.8 kg	0.37 kg	0.41 kg
List Price approx	€ 80	€ 61	€ 49.99	€ 43	€ 44
Separate NB compartment	YES	YES	YES	no	no
ECO-Solution-dyeing	Solution-dyeing process for polyester that can generate up to 97% less greenhouse gas emissions, water impact, and fossil fuels				
ECO- rPET	100% ocean-bound plastic, from recycled plastic bottles				
ECO Packaging	100% recycled packaging				
Protection Foam	Full 360° EVA Foam			no	no
Warranty	3 years limited warranty (if sold POS taking warranty of the system but minimum 3 years)				



Model	CP7625S	CP7625	PE1520C
Product name	Dell EcoLoop Premier Slim Backpack 14-16 (CP7625S)	Dell EcoLoop Premier Backpack 14-16 (CP7625)	Dell EcoLoop Premier Briefcase 15 - PE1520C
SKU	460-BDXV	460-BDXT	460-BCQL
PART	48YC7	42G87	Y3KN2
EAN	5397184922811	5397184922828	5397184217467
VPN	Dell-CP7625S	Dell-CP7625	PE-BC-15-20
Capacity	18 L	23 L	12 L
Weight	0.92 kg	0.92 kg	1.13 kg
List Price approx	€ 130	€ 102	€ 130
Separate NB compartment	YES (2)	YES (3)	YES
ECO-Solution-dyeing	Solution dyeing process up to 97% lower impact on greenhouse gas emissions, 96% lower water impact, and 98% lower fossil fuel		
ECO- rPET	100% recycled plastic bottles (18)	100% recycled plastic bottles (19)	no
ECO Packaging	100% recycled packaging		
Protection Foam	Full 360° XPE Foam	Full 360° XPE Foam	Full 360° EVA Foam
Warranty	3 years limited warranty (if sold POS taking warranty of the system but minimum 3 years)		



CP4523G		CP4523B		CP5724S		CC5624S	
Dell EcoLoop Urban Backpack 14-16 CP4523G		Dell EcoLoop Urban Backpack 14-16 CP4523B		Dell EcoLoop Pro Slim Backpack 15 – CP5724S		Dell EcoLoop Pro Slim Briefcase 15 – CC5624S	
460-BDLF		460-BDLG		460-BDQP		460-BDQQ	
CVNY6/YOCFM		HXJ0R/Y335P		8GKJP		JPJ8W/ YVV33	
5397184635513		5397184635506		5397184820353		5397184820360	
Dell-CP4523G		Dell-CP4523B		Dell-CP5724S		Dell-CC5624S	
20 L		20 L		19 L (+ Luggage Pass-through)		10 L	
0.54 kg		0.54 kg		0.59kg		0.49kg	
€ 39.99		€ 39.99		€ 58		€ 56	
no		no		no		no	
no		no		no		no	
100% recycled plastic bottles		100% recycled plastic bottles		Solution-dyeing process for polyester (-97%)		Solution-dyeing process for polyester (-97%)	
100% recycled packaging		100% recycled packaging		100% recycled plastic bottles		100% recycled plastic bottles	
no		no		100% recycled packaging		100% recycled packaging	
no		no		360° Foam		360° Foam	
3 years limited warranty (POS taking warranty of the system)		3 years limited warranty (POS taking warranty of the system)		3 years limited warranty (POS taking warranty of the system)		3 years limited warranty (POS taking warranty of the system)	



CP3724	CC3624	CV4425	CV4625
Dell EcoLoop Essential Backpack 14-16 - CP3724	Dell EcoLoop Essential Briefcase 14-16 - CC3624 (Pack 10 pcs)	Dell EcoLoop Urban Sleeve 11-14 CV4425	Dell EcoLoop Urban Sleeve 15-16 CV4625
460-BDSS	460-BDST	460-BDWQ	460-BDWR
9GMT8	DNX59	TFGY	TOXDH
5397184821237	5397184821244	5397184911617	5397184911624
Dell-CP3724	Dell-CC3624	Dell-CV4425	Dell-CV4625
18 L	7 L	NA	NA
0.5 kg	0.3 kg	0.2 kg	0.22 kg
€ 27.99	€ 259.9	€ 27.99	€ 29.99
no	no	no	no
Solution-dyeing process for polyester (-97%)		no	no
100% recycled plastic bottles		100% recycled plastic bottles	
100% recycled packaging		100% recycled packaging	
360° Foam		360° Foam	
3 years limited warranty (if sold POS taking warranty of the system but minimum 3 years)			

Choosing the right webcam



4K - Windows Hello

Everyday Use

Model	WB7022	WB5023	WB3023
Description	Dell UltraSharp Webcam	Dell Pro Webcam	Dell Webcam
Resolution / FPS	4K UHD / 24, 30 fps Full HD / 24, 30, 60 fps HD / 24, 30, 60 fps	2K QHD / 24, 30 fps Full HD / 24, 30, 60 fps HD / 24, 30, 60 fps	2K QHD / 24, 30 fps Full HD / 24, 30 fps HD / 24, 30, 60 fps
Sensor	Sony STARVIS™ CMOS	Sony STARVIS™	Sony
Megapixel	8.3MP	4MP	4MP
Field of View (FOV)	65, 78 and 90 degree	65 and 78 degree	65 and 78 degree
HD Digital Zoom	Up to 5x	Up to 4x	Up to 2x
Autofocus	Yes	Yes	Yes
Auto-Light Correction / Advanced Image Optimization	DOL HDR / Video Noise Reduction (3D+2D)	DOL HDR / Video Noise Reduction (3D+2D)	HDR / Video Noise Reduction (3D+2D)
Aperture	f2.7	f2.0	f2.0
Auto Framing/Zooming/ Auto Tracking	Yes - AI Auto-framing 2.0	Yes - AI Auto-framing 2.0	-
Facial Detection Auto Exposure (FDAE)	Yes	Yes	Yes
User Presence Detection	Yes	-	-
Certification	MS Teams, Zoom	MS Teams, Zoom	MS Teams, Zoom
Privacy Shutter	Yes, Magnetic shutter cap	Yes, Magnetic shutter cap	Yes, integrated
Rotation	No	Yes, Tilt	Yes, Tilt and Swivel
Connectivity	USB-A	USB-A	USB-A
Tripod Thread	Yes	Yes	Yes
Windows Hello	Yes	-	-
Mic	-	Yes	Yes
Software	Dell Peripheral Manager (Windows OS) Dell Display and Peripheral Manager (Mac OS)	Dell Peripheral Manager (Windows OS) Dell Display and Peripheral Manager (Mac OS)	Dell Peripheral Manager (Windows OS) Dell Display and Peripheral Manager (Mac OS)
Warranty	3 years Advanced Exchange	3 years Advanced Exchange	3 years Advanced Exchange

Choosing the right headset



	Entry level wired headset	Mainstream wired headset	Mainstream wireless headset	Mid-range wired Headset with ANC	Mid-range wireless headset with ANC	New premium high end headset with adaptive ANC
Model Number	WH1022	WH3024	WL3024	WH5024	WL5024	WL7024
Product Name	Dell Stereo Headset WH1022	Dell Wired Headset WH3024	Dell Wireless Headset WL3024	Dell Pro Wired ANC Headset WH5024	Dell Pro Wireless ANC Headset WL5024	Dell Premier Wireless ANC Headset WL7024
Type of device	Corded headset	Corded headset	Wireless Bluetooth 5.3 + USB-C dongle	Corded headset	Wireless Bluetooth 5.3 + USB-C dongle	Wireless - Bluetooth + USB dongle
Connection via	USB-A & 3.5mm jack	USB-C with USB-A adapter	Bluetooth 5.3 LE + USB-C dongle with USB-A adapter	USB-C with USB-A adapter in box	Bluetooth 5.3 LE + USB-C dongle with USB-A adapter	Bluetooth 5.3 LE + USB-C dongle with USB-A adapter
Wearing style	Headband, on ear, stereo	Headband, on ear, stereo	Headband, on ear, stereo	Headband, on ear, stereo	Headband, on ear, stereo	Headband, over ear, stereo
Audio	Advanced Stereo output , 20 Hz - 20KHz Audio	Advanced Stereo output , 20 Hz - 20KHz Audio	Advanced Stereo output , 20 Hz - 20KHz Audio	Advanced Stereo output , 20 Hz - 20KHz Audio	Advanced Stereo output , 20 Hz - 20KHz Audio	Adaptive Active Noise Cancellation, Wideband voice, Hi-Fi Stereo made for music, Enhanced voice alerts announce remaining talk-time, mute & connection
Other Features	Control panel for full call control, adjustable noise cancelling microphone, busy light to indicate user status, comfortable adjustable headband and leatherette earpieces	Control panel for full call control, busy light, MS Teams dedicated button, comfortable leatherette memory foam ear cushions and headband	Call control buttons on headset earcups, MS Teams dedicated button, busy light on both earcups	Active noise cancelation, Control panel for full call control, busy light, MS Teams dedicated button, comfortable leatherette memory foam ear cushions and headband, smart sensor	Hybrid Active noise cancelation, Call control on headset, busy light, MS Teams dedicated button, comfortable leatherette memory foam ear cushions and headband, smart sensor	Adaptive Active noise cancelation, Call control on headset, busy light, MS Teams dedicated button, comfortable leatherette memory foam ear cushions and headband, smart sensor
Microphone	Noise Cancelling, dynamic equalizer, 150Hz - 7 kHz Microphone	AI noise cancelation microphone, 100Hz - 14kHz	AI Noise canceling microphone, 100Hz - 14kHz	AI Noise canceling microphone, 100Hz - 14kHz	AI Noise canceling microphone, 100Hz - 14kHz	AI Noise canceling microphone, 100Hz - 14kHz
Range up to (m)	Corded	Corded	Up to 30m with dongle, BT 5.3 LE enables up to 240m	Corded	Up to 30m with dongle, BT 5.3 LE enables up to 240m	Up to 30m with dongle, BT 5.3 LE enables up to 240m
Talk Time up to (hours)	N/A	N/A	Up to 26hrs (Busy light off), up to 14hrs (Busy light on) Up to 41hrs listening time (Busy light off)	N/A	Up to 75hrs (ANC & Busy light off), up to 43hrs (ANC & Busy light on)	TBC
Hearing protection	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL	SoundGuard Acoustic limiting for protection against sounds above 118dBA, G616 support limits the level to 102 dB SPL
Certification	UC compatible, no certifications	MS Teams & Zoom certified, UC optimized	MS Teams & Zoom certified, UC optimized	MS Teams & Zoom certified, UC optimized	MS Teams & Zoom certified, UC optimized	MS Teams & Zoom certified, UC optimized
Warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	3 years advanced exchange warranty
Packaging	Brown box	Brown Box	Brown box	Brown box	Retail box	Retail box
Accessories	n/a	Replaceable ear cushions - HE324	Replaceable ear cushions HE424 & universal pairing dongle HR024	Replaceable ear cushions HE524	Replaceable ear cushions HE524 & universal pairing dongle HR024	Replaceable ear cushions HE724 & universal pairing dongle HR024

Choosing the right soundbar /speakerphone



	Mainstream soundbar	Conferencing soundbar	Conferencing speakerphone	Speakerphone with connectivity
Model Number	SB521A	SB522A	SP3022	MH3021P
Product Name	Dell Slim Soundbar SB521A Dell Slim Conferencing Soundbar SB522A Dell Speakerphone SP3022 Dell Speakerphone with Multiport adapter MH3021P			
Type of device	Soundbar	Soundbar	Speakerphone	Speakerphone with Adapter
Connection via	USB-A	USB-A	USB-A & USB-C	USB-C
Audio	2.0 Stereo	2.0 Stereo, Full duplex audio	Full Duplex audio, Advanced Stereo output	Electrodynamic speaker with neodymium magnet
Microphone	N/A	360° omni-directional with Echo cancelation	360° omni-directional with Echo cancelation	360° omni-directional
Output RMS	3.6W	4.5W	2x 1.6W	
Other features	Magnetically attaches to monitor bezel providing flexibility and clean desk experience	AI background noise cancelation, enhancement of user voice, Echo cancelation, magnetic attach to monitor bezel	AI background noise cancelation, enhancement of user voice, Echo cancelation	1x USB-C, 1x HDMI, 2x USB-A ports, 90W power delivery via USB-C, displays connectivity via HDMI 2.0 & USB-C (4K @ 60Hz)
Certification	N/A	Teams & Zoom certified, UC compatible	Teams & Zoom certified, UC compatible	Zoom certified, UC & Teams compatible
Warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	3 years advanced exchange warranty	1 year standard warranty
Packaging	Brown box	Brown box	Retail box	Retail box

Choosing the right multiport / standalone adapter

Multiport Adapters

Type C Standalone Adapters

									
Product Model	DA310	DA305	DA20	DBQUANBC070 (Zeus)	Siren - SA1023	DBQBJBC054	DBQANBC067	ENZO- SA224	ELIO- SA124
Product Description	Dell 7-in-1 USB-C Multiport Adapter -DA310	Dell 6-in-1 USB-C Multiport Adapter DA305	Dell USB-C to HDMI 2.0 / USB-A 3.0 Adapter	Dell Adapter - USB-C to HDMI/DisplayPort with Power Pass-Through	Dell Adapter - USB-C to 3.5mm headphone Jack	Dell Adapter - USB-C to USB Type-A Adapter	Dell Adapter - USB-C to DP Adapter	Dell USB-C to 2.5Gbps Ethernet Adapter	Dell USB-C to HDMI 2.1 Adapter
Key Features	USB-C to DP/HDMI/Ethernet/2 *USB-A/USB-C with Power Pass Through	USB-C to DP/ HDMI/Ethernet/USB-A/USB-C with Power Pass Through	USB-C to HDMI/ USB-A 3.0	USB-C to HDMI/DP with Power Pass Through	USB-C to 3.5mm headphone Jack	USB-C (Male) to Type-A (Female)	USB-C (Male) to DP 1.2 (Female)	USB-C (Male) to Ethernet RJ-45 (Female)	
Color	Grey	Grey	Magnetite	Pro 2 (Grey)	Magnetite	Black	Black	Black	Black
Host Connection	USB-C Multi functional cable that supports data transfer, power pass-through and display-audio	USB-C multi functional cable that supports data transfer, power pass-through and display/audio	USB-C (male connector) HDMI 2.0 (female connector) USB-A 3.0 (female connector)	DP alt mode / charging through power pass-through USB Type-C Connector	USB-C (male connector) to 3.5mm Analog Headphone Out Jack (16- and 32-ohm load)				
Video Output /Ports	Max Single video output (USB-C /DP/ HDMI/ VGA)	Max Single video output (USB C/DP/HDMI)	Max Single video output (HDMI)	Max Single video output (HDMI/DP)*		NA	Single Video Output DP	NA	Single Video Output HDMI
Video Resolution(Max)	1	1	1	1		NA	1	NA	1
Single Display (only)	1920x1080 @ 60Hz max (VGA)	No VGA	3840x2160 @ 60Hz max (HDMI)	3840x2160 @ 60Hz max (HDMI)		NA	4096 x 2160 @ 60Hz	NA	4096 x 2160 @ 144Hz, max 7680 x 4320 (8k) @ 60Hz
Single Display (only)	3840 x 2160 @ 60Hz (HDR Support) HDMI	3840 x 2160 @ 60Hz ⁴ (HDR Support) HDMI		3840 x 2160 @ 60Hz max (DP)					
Single Display (only)	3840 x 2160 @ 60Hz (HDR Support) DP	3840 x 2160 @ 60Hz ⁴ (HDR Support) DP		-					
HDR10 Support	3840 x 2160 @ 30Hz (HDR Support) USB-C	3840 x 2160 @ 30Hz (HDR Support) USB C		Yes*					Yes*
Monitor Daisy Chain support	No	No	No	No	No	No	No	No	No
Power source	Bus powered and/or power pass-through	Bus powered and/or power pass-through		Bus powered and/or power pass-through					
Data / USB Ports	2 x USB-A 3.1 Gen2 and 1 x USB-C 3.1 Gen2 that supports data transfer up to 10Gbps	2 x USB-A 3.1 Gen2 and 1 x USB-C 3.1 Gen2 that supports data transfer up to 10Gbps	USB-A 3.0 Gen1 that supports data transfer up to 5Gbps	No		USB-A 3.0 Gen1 that supports data transfer up to 5Gbps			
Power Ports	USB-C for power pass Through	USB-C for power pass Through	No	USB-C for power pass-through**					
Network support	Gigabit Ethernet Port (LAN)	Gigabit Ethernet Port (LAN)	No	No				Gigabit Ethernet Port (LAN)	
PXE Boot	Yes (USB-C Dell system)	Yes (USB-C Dell system)	No	No					
MAC address	Yes (system override subject to BIOS)	Yes (system override subject to BIOS)	No	No		No	No	Yes (system override subject to BIOS)	
Non-tied warranty	3-year	3-year	1-year	1-year	1-year	1-year	1-year	1-year	1-year
Product Weight	94g / 0.21lbs	84g / 0.19lbs		62.5g		10.5g	11.5g		
Supported OS	Window10 64 Bit/ MAC/ Ubuntu/ Chrome/ RHEL	Window10 64 Bit/ MAC/ Ubuntu/ Chrome/ RHEL		Win 7/8/8.1/10 32 bit & 64 Bit, MacOS, ChromeOS	Window10 64 Bit/ Window11 64 Bit/ Linux	- All Windows - BIOS	- All Windows - BIOS	Win 10/11 64 Bit	Win 10/11 64 Bit
Driver Installation	No driver installation needed	No driver installation needed		For Win7/8/8.1, driver installation is required	No driver installation needed	No driver installation needed	No driver installation needed	No driver installation needed	No driver installation needed
System Requirement (Minimum)	Work with system with USB-C port (DP Alt-mode/ Thunderbolt)	Work with system with USB-C port (DP Alt-mode/ Thunderbolt)		Work with system with USB-C port (DP Alt-mode/ Thunderbolt)	External 3.5mm headphone jack				
Product Dimensions	69.8 (L) x 69.8 (W) x 24.5 (H) mm	69.8 (L) x 69.8 (W) x 24.5 (H) mm	56.4 (L) x 15.2 (W) x 33.4 (H) mm	65(L) x 62(W) x 11(H) mm (w/o cable) Cable Length : 180mm (L)	11.45 mm x 101.1 mm x 7.5 mm	10*131*26 mm	10*140*26 mm	14*153*29mm	10*153*26mm
Packaging	Retail Box	Retail Box	Retail Box	No Retail pack. Polybag packaging.	No Retail pack. Polybag packaging.	No Retail pack. Polybag packaging.	No Retail pack. Polybag packaging.	No Retail pack. Polybag packaging.	No Retail pack. Polybag packaging.

Choosing the right memory / SSD Upgrades

Memory



Designed for	NBs, AIOs, micro DTs	Desktops	Gaming Desktops	Mobile WS 7000 series: Precision 7x70 & 7x80
Callout	Mainstream	Mainstream	XMP - Extreme Memory Profile	CAMM - Compression Attach Memory Module
Key callout	As your computer ages, the demand on system resources increases at the same time as performance diminishes. The best way to battle performance loss and keep your system running at optimum efficiency is to upgrade with high-quality Dell Parts. And the only way to buy Dell-qualified parts is to buy Dell-branded parts.			
Form Factor	SODIMM	UDIMM	UDIMM XMP	CAMM
Capacity	up to 32GB	up to 32GB	up to 32GB	up to 128GB
Type	DDR5 or DDR4	DDR5 or DDR4	DDR5 or DDR4	DDR5
Frequency / Speed	up to 4800Mhz	up to 4800Mhz	up to 5200Mhz	up to 5600Mhz
Data Integrity	Non-ECC or ECC (Error Correction Code)	Non-ECC or ECC (Error Correction Code)	Non-ECC	Non-ECC
Voltage	1.1V (DDR5) or 1.2V (DDR4)	1.1V (DDR5) or 1.2V (DDR4)	depends on the clock speed set in BIOS	1.1V
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	1 Year

SSD



ed for	Notebooks and Desktops	Notebooks	Notebooks
Callout	Mainstream PCIe	Value PCIe	Value PCIe
Key callout	Increase the storage capacity of your Dell System with Solid State Drive(SSD). It boasts a storage capacity of up to 4TB enabling users to store large amounts of data. Featuring PCIe interface, these solid state drives deliver enhanced data transfer speed		
Form Factor	M.2 2280 (22mm x 80mm) Class 40	M.2 2230 (22mm x 30mm) Class 35	M.2 2230 (22mm x 30mm) Class 25
Capacity	up to 4TB	up to 1TB	up to 2TB
Interface	PCIe (PCI Express)	PCIe (PCI Express)	PCIe (PCI Express)
	up to 7000 MB/s	up to 4400 MB/s	up to 5900 MB/s
Data Encryption (optional)	256-bit AES Hardware-based encryption and support for Trusted Computing Group	N/A	N/A
Technology / Type	NAND 3D TLC (Tripple Level Cell) Gen 4x4 or Gen 3x4	NAND 3D TLC (Tripple Level Cell) Gen 4x4 or Gen 3x4	NAND 3D QLC (Quad Level Cell) Gen 4x4
nty	1 Year or Dell system warranty	1 Year or Dell system warranty	1 Year or Dell system warranty

Choosing the right spare parts

Designed for	Client systems	
Callout	Keep your system running longer	
Key callout	Extend the lifecycle of your Dell PC with Dell branded spare parts	
Why Dell branded spare parts?	- extend the lifecycle and improve performance of our customer's current Dell system - rigorously tested and certified by qualified engineers - ensured compatibility with Dell systems - covered by Dell support and warranty	- experienced Dell technical support teams for all customer needs - offered up to 7 years after the launch of a system - personalized DIY assistance including PFYD selector and Dell AR Assistant app - available for self-serve online purchase now!
Categories	 	Replacement batteries Laptop keyboards Laptop LCDs Laptop Cases & Screen Bezels Processors Motherboards Expansion cards Spare & Replacement Parts
How to find and order compatible spare part?	1. If SKU is available on Premier - ~ 1300 SKUs are enabled online for self-serve purchase Find and order a compatible spare part in Parts For Your Dell (PFYD) selector tool in Accessories catalogue on Premier. Search for the right part by model number, service tag or part number.	2. If SKU is not available on Premier - more than 25 000 spare SKUs available for purchase through PON team/DSA quote. Please contact Point Of Need (PON) team to quote & order spare part (contacts below).
Point Of Need team (DSA quoting contact) <i>Note: MWD , FOC, GWG, exchange related requests are out of scope for these mailboxes and are managed by tech support.</i>	English support: EMEA_SPARES_QUOTATION@dell.com French support: EM.DB.TSP.CLI.DM.FR.OOP.CASACSMBSP@dell.com EDB (partners order in techdirect tool): EDB_SparePartSales@Dell.com	Finland support: fi_spareparts@dell.com Sweden support: ner_sc_se_spares@dell.com Norway support: ner_sc_no_spares@dell.com Denmark support: ner_sc_dk_spares@dell.com
Useful links	External: PFYD: https://www.dell.com/en-uk/shop/partsforyourdell Self-repair page: https://www.dell.com/support/contents/en-uk/article/warranty/Self-Repair Internal: EMEA Online spares matrix: https://dell.sharepoint.com/:f:/r/sites/dncp-one-stop-shop-emea/Shared%20Documents/Spares/EMEA%20Online%20Spares%20Master%20File?csf=1&web=1&e=6Wo19a Spares quote request template: https://dell.sharepoint.com/:x:/r/sites/dncp-one-stop-shop-emea/_layouts/15/Doc.aspx?sourcedoc=%7BFDA94C93-A7C2-4EAF-A59C-E9E331F5011A%7D&file=Spares%20quote%20request%20template.xlsx&action=default&mobileredirect=true	

Choosing the right Kensington security lock



Model	N17 2.0 lock	N17 Dual Headed lock	N17 Combination lock	Clicksafe 2.0	Twin Headed Clicksafe	Combination Clicksafe	Microsaver 2.0	Twin Headed Microsaver	Desktop & Peripheral Locking Kit	Chassis lock	Laptop Locking Station	Slot Adapter Kit+Lock
Single keyed	461-AAFD	461-AAFE	461-AAHH	461-10169	461-AAES	461-AAEU	461-10054	461-10053	461-10185	461-10154	A755884	A7047068 + 461-10054
Master keyed	461-AAFB	461-AAFC	AA562770	461-10209	461-AAET	*customer specific	461-10072	461-10214	*upon request	*All liked keyed		
Security Slot	Wedge-shaped	Wedge-shaped	Wedge-shaped	Wedged-shaped/T-bar	Wedged-shaped/T-bar	Wedged-shaped/T-bar	T-bar	T-bar	Recommended for Desktop	Recommended for Desktop	Wedge-shaped	No security Slot
Cable type	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel		Carbon Steel	Carbon Steel
Best for	Dell Laptops	Laptops & Dell Docking Stations	Dell Laptops	All Dell Models	All Dell Models	All Dell Models	Docking Stations, Desktop Chassis, Displays, projectors & laptop brands with a T-Bar™ security slot	Docking Stations, Desktop Chassis, Displays, projectors & laptop brands with a T-Bar™ security slot	Dell Desktop PCs	Computer chassis	Compatible with Laptops between 11-15.6	Laptops without build-in security slot
Warranty	5 years	5 years	5 years	5 years	5 years	2 years	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	
Color	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver	Silver/Black	Silver/Black

Choosing the right Privacy Filter

Model										
Description	Bright Screen Privacy Filter 13.3"	Bright Screen Privacy Filter 13.3"	Bright Screen Privacy Filter 14"	Bright Screen Privacy Filter 14"	Bright Screen Privacy Filter 15.6"	Bright Screen Privacy Filter	Bright Screen Privacy Filter 13.3"	Bright Screen Privacy Filter 14"	Bright Screen Privacy Filter 14"	Bright Screen Privacy Filter 15.6"
Part Number	BP133W9B	BP133W1B	BP140W9B	BP140W1B	BP156W9B	BP160W1B	BP133W9E	BP140W9E	BP140W1E	BP156W9E
A-SKU	AC637468	AC637471	AC588645	AC561712	AC588646	AC666521	AC637470	AC637472	AC586415	AC637474
Features	Enables incredibly vivid screen viewing with proprietary technology that enables 85% transmission of the device's brightness. 60-Degree viewing angle									
Package	Includes 3M™ COMPLY™ Adhesive Strips so your 3M™ Bright Screen Privacy Filter remains securely in place and does not need to be removed									
Compatibility	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible	Touch Compatible
Orientation	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape
Device Type	Laptop	Laptop	Laptop	Laptop	Laptop	Laptop	Laptop	Laptop	Laptop	Laptop
Warranty	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year
Blue Light Reduction	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

