


ELEMENTS LUX

The Element LUX project stems from the stylistic research of CHARMAGRES, which sees the elements of nature as an inexhaustible source of inspiration for the development of sophisticated textures and exclusive colours.



60x120cm
24 x 48



60x60cm
24 x 24



30x60cm
12 x 24

SURFACES



Matt



Lappato



The ELEMENT LUX is inspired by a range of materials ideal for customizing any space.



ELEMENTS LUX

Wall
ELEMENT LUX DARK
C36419
30x60cm 12x24"

Floor
C1260419
60x120cm 24x48"



Wall
ELEMENT LUX GREY
C1230411 C1230413
30x120cm 12x48

Floor
C1260411
60x120cm 24x48



Wall
ELEMENT LUX GREY
C36413
30x60cm 12x24"

Floor
C60413
60x60cm 24x24"



Wall
ELEMENT LUX WHITE
C36411
30x60cm 12x24"

ELEMENTS LUX





Wall
ELEMENT LUX WHITE DARK
C1260411 C1260419
60x120cm 24x48"
Triangle Mosaic
25x25cm 10x10"

Floor
C1260419
60x120cm 24x48"



ELEMENTS LUX

Wall
ELEMENT LUX WHITE
Triangle Mosaic
30x30cm 12x12



Wall
ELEMENT LUX GREY DARK
C36419
30x60cm 12x24

Floor
C1260413
60x120cm 24x48



ELEMENTS LUX

Wall
ELEMENT LUX WHITE
C1260411
60x120cm 24x48"

Floor
ELEMENT LUX WHITE
C60411
60x60cm 24x24"



Floor
ELEMENT LUX WHITE
C60411
60x60cm 24x24"



Wall
ELEMENT LUX GREY
C1260411 C1260413
30x120cm 12x48"

Floor
C1260413
60x120cm 24x48"



Wall
ELEMENT LUX GREY
C36413
30x60cm 12x24"

Floor
C60413
60x60cm 24x24"

ELEMENTS LUX





Wall
ELEMENT LUX GREY
Triangle Mosaic
25x25cm 10x10'

Floor
C60413
60x60cm 24x24'



ELEMENTS LUX

Wall
ELEMENT LUX WHITE
C1260411
60x120cm 24x48'



ELEMENTS LUX



C1260411
60x120cm 24'x48'




C60411
60x60cm 24'x24'



C36411
30x60cm 12'x24'



C30411
30x30cm
12'x12'



Triangle Mosaic
25x25cm 10'x10'

ELEMENTS LUX



C1260413
60x120cm 24'x48'




C60413
60x60cm 24'x24'



C36413
30x60cm 12'x24'



C30413
30x30cm
12'x12'



Triangle Mosaic
25x25cm 10'x10'

ELEMENTS LUX



C1260419
60x120cm 24'x48'




C60419
60x60cm 24'x24'




C36419
30x60cm 12'x24'



C30419
30x30cm
12'x12'



Triangle Mosaic
25x25cm 10'x10'



DARK

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	CHARMAGRES VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	≥35N/mm ²
RESISTANCE TO ABRASION	EN ISO 10545-6	≤205mm ³	≤160mm ³
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
SLIP RESISTANCE	DIN 51130	R9-R13	≥R9
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS

Packing Details

SERIES	Sizes	Pcs/Ctn	M ² /Ctn	M ² /Pit	Ctns/Pit	Kg/Pit
ELEMENTS LUX	60x120-24'x48'	2	1.44	47.52	33	1089
	60x60-24'x24'	4	1.44	57.6	40	1240
	30x60-12'x24'	8	1.44	57.6	40	1240
	30x30-12'x12'	11	0.99	65.34	66	1406
	30x30-12'x12' Mosaic	11	0.99	65.34	66	1406