

bank_id	evaluation_date	tpp_type	error_count	request_count	error_rate	average_latency
airwallex-prod	2021-09-30 0:00:00	AISP	2	13	0.1538	2060
airwallex-prod	2021-09-29 0:00:00	AISP	2	8	0.25	2436
airwallex-prod	2021-09-28 0:00:00	AISP	2	13	0.1538	2048
airwallex-prod	2021-09-27 0:00:00	AISP	3	11	0.27270001	2029
airwallex-prod	2021-09-26 0:00:00	AISP	2	13	0.1538	2424
airwallex-prod	2021-09-25 0:00:00	AISP	2	21	0.0952	1916
airwallex-prod	2021-09-24 0:00:00	AISP	3	20	0.15000001	1772
airwallex-prod	2021-09-23 0:00:00	AISP	3	23	0.1304	1908
airwallex-prod	2021-09-22 0:00:00	AISP	1	5	0.2	1366
airwallex-prod	2021-09-21 0:00:00	AISP	2	18	0.1111	2039
airwallex-prod	2021-09-20 0:00:00	AISP	2	16	0.125	1951
airwallex-prod	2021-09-19 0:00:00	AISP	4	14	0.28569999	1796
airwallex-prod	2021-09-18 0:00:00	AISP	5	36	0.1389	2028
airwallex-prod	2021-09-17 0:00:00	AISP	6	38	0.15790001	1850
airwallex-prod	2021-09-16 0:00:00	AISP	2	9	0.22220001	1688
airwallex-prod	2021-09-15 0:00:00	AISP	2	8	0.25	1499
airwallex-prod	2021-09-14 0:00:00	AISP	2	9	0.22220001	1654
airwallex-prod	2021-09-13 0:00:00	AISP	2	10	0.2	1751
airwallex-prod	2021-09-12 0:00:00	AISP	2	12	0.16670001	2296
airwallex-prod	2021-09-11 0:00:00	AISP	1	7	0.1429	2382
airwallex-prod	2021-09-10 0:00:00	AISP	1	6	0.16670001	1689
airwallex-prod	2021-09-09 0:00:00	AISP	3	40	0.075	1536
airwallex-prod	2021-09-08 0:00:00	AISP	1	8	0.125	1489
airwallex-prod	2021-09-07 0:00:00	AISP	1	10	0.1	1408
airwallex-prod	2021-09-06 0:00:00	AISP	1	5	0.2	1348
airwallex-prod	2021-09-05 0:00:00	AISP	1	5	0.2	1344
airwallex-prod	2021-09-04 0:00:00	AISP	1	5	0.2	1126
airwallex-prod	2021-09-03 0:00:00	AISP	1	5	0.2	1142
airwallex-prod	2021-09-02 0:00:00	AISP	1	5	0.2	1349
airwallex-prod	2021-09-01 0:00:00	AISP	0	8	0	1443
airwallex-prod	2021-07-18 0:00:00	AISP	0	2	0	112

airwallex-prod	2021-07-13 0:00:00	AISP	0	1	0	86
airwallex-prod	2021-07-10 0:00:00	AISP	0	1	0	67
airwallex-prod	2021-07-06 0:00:00	AISP	0	1	0	104