

bank_id	evaluation_date	tpp_type	error_count	request_count	error_rate	average_latency
airwallex-prod	2022-12-31 0:00:00	AISP	2	252	0.0079	1450
airwallex-prod	2022-12-30 0:00:00	AISP	2	268	0.0075	1464
airwallex-prod	2022-12-29 0:00:00	AISP	2	289	0.0069	1567
airwallex-prod	2022-12-28 0:00:00	AISP	2	268	0.0075	1461
airwallex-prod	2022-12-27 0:00:00	AISP	2	270	0.0074	1456
airwallex-prod	2022-12-26 0:00:00	AISP	2	242	0.0083	1472
airwallex-prod	2022-12-25 0:00:00	AISP	3	240	0.0125	1423
airwallex-prod	2022-12-24 0:00:00	AISP	3	251	0.012	1426
airwallex-prod	2022-12-23 0:00:00	AISP	3	276	0.0109	1438
airwallex-prod	2022-12-22 0:00:00	AISP	3	291	0.0103	1450
airwallex-prod	2022-12-21 0:00:00	AISP	3	312	0.0096	1449
airwallex-prod	2022-12-20 0:00:00	AISP	3	294	0.0102	1463
airwallex-prod	2022-12-19 0:00:00	AISP	3	297	0.0101	1416
airwallex-prod	2022-12-18 0:00:00	AISP	7	59	0.1186	1509
airwallex-prod	2022-12-17 0:00:00	AISP	2	250	0.008	1414
airwallex-prod	2022-12-16 0:00:00	AISP	2	286	0.007	1471
airwallex-prod	2022-12-15 0:00:00	AISP	2	278	0.0072	1457
airwallex-prod	2022-12-14 0:00:00	AISP	2	281	0.0071	1443
airwallex-prod	2022-12-13 0:00:00	AISP	2	275	0.0073	1437
airwallex-prod	2022-12-12 0:00:00	AISP	2	286	0.007	1432
airwallex-prod	2022-12-11 0:00:00	AISP	2	239	0.0084	1431
airwallex-prod	2022-12-10 0:00:00	AISP	2	257	0.0078	1418
airwallex-prod	2022-12-09 0:00:00	AISP	2	275	0.0073	1430
airwallex-prod	2022-12-08 0:00:00	AISP	2	278	0.0072	1471
airwallex-prod	2022-12-07 0:00:00	AISP	1	67	0.0149	1567
airwallex-prod	2022-12-06 0:00:00	AISP	2	278	0.0072	1432
airwallex-prod	2022-12-05 0:00:00	AISP	2	264	0.0076	1424
airwallex-prod	2022-12-04 0:00:00	AISP	3	238	0.0126	1460
airwallex-prod	2022-12-03 0:00:00	AISP	3	249	0.012	1412
airwallex-prod	2022-12-02 0:00:00	AISP	3	271	0.0111	1430
airwallex-prod	2022-12-01 0:00:00	AISP	3	249	0.012	1435

airwallex-prod	2022-11-30 0:00:00	AISP	3	261	0.0115	1451
airwallex-prod	2022-11-29 0:00:00	AISP	3	264	0.0114	1498
airwallex-prod	2022-11-28 0:00:00	AISP	3	250	0.012	1392
airwallex-prod	2022-11-27 0:00:00	AISP	3	197	0.0152	1442
airwallex-prod	2022-11-26 0:00:00	AISP	3	228	0.0132	1419
airwallex-prod	2022-11-25 0:00:00	AISP	3	249	0.012	1551
airwallex-prod	2022-11-24 0:00:00	AISP	3	247	0.0121	1396
airwallex-prod	2022-11-23 0:00:00	AISP	3	246	0.0122	1383
airwallex-prod	2022-11-22 0:00:00	AISP	3	230	0.013	1330
airwallex-prod	2022-11-21 0:00:00	AISP	3	319	0.0094	1347
airwallex-prod	2022-11-20 0:00:00	AISP	3	213	0.0141	1410
airwallex-prod	2022-11-19 0:00:00	AISP	3	240	0.0125	1351
airwallex-prod	2022-11-18 0:00:00	AISP	3	250	0.012	1400
airwallex-prod	2022-11-17 0:00:00	AISP	3	229	0.0131	1384
airwallex-prod	2022-11-16 0:00:00	AISP	4	260	0.0154	1408
airwallex-prod	2022-11-15 0:00:00	AISP	4	238	0.0168	1385
airwallex-prod	2022-11-14 0:00:00	AISP	7	400	0.0175	1325
airwallex-prod	2022-11-13 0:00:00	AISP	2	220	0.0091	1407
airwallex-prod	2022-11-12 0:00:00	AISP	2	224	0.0089	1388
airwallex-prod	2022-11-11 0:00:00	AISP	2	256	0.0078	1451
airwallex-prod	2022-11-10 0:00:00	AISP	2	220	0.0091	1384
airwallex-prod	2022-11-09 0:00:00	AISP	2	233	0.0086	1403
airwallex-prod	2022-11-08 0:00:00	AISP	2	261	0.0077	1419
airwallex-prod	2022-11-07 0:00:00	AISP	1	256	0.0039	1406
airwallex-prod	2022-11-06 0:00:00	AISP	1	201	0.005	1376
airwallex-prod	2022-11-05 0:00:00	AISP	1	233	0.0043	1390
airwallex-prod	2022-11-04 0:00:00	AISP	1	277	0.0036	1380
airwallex-prod	2022-11-03 0:00:00	AISP	1	232	0.0043	1356
airwallex-prod	2022-11-02 0:00:00	AISP	1	254	0.0039	1396
airwallex-prod	2022-11-01 0:00:00	AISP	1	225	0.0044	1372
airwallex-prod	2022-10-31 0:00:00	AISP	1	237	0.0042	1391

airwallex-prod	2022-10-30 0:00:00	AISP	1	191	0.0052	1448
airwallex-prod	2022-10-29 0:00:00	AISP	1	200	0.005	1386
airwallex-prod	2022-10-28 0:00:00	AISP	1	228	0.0044	1397
airwallex-prod	2022-10-27 0:00:00	AISP	1	213	0.0047	1434
airwallex-prod	2022-10-26 0:00:00	AISP	1	232	0.0043	1411
airwallex-prod	2022-10-25 0:00:00	AISP	1	227	0.0044	1394
airwallex-prod	2022-10-24 0:00:00	AISP	1	208	0.0048	1398
airwallex-prod	2022-10-23 0:00:00	AISP	1	173	0.0058	1372
airwallex-prod	2022-10-22 0:00:00	AISP	1	183	0.0055	1427
airwallex-prod	2022-10-21 0:00:00	AISP	1	202	0.005	1491
airwallex-prod	2022-10-20 0:00:00	AISP	1	204	0.0049	1435
airwallex-prod	2022-10-19 0:00:00	AISP	3	230	0.013	1446
airwallex-prod	2022-10-18 0:00:00	AISP	5	238	0.021	1425
airwallex-prod	2022-10-17 0:00:00	AISP	5	240	0.0208	1424
airwallex-prod	2022-10-16 0:00:00	AISP	5	215	0.0233	1450
airwallex-prod	2022-10-15 0:00:00	AISP	5	205	0.0244	1388
airwallex-prod	2022-10-14 0:00:00	AISP	7	239	0.0293	1405
airwallex-prod	2022-10-13 0:00:00	AISP	7	228	0.0307	1398
airwallex-prod	2022-10-12 0:00:00	AISP	8	215	0.0372	1394
airwallex-prod	2022-10-11 0:00:00	AISP	8	226	0.0354	1441
airwallex-prod	2022-10-10 0:00:00	AISP	8	263	0.0304	1504
airwallex-prod	2022-10-09 0:00:00	AISP	8	213	0.0376	1415
airwallex-prod	2022-10-08 0:00:00	AISP	8	213	0.0376	1452
airwallex-prod	2022-10-07 0:00:00	AISP	8	224	0.0357	1432
airwallex-prod	2022-10-06 0:00:00	AISP	8	216	0.037	1432
airwallex-prod	2022-10-05 0:00:00	AISP	10	259	0.0386	1409
airwallex-prod	2022-10-04 0:00:00	AISP	7	216	0.0324	1395
airwallex-prod	2022-10-03 0:00:00	AISP	6	235	0.0255	1450
airwallex-prod	2022-10-02 0:00:00	AISP	7	222	0.0315	1435
airwallex-prod	2022-10-01 0:00:00	AISP	9	245	0.0367	1413