

PR-T01 Digital temperature probe

The PR-T01 digital temperature probe is designed for Controlant's real-time data loggers.

Features and benefits

- Validated and compliant for the life sciences supply chain
- Accurate digital temperature sensor for ambient and product temperature measurements

General overview

Product

Product name and type PR-T01 digital temperature probe

General

Probe length overall (LOA)	2.8m	9.2ft
Cable diameter	4.6mm	0.18in
Cable material	PUK, black	-40°C to +105°C -40°F to +221°F
Connector body	TPU	
Connector standard	IEC 61076-2-104	
Connector contacts	Brass with gold plate	
Connector locking system	Screw locking	
Connector waterproof rating	IP67	

Temperature sensors


Measurements

Number of sensors	Two sensors – one for ambient and one for the product
Temperature	-20°C to +50°C -4°F to +122°F
Resolution	0.1°C 0.18°F
Long-term drift	<0.1°C / year 0.18°F / year

Calibration

Standard calibration points	-20°C -4°F	15°C 59°F	50°C 122°F
Calibration accuracy	±1.0°C ±1.8°F	±0.5°C ±0.9°F	±1.0°C ±1.8°F
Non-standard calibration points	Available		
Calibration certificate	Available upon request		

Probe dimensions



Controlant.com
contact@controlant.com

Controlant hf. +354 517 0630
Controlant, Inc. +1 (855) 44-CONTROL
Doc ID 13658 V7—Last updated: 2022-05-19