

# MasterFinish RL 100

Vers 2.0	sion	Revision Date: 08/15/2023		0S Number: 0000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023		
SEC	CTION 1	DENTIFICATION					
Product name		:	MasterFinish RL 100				
	Produc	t code	:	0000000005036	1093 000000000050361093		
	Other means of identification		:	No data available			
Manufacturer or supplier's of			deta	ils			
	Company name of supplier		:	Master Builders Solutions Canada Inc.			
	Addres	S	:	1800 CLARK BLV Brampton ON L67	-		
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;		
		Il Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420		
	Recom	mended use of the c	hen	nical and restriction	ons on use		
	Recom	mended use	:	Product for constr	uction chemicals		
	Restrict	tions on use	:	Reserved for indu	strial and professional use.		

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations								
Carcinogenicity	:	Category 1B						
GHS label elements Hazard pictograms								
	·							
Signal Word	:	Danger						
Hazard Statements	:	H350 May cause cancer.						
Precautionary Statements	:	<b>Prevention:</b> P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P202 Do not handle until all safety precautions have been read and understood.						
		Response: P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.						





Version 2.0	Revision Date: 08/15/2023	SDS Num 00000026	201	e of last issue: 07/28/2023 e of first issue: 01/09/2023						
		Storag P405 S	<b>je:</b> Store locked up.							
	<b>Disposal:</b> P501 Dispose of contents/container to appropriate hazardo waste collection point.									
•	e <b>r hazards</b> ata available.									
SECTION	<b>3. COMPOSITION</b>	N/INFORMATION	ON INGREDIE	NTS						
Cher	nical nature	: No dat	a available.							
Com	ponents									
Cher	nical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)						
hydro	lates (petroleum), otreated light thenic	Distillates (pe- troleum), hy- drotreated light naphthenic	64742-53-6	>= 75 - < 100						

### **SECTION 4. FIRST AID MEASURES**

General advice :	First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	Keep patient calm, remove to fresh air, seek medical atten- tion.
	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	Immediately wash thoroughly with soap and water, seek med- ical attention.
In case of eye contact :	Wash affected eyes for at least 15 minutes under running water with eyelids held open.
	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



# **MasterFinish RL 100**

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
If swallowed		: Immediately seek medica	rinse mouth and then drink 200-300 ml of water, al attention.
		Keep respir Do not give Never give If symptoms	ting immediately and call a physician. atory tract clear. milk or alcoholic beverages. anything by mouth to an unconscious person. persist, call a physician. immediately to hospital.
an	ost important symptoms d effects, both acute and layed	: May cause	cancer.
No	otes to physician	: Treat sympt	omatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



# MasterFinish RL 100

Vers 2.0	sion	Revision Date: 08/15/2023		0S Number: 0000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
	Methods and materials for containment and cleaning up		:	Soak up with inert absorbent material (e.g. sand, silica ge acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.				
SEC	TION 7	. HANDLING AND ST	OR/	AGE				
	Advice on protection against fire and explosion		:	Product is not exp	olosive.			
				Normal measures for preventive fire protection.				
	Advice on safe handling		:	<ul> <li>Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the a plication area. Dispose of rinse water in accordance with local and nation regulations.</li> </ul>				
	Conditions for safe storage		:	place. Observe label pre	ions / working materials must comply with			
		information on stor- nditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.			
	Materia	als to avoid	:	Observe TRGS 5	09/510 storage rules.			
	Recom peratur	mended storage tem- e	:	0°C				
	Further age sta	information on stor- bility	:	No data available				

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated light naphthenic	64742-53-6	TWA value (Inhalable fraction)	5 mg/m3	ACGIHTLV
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL



# MasterFinish RL 100

ersion )	Revision Date: 08/15/2023		DS Number: 00000263524		t issue: 07/28/2023 at issue: 01/09/2023			
		i			1			
				TWA (Mist)	1 mg/m3	CA BC OI		
				TWA (Inhal-	5 mg/m3	ACGIH		
				able particu-				
				late matter)				
Engir	neering measures	:	No applicable	information ava	ilable.			
Perso	onal protective equip	ment	:					
Respi	ratory protection	:	Wear approp	iate certified res	pirator when exposu	ure limits		
-			may be exceeded.					
			Use NIOSH approved respiratory protection.					
Hand	protection							
Pa	emarks		The quitability	for a coocific w	orkplace should be o	discussed		
Ne	IIIdiks	•				liscusseu		
			with the producers of the protective gloves.					
Eye p	rotection	:	: Eye wash bottle with pure water					
			Tightly fitting	safety goggles				
01.1			1					
Skin a	and body protection	:	Impervious cl		rding to the emount	and con		
			Choose body protection according to the amount and centration of the dangerous substance at the work pla					
			Centration of t	ne dangerous s		t place.		
Prote	ctive measures	:	Do not inhale	gases/vapours/	aerosols.			
					yes and clothing.			
			Avoid exposu	re - obtain spec	al instructions before	e use.		
			Handle in acc	ordance with go	od building materials	s hygiene		
			and safety pra	actice.				
			Wearing of clo	osed work clothi	ng is recommended.			
Hygie	ne measures	:	When using c	o not eat or drin	k.			
			When using c	o not smoke.				
			Wash hands I	pefore breaks ar	nd at the end of work	day.		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Odor	:	product specific
рН	:	Not applicable
Melting point	:	No applicable information available.
Boiling point	:	250 °C
Flash point	:	146 °C



# MasterFinish RL 100

Version 2.0	Revision Date: 08/15/2023		S Number: )000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
			Method: Flash-P	oint by Pensky-Martens Closed Cup Tester.			
Eva	poration rate	:	No applicable inf	ormation available.			
Flan	nmability (solid, gas)	:	not determined				
	Upper explosion limit / Upper flammability limit		5.0 %(V)				
	er explosion limit / Lower mability limit	:	0.7 %(V)				
Vap	or pressure	:	< 1 mmHg				
Rela	ative vapor density	:	Heavier than air.				
Rela	ative density	:	No applicable information available.				
Den	sity	:	0.89 g/cm3 (20 °C)				
	ıbility(ies) Vater solubility	:	insoluble				
S	Solubility in other solvents	:	No applicable inf	ormation available.			
	ition coefficient: n- nol/water	:	No data available	Э.			
Auto	pignition temperature	:	No data available	9			
Dec	omposition temperature	:	No decompositio scribed/indicated	n if stored and handled as pre- l.			
	cosity /iscosity, dynamic	:	No applicable inf	ormation available.			
١	/iscosity, kinematic	:	No applicable inf	ormation available.			
Exp	losive properties	:	Not explosive Not explosive				
Oxic	dizing properties	:	not fire-propagat	ing			
Sub	limation point	:	No applicable inf	ormation available.			

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.



# MasterFinish RL 100

/ersion 2.0	Revision Date: 08/15/2023		S Number: 0000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023			
tions							
Cond	Conditions to avoid Incompatible materials		See SDS sect	ion 7 - Handling and storage.			
Incon			: Strong acids Strong bases Strong oxidizing agents Strong reducing agents				
Haza produ	rdous decomposition lcts	:	No hazardous as prescribed/	decomposition products if stored and handled indicated.			
Acut	a toxicity						
	Acute toxicity Not classified based on available information.						
Prod		liable					
-	e oral toxicity	:	Remarks: No a	pplicable information available.			
Acute inhalation toxicity		:	Remarks: No a	pplicable information available.			
Acute	e dermal toxicity	:	Remarks: No a	pplicable information available.			
Skin corrosion/irritation Not classified based on available information.							
	lassified based on ava		Serious eye damage/eye irritation Not classified based on available information.				
	ous eye damage/eye i						
Resp	ous eye damage/eye i	ilable	information.				
Skin	ous eye damage/eye i lassified based on ava	ilable i <b>zatio</b>	information. <b>n</b>				

**Respiratory sensitization** Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer.

**Reproductive toxicity** Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

# Aspiration toxicity

Not classified based on available information.





/ersion 2.0	Revision Date: 08/15/2023		OS Number: 0000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
Furth	er information			
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:		s not been tested. The statement has been e properties of the individual components.
Rema	rks	:	No data availat	le
ECTION	12. ECOLOGICAL INF	FORM	ATION	
Ecoto	oxicity			
No da	ta available			
	stence and degradab ta available	ility		
	<b>cumulative potential</b> ta available			
	<b>ity in soil</b> ta available			
Other	adverse effects			
	onal ecological infor-	:		probability that the product is not acutely
matior	n			itic organisms. s not been tested. The statements on ecotoxien en derived from the properties of the individua

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR



# MasterFinish RL 100

ersion 0	Revision Date: 08/15/2023	SDS Number: 000000263524	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023				
Not re	egulated as a dangero	ous good					
-	<b>-Code</b> egulated as a dangero	ous good					
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.							
Dom	Domestic regulation						
<b>TDG</b> Not re	<b>TDG</b> Not regulated as a dangerous good						
ECTION	15. REGULATORY I	NFORMATION					
The i	ngredients of this pr	oduct are reported ir	the following inventories:				
TSC	ч	: All substances	listed as active on the TSCA inventory				
DSL		: All components	s of this product are on the Canadian DSL				
Cana	dian lists						
No su	ubstances are subject	to a Significant New A	ctivity Notification.				
	16. OTHER INFORM	ATION					
Full f	ext of other abbrevia	ations					
i un t							

	-	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safe-
		ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIHTLV / TWA value	:	Time Weighted Average (TWA):
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



# MasterFinish RL 100

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000263524	Date of first issue: 01/09/2023

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/15/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN