

SAFETY DATA SHEET

MasterShield CI 8600PEL

Version 1.0 Revision Date: 17.01.2024 SDS Number: 000000249894 Date of last issue: -
Date of first issue: 17.01.2024

SECTION 1: IDENTIFICATION

Product name : MasterShield CI 8600PEL

Product code : 000000000050664385

Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : Unit 102, 2 Burbank Place
Norwest NSW 2153

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification



Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Short-term (acute) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :  

Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

P233 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P264 Wash skin thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
 Chemical nature : Emulsion based on:
 polysiloxane

Components

Chemical name	CAS-No.	Concentration (% w/w)
Silicon compound (Ref.: 72243-045165, Germany)	Not Assigned	> 20
2-diethylaminoethanol	100-37-8	< 3

SECTION 4. FIRST AID MEASURES

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

- General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
- In case of skin contact : After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation. Causes serious eye irritation.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry powder
Alcohol-resistant foam
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : water jet
- Hazardous combustion products : fumes/smoke
harmful vapours
Carbon oxides
nitrogen oxides
carbon black
- Specific extinguishing methods : The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
- Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

- Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wear eye/face protection.
Use personal protective clothing.
Handle in accordance with good building materials hygiene and safety practice.
- Environmental precautions : Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.
Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Sources of ignition should be kept well clear.
Take measures to prevent the build up of electrostatic charge.
Substance/product can form explosive mixture with air.
Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.
- Advice on safe handling : Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity.
Avoid contact with eyes.
Avoid skin contact.
Provide good room ventilation even at ground level (vapours are heavier than air).
- Hygiene measures : When using, do not eat, drink or smoke.
Hands and/or face should be washed before breaks and at the end of the shift.
At the end of the shift the skin should be cleaned and skin-care agents applied.
Gloves must be inspected regularly and prior to each use.
Replace if necessary (e.g. pinhole leaks).
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.
- Recommended storage temperature : -10 - 40 °C
- Further information on storage stability : No decomposition if stored and applied as directed.

MasterShield CI 8600PEL

Version 1.0 Revision Date: 17.01.2024 SDS Number: 000000249894 Date of last issue: -
 Date of first issue: 17.01.2024

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-diethylaminoethanol	100-37-8	TWA	10 ppm 48 mg/m ³	AU OEL
Further information: Skin absorption				
		TWA	2 ppm	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1.000 ppm 1.880 mg/m ³	AU OEL
		STEL	1.000 ppm	ACGIH

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate.
 Suitable respiratory protection for higher concentrations or long-term effect:
 Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection

Material : nitrile rubber (NBR)
 Break through time : > 480 min
 Glove thickness : 0,4 mm
 Protective index : Class 6

Material : Chloroprene
 Break through time : > 480 min
 Glove thickness : 0,5 mm
 Protective index : Class 6

Material : butyl rubber
 Break through time : > 480 min
 Glove thickness : 0,7 mm
 Protective index : Class 6

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Safety glasses with side-shields (frame goggles) (e.g. EN 166)

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

- Skin and body protection : Body protection must be chosen based on level of activity and exposure.
- Protective measures : Do not inhale dust/fumes/aerosols.
 Avoid contact with the skin, eyes and clothing.
 Avoid exposure - obtain special instructions before use.
 Handle in accordance with good building materials hygiene and safety practice.
 Wearing of closed work clothing is recommended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : colorless
- Odor : characteristic
- Odor Threshold : not determined
- pH : 11 (20 °C)
 Method: German standard methods for examination of water, waste water and sludge; physical and physico-chemical characteristics (group C); determination of pH value (C5)
- Melting point : < -65 °C
- Boiling point : approx. 186 °C
 (1.013 hPa)
 Method: Liquid mineral oil hydrocarbons - Determination of distillation range.
- Flash point : > 40 °C
 Method: Petroleum products and lubricants; Determination of flash point; Pensky-Martens closed cup method.
- Evaporation rate : not determined
- Flammability (liquids) : Flammable liquid and vapor.
- Upper explosion limit / Upper flammability limit : 8,47 %(V)
 (150 °C) Method: Determination of explosion limits of gases and gas/air mixtures.
- Lower explosion limit / Lower flammability limit : 0,39 %(V)
 (98 °C) Method: Determination of explosion limits of gases

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	00000249894	Date of first issue: 17.01.2024

and gas/air mixtures.

Vapor pressure : 0,68 hPa (25 °C)

Relative vapor density : not determined

Density : approx. 0,882 g/cm³ (20 °C)
Method: Mineral oils and related materials - Determination of density.

Bulk density : Not applicable

Solubility(ies)
Water solubility : immiscible, hydrolyzes

Partition coefficient: n-octanol/water : not applicable for mixtures

Autoignition temperature : 250 °C
Method: Mineral Oil Hydrocarbons; Determination of Ignition Temperature.

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Viscosity
Viscosity, dynamic : 0,95 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties Self-heating substances : not fire-propagating
: It is not a substance capable of spontaneous heating.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability : The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid : Avoid all sources of ignition: heat, sparks, open flame.
Avoid electro-static discharge.
Avoid heat.
See SDS section 7 - Handling and storage.

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

Incompatible materials	:	Water
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.
Hazardous decomposition products	:	Ethanol The substances/substance groups mentioned are formed by hydrolysis.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : Based on our experience and the information available, no adverse health effects are expected if handled as recom-

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

mended with suitable precautions for designated uses.
 The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity**Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Persistence and degradability**Product:**

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available
 Discharge into the environment must be avoided.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: No data available

Other adverse effects**Product:**

Results of PBT and vPvB assessment : Remarks: The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Ozone-Depletion Potential : Remarks: The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
-

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

- UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(2-DIETHYLAMINOETHANOL)
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

- UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(2-DIETHYLAMINOETHANOL)
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ASIA ROAD**

- UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(2-DIETHYLAMINOETHANOL)
Class : 3
Packing group : III
Labels : 3
Hazchem Code : •3Y
-

MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform : No poison schedule number allocated (Please use the original
Scheduling of Medicines and : publication to check for specific uses, specific conditions or
Poisons : threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 17.01.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x % growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

SAFETY DATA SHEET



MasterShield CI 8600PEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.01.2024	000000249894	Date of first issue: 17.01.2024

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN