MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

SECTION 1. IDENTIFICATION

Product name : MasterRoc MP 368 PART B

Product code : 00000000050520135 000000000050520135

Manufacturer or supplier's details

Company name of supplier : Master Builders-Admixtures US,LLC

Address : 23700 Chagrin Blvd

Beachwood OH 44122

Emergency telephone : ChemTel: +1-813-248-0585

National Emergency Tele-

phone Number

USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Skin sensitization : Category 1B

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

: Category 2 (Olfactory organs)

GHS label elements

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

Hazard pictograms





Signal Word : Danger

Hazard Statements : H319 Causes serious eye irritation.

H315 Causes skin irritation. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary Statements

Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dusts or mists.

P284 In case of inadequate ventilation wear respiratory protec-

tion.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P264 Wash face, hands and any exposed skin thoroughly after

handling.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/ attention if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to appropriate hazardous

MasterRoc MP 368 PART B



Version Revision Date: SDS Number: Date of last issue: 08/15/2023 2.1 09/05/2023 000000736056 Date of first issue: 01/24/2023

waste collection point.

Other hazards

Contains isocyanates. Inhalation of isocyanate mists or vapors may cause respiratory irritation, breathlessness, chest discomfort and reduced pulmonary function. Overexposure well above the PEL may result in bronchitis, bronchial spasms and pulmonary edema. Animal tests indicate that skin contact may play a role in causing respiratory sensitization.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diphenylmethane-4,4'-diisocyanate (MDI)	101-68-8	>= 25 - < 50
Diphenylmethandiisocyanat, isomeres and homologues (P-MDI)	9016-87-9	>= 25 - < 50
2-(2-butoxyethoxy)ethyl acetate	124-17-4	>= 7 - < 10
diphenylmethane-2,4'-diisocyanate	5873-54-1	>= 1 - < 3
Polymethylene polyphenylisocyanate, polyethylene glycol polymer	57636-09-6	>= 0.3 - < 1

SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing immediately and clean before

re-use or dispose it if necessary.

If inhaled : Remove the affected individual into fresh air and keep the

person calm.

Assist in breathing if necessary. Immediate medical attention required.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Seek medical advice.

If swallowed : Do NOT induce vomiting.

Rinse mouth with water.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention.

Most important symptoms : Causes skin irritation.

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated

exposure.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated

exposure.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam

Dry chemical

Carbon dioxide (CO2)

Water spray in large fire situations

Unsuitable extinguishing

media

water jet

Specific hazards during fire

fighting

Reacts with water, with formation of carbon dioxide.

Hazardous combustion prod: :

ucts

Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni-

trogen (NOx), dense black smoke.

harmful vapours isocyanate hydrogen cyanide

Further information : Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus and chemical-

protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Ensure adequate ventilation.

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Wear eye/face protection.

Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

MasterRoc MP 368 PART B



Version Revision Date: SDS Number: Date of last issue: 08/15/2023 2.1 09/05/2023 000000736056 Date of first issue: 01/24/2023

Information regarding personal protective measures, see sec-

tion 8.

Environmental precautions : Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up

Contain spillage.

Absorb isocyanate with suitable absorbent material (see § 40

CFR, sections 260, 264 and 265 for further information).

Shovel into open container.

Spill area can be decontaminated with the following recom-

mended decontamination solution:

Mixture of 90 % water, 5-8 % household ammonia, 2-5 %

detergent.

Wash down spill area with decontamination solution. Allow solution to stand for at least 10 minutes. Pick up with suitable absorbent material.

Place into appropriately labeled waste containers.

Do not make container pressure tight.

Move container to a well-ventilated area (outside).

Allow to stand for at least 48 hours to allow escape of evolved

carbon dioxide.

Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Product is not explosive.

Normal measures for preventive fire protection.

Advice on safe handling : Ensure thorough ventilation of stores and work areas.

Avoid aerosol formation.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts/mists/vapours.

When handling heated product, vapours of the product should

be ventilated, and respiratory protection used. Wear respiratory protection when spraying. Clean up contamination as soon as they occur.

Products freshly manufactured from isocyanates can contain incompletely reacted isocyanates and other dangerous sub-

stances.

Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

If bulging of drum occurs, transfer to well ventilated area, puncture to relieve pressure, open vent and let stand for 48

hours before resealing.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

the technological safety standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight. Protect against moisture.

Formation of CO2 and build up of pressure possible.

Danger of bursting when sealed gastight.

Materials to avoid : Observe TRGS 509/510 storage rules.

Further information on stor-

age stability

No data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures : No applicable information available.

Personal protective equipment

Respiratory protection

When workers are facing concentrations above the occupational exposure limits they must use appropriate certified

respirators.

Wear a NIOSH-certified (or equivalent) organic va-

pour/particulate respirator.

For emergency or non-routine, high exposure situations, including confined space entry, use a NIOSH-certified full face-piece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air

respirator (SAR) with escape provisions.

Hand protection

Remarks : Chemical resistant protective gloves should be worn to pre-

vent all skin contact. Suitable materials may include chloroprene rubber (Neoprene) nitrile rubber (Buna N) chlorinated polyethylene polyvinylchloride (Pylox) butyl rubber depending upon conditions of use. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Wear safety glasses with side shields or goggles.

Wear face shield if splashing hazard exists.

Skin and body protection : Cover as much of the exposed skin as possible to prevent all

skin contact.

Suitable materials may include

saran-coated material

Chemical resistant protective boots

Protective measures : Do not breathe vapour/aerosol/spray mists.

Observe the appropriate PEL or TLV value.

Wear protective clothing as necessary to prevent contact.

MasterRoc MP 368 PART B



Version Revision Date: SDS Number: Date of last issue: 08/15/2023 2.1 09/05/2023 000000736056 Date of first issue: 01/24/2023

With products freshly manufactured from isocyanates body protection and chemical resistant protective gloves is rec-

ommended.

Eye wash fountains and safety showers must be easily ac-

cessible.

Hygiene measures : When using, do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Hands and/or face should be washed before breaks and at

the end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : brown

Odor : characteristic

Odor Threshold : No data available

pH : substance/mixture reacts with water

Melting point : No applicable information available.

Boiling point : not determined

Flash point : 392 °F / 200 °C

Evaporation rate : No applicable information available.

Flammability (liquids) : Not classified as a flammability hazard

Self-ignition : not self-igniting

Upper explosion limit / Upper

flammability limit

No applicable information available.

Lower explosion limit / Lower

flammability limit

No applicable information available.

Vapor pressure : No applicable information available.

Relative vapor density : No applicable information available.





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

Relative density : No applicable information available.

Density : 1.16 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No applicable information available.

Partition coefficient: n-

octanol/water

No applicable information available.

Autoignition temperature : not determined

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : 115 mPa.s (73 °F / 23 °C)

Viscosity, kinematic : No applicable information available.

Explosive properties : Not explosive

Oxidizing properties : not determined

Sublimation point : No applicable information available.

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : See SDS section 7 - Handling and storage.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

In case of fire hazardous decomposition products may be

produced such as: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) hydrogen cyanide

Isocyanates

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : Remarks: No applicable information available.

Acute inhalation toxicity : Remarks: No applicable information available.

Acute dermal toxicity : Remarks: No applicable information available.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Product:

Study scientifically not justified.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Product:

Biodegradability : Remarks: Taking into consideration the properties of several

ingredients, the product is estimated not to be readily biode-

gradable according to OECD classification.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available.

Discharge into the environment must be avoided.

Components:

2-(2-butoxyethoxy)ethyl acetate:

Partition coefficient: n- : log Pow: 1.7 (73 °F / 23 °C)

octanol/water pH: 6.4

Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

Components:

2-(2-butoxyethoxy)ethyl acetate:

Additional ecological infor-

mation

: Do not release untreated into natural waters.

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Diphenylme- 101-68-8

thane-4,4'diisocyanate (MDI)

2-(2- 124-17-4

butoxyethoxy)ethyl acetate

Diphenylme- 9016-87-9

thandiisocyanat, isomeres and homologues (P-

MDI)

MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

US State Regulations

Pennsylvania Right To Know

Diphenylmethane-4,4'-diisocyanate (MDI) 101-68-8 2-(2-butoxyethoxy)ethyl acetate 124-17-4

New Jersey Right To Know

Diphenylmethane-4,4'-diisocyanate (MDI) 101-68-8 Diphenylmethandiisocyanat, isomeres and homologues (P- 9016-87-9

MDI)

California Prop. 65

WARNING: This product can expose you to chemicals including propylene oxide, which is/are known to the State of California to cause cancer, and

methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


MasterRoc MP 368 PART B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/15/2023

 2.1
 09/05/2023
 000000736056
 Date of first issue: 01/24/2023

Revision Date : 09/05/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN