

MasterPolyheed 1020

Versio 2.0	on	Revision Date: 08/15/2023		OS Number: 0000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023				
SECT	SECTION 1. IDENTIFICATION								
F	Product	name	:	MasterPolyheed 1020					
F	Product	code	:	0000000005729	6221 00000000057296221				
Ν	Manufa	cturer or supplier's o	deta	ails					
C	Compa	ny name of supplier	:	Master Builders-A	dmixtures US,LLC				
Α	Address		:	23700 Chagrin Blvd Beachwood OH 44122					
E	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585				
		l Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420				
F	Recom	mended use of the c	hen	nical and restriction	ons on use				
F	Recom	mended use	:	Product for constr	ruction chemicals				
F	Restrict	ions on use	:	Reserved for indu	strial and professional use.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accore 1910.1200)	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Skin corrosion/irritation	:	Category 2				
Serious eye damage/eye irritation	:	Category 1				
GHS label elements Hazard pictograms	:					
Signal Word	:	Danger				
Hazard Statements	:	H318 Causes serious eye damage. H315 Causes skin irritation.				
Precautionary Statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P264 Wash face, hands and any exposed skin thoroughly after handling.				



MasterPolyheed 1020

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
		Response:	
		for several min to do. Continue P302 + P352 II P362 + P364 T reuse.	 P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy e rinsing. F ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before tely call a POISON CENTER or doctor/ physician.
Othe	r hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
acetic acid	64-19-7	>= 0 - < 5
dodecyldimethylamine	112-18-5	>= 0 - < 0.2
2,2',2'',2'''-	140-07-8	>= 0 - < 5
Ethylenedinitrilotetraethanol		

SECTION 4. FIRST AID MEASURES

General advice	:	Remove contaminated clothing.
		Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	Keep patient calm, remove to fresh air, seek medical atten- tion. Immediately administer a corticosteroid from a con- trolled/metered dose inhaler.
		If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Immediately wash thoroughly with plenty of water, apply ster- ile dressings, consult a skin specialist.
		If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye special- ist.



MasterPolyheed 1020

Versio 2.0	on	Revision Date: 08/15/2023		DS Number: 00000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023		
			Small amounts splashed into eyes can cause irreversible t sue damage and blindness. In the case of contact with eyes, rinse immediately with ple of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.				
If swallowed		:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.				
			Clean mouth with water and drink afterwards plenty of wa Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.				
а		nportant symptoms ects, both acute and d	:	Causes skin irrita Causes serious e			
Ν	Notes t	to physician	:	Treat symptomat	ically.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment.
tive equipment and emer-		



MasterPolyheed 1020

Vers 2.0	ion	Revision Date: 08/15/2023		9S Number: 0000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023	
	gency p	procedures				
Environmental precautions				 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains i respective authorities. 		
	Methods and materials for containment and cleaning up		:	Soak up with inert absorbent material (e.g. sand, silica acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.		
SEC	TION 7	. HANDLING AND ST	OR/	AGE		
		on protection against l explosion	:	Normal measures	for preventive fire protection.	
	Advice	on safe handling	:	Smoking, eating a plication area. To avoid spills du		
	Conditi	ons for safe storage	:	place.	htly closed in a dry and well-ventilated ions / working materials must comply with safety standards.	

Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
--	---	---

No applicable information available.

Further information on stor- : No decomposition if stored and applied as directed. age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

Ingredients with workplace control parameters

Materials to avoid

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm	OSHA Z-1



MasterPolyheed 1020

ersion)	Revision Date: 08/15/2023	: SDS Number: 000000260399		Date of last issue: 07/28/2023 Date of first issue: 01/09/2023		
				TWA	25 mg/m3 10 ppm 25 mg/m3	OSHA PO
Engir	neering measures	:	No applicable	information a		I
Perso	onal protective equip	ment				
Resp	iratory protection	:	may be excee	eded.	respirator when expo piratory protection.	osure limits
Hand	protection					
Re	emarks	:			c workplace should b protective gloves.	e discussed
Eye p	protection	:	Eye wash bot Tightly fitting Wear face-sh problems.	safety goggle		nal processing
Skin a	and body protection	:		protection ad	ccording to the amou s substance at the w	
Prote	ctive measures	:	Avoid exposu Handle in acc and safety pra	with the skin re - obtain sp ordance with actice.	urs/aerosols. a, eyes and clothing. becial instructions be good building mater othing is recommend	ials hygiene
Hygie	ne measures	:	When using o When using o Wash hands	lo not smoke.	drink. s and at the end of w	orkday.

ECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	dark brown
Odor	:	slight odour
рН	:	5 - 6
Freezing point	:	approx. 32 °F / 0 °C
Melting point		No applicable information available.
Boiling point	:	212 °F / 100 °C

MasterPolyheed 1020



Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	No applicable inf	ormation available.
	Flamm	ability (solid, gas)	:	not determined	
	Upper explosion limit / Upper flammability limit		:	No applicable inf	ormation available.
		explosion limit / Lower ability limit	:	Not applicable	
	Vapor p	oressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relative	e density	:	1.068	
	Density	/	:	1.068 g/cm3 (68	°F / 20 °C)
	Bulk de	ensity	:	Not applicable	
	Solubili Wat	ity(ies) ter solubility	:	soluble	
	Solu	ubility in other solvents	:	No applicable inf	ormation available.
	Partitio octanol	n coefficient: n- l/water	:	Not applicable	
	Autoigr	nition temperature	:	Not applicable	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	No data available	Э.
	Visc	cosity, kinematic	:	No applicable inf	ormation available.
	Explosi	ive properties	:	Not explosive Not explosive	
	Oxidiziı	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
	Sublim	ation point	:	No applicable inf	ormation available.
	Molecu	ılar weight	:	No data available	Э.

SECTION 10. STABILITY AND REACTIVITY



MasterPolyheed 1020

Vers 2.0	sion	Revision Date: 08/15/2023		S Number: 0000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	Reactiv	vity	:	No decompositio	n if stored and applied as directed.
	Chemi	cal stability	:	No decompositio	n if stored and applied as directed.
	Possibi tions	ility of hazardous reac-	:	No decompositio	n if stored and applied as directed.
	Conditi	ons to avoid	:	See SDS section	7 - Handling and storage.
	Incomp	patible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing a	•
	Hazard produc	lous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

	Pr	od	uc	t:	
--	----	----	----	----	--

Acute oral toxicity	:	ATE: > 5,000 mg/kg
Acute inhalation toxicity	:	ATE: > 20.0000 mg/l Remarks: Determined for vapor
		ATE: > 5.0000 mg/l Remarks: Determined for mist

Acute dermal toxicity : ATE: > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.



MasterPolyheed 1020

ersion 0	Revision Date: 08/15/2023		DS Number: 00000260399	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023					
Repro	oductive toxicity								
Not cl	lassified based on availa	ble	information.						
STOT	-single exposure								
Not cl	Not classified based on available information.								
	F-repeated exposure lassified based on availa	ble	information.						
Aspir	ation toxicity								
Not cl	lassified based on availa	ble	information.						
Furth	er information								
Prod	uct:								
Rema		:		not been tested. The statement has been properties of the individual components.					
Rema	arks	:	No data availabl	e					
Produ	uct:								
Prod	uct:								
Ecoto	oxicology Assessment								
Acute	aquatic toxicity	:	This product has	s no known ecotoxicological effects.					
Chror	nic aquatic toxicity	:	This product has	s no known ecotoxicological effects.					
<u>Com</u>	oonents:								
dode	cyldimethylamine:								
M-Fa icity)	ctor (Acute aquatic tox-	:	10						
M-Fa toxicit	ctor (Chronic aquatic ty)	:	1						
	stence and degradabil	ity							
No da	ata available								
	ccumulative potential ata available								
	lity in soil ata available								
Othe	r adverse effects								
Prod	uct:								

Product:

Additional ecological infor- : No data available mation



MasterPolyheed 1020

VersionRevision Date:SDS Number:Date of last issue: 07/28/20232.008/15/2023000000260399Date of first issue: 01/09/2023					
--	--	--	--	--	--

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations	
Pennsylvania Right To Know	
acetic acid	64-19-7
New Jersey Right To Know	
acetic acid	64-19-7

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene oxide, 1,4-dioxane, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this prod	uct	are reported in the following inventories:
TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	This product contains one or more components listed on the



MasterPolyheed 1020



TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information NFPA 704: HMIS® IV: Flammability HEALTH 0 FLAMMABILITY Health Instability 3 0 HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic



MasterPolyheed 1020

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	00000260399	Date of first issue: 01/09/2023

Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

08/15/2023

:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN