

# SAFETY DATA SHEET

## MasterFlux 880 (formerly BluCem HE80)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

### SECTION 1: IDENTIFICATION

Product name : MasterFlux 880 (formerly BluCem HE80)

Product code : 000000000059300056

#### Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : 11 Stanton Road, Seven Hills  
NSW 2147

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Carcinogenicity : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H350i May cause cancer by inhalation.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : modified cement mortar

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	< 30
Calcium sulphate	7778-18-9	< 10
Quartz (SiO <sub>2</sub> )	14808-60-7	< 0,5
Chromium (VI) ion	18540-29-9	< 0,001

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

---

**SECTION 4. FIRST AID MEASURES**

- |   |   |   |
|---|---|---|
| General advice  | : | First aid personnel should pay attention to their own safety.<br>Remove contaminated clothing.  |
| If inhaled  | : | After inhalation of dust.<br>Keep patient calm, remove to fresh air.<br>If difficulties occur:<br>Seek medical attention.   |
| In case of skin contact                                     | : | After contact with skin, wash immediately with plenty of water and soap.<br>Under no circumstances should organic solvent be used.<br>If irritation develops, seek medical attention. |
| In case of eye contact                                      | : | Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.   |
| If swallowed  | : | Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.<br>Do not induce vomiting unless told to by a poison control center or doctor.                    |
| Most important symptoms and effects, both acute and delayed | : | Causes skin irritation.<br>Causes serious eye damage.<br>May cause respiratory irritation.<br>May cause cancer.   |
| Notes to physician  | : | Treat symptomatically.  |
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Foam<br>Water spray<br>Dry powder<br>Carbon dioxide (CO <sub>2</sub> )<br>Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.  |
| Unsuitable extinguishing media        | : | water jet   |
| Specific hazards during fire fighting | : | Product is not combustible or explosive.<br>No particular hazards known.  |
| Specific extinguishing methods        | : | Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.<br>The degree of risk is governed by the burning substance and the fire conditions.<br>Dispose of fire debris and contaminated extinguishing water in |

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

accordance with official regulations.

Special protective equipment : Wear a self-contained breathing apparatus.  
for fire-fighters

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid contact with skin and eyes.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Sweep/shovel up.  
Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : No special precautions necessary.

Advice on safe handling : Avoid dust formation.  
Avoid inhalation of dusts.  
Avoid contact with skin and eyes.  
The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment.  
Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).  
Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

Further information on storage conditions : Containers should be stored tightly sealed in a dry place.

## MasterFlux 880 (formerly BluCem HE80)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL
		TWA (Respirable particulate matter)	1 mg/m3	ACGIH
Calcium sulphate	7778-18-9	TWA	10 mg/m3	AU OEL
		TWA (Inhalable particulate matter)	10 mg/m3 (Calcium)	ACGIH
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable dust)	0,05 mg/m3	AU OEL
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans			
		TWA (Respirable particulate matter)	0,025 mg/m3 (Silica)	ACGIH
Chromium (VI) ion	18540-29-9	TWA	0,05 mg/m3 (chromium)	AU OEL
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans, Sensitiser			
		TWA	0,05 mg/m3 (chromium)	AU OEL
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans, Sensitiser			
		TWA	0,05 mg/m3 (chromium)	AU OEL
	Further information: Sensitiser			
		TWA	0,05 mg/m3 (chromium)	AU OEL
	Further information: Sensitiser			
		TWA value	0,05 mg/m3 (Chromium (Cr))	AU NOEL
		Skin Designation (Inhalable fraction)		ACGIHTLV
		STEL value (Inhalable fraction)	0,0005 mg/m3 (chromium(VI))	ACGIHTLV
		TWA value (Inhalable fraction)	0,0002 mg/m3 (chromium(VI))	ACGIHTLV
		TWA (Inhal-	0,0002 mg/m3	ACGIH

# SAFETY DATA SHEET

## MasterFlux 880 (formerly BluCem HE80)

Version 1.0      Revision Date: 28.05.2024      SDS Number: 963000000288      Date of last issue: -  
Date of first issue: 28.05.2024

		able particulate matter)	(Cr(VI): Hexavalent chromium)	
		TWA (Inhalable particulate matter)	0,0002 mg/m <sup>3</sup> (Cr(VI): Hexavalent chromium)	ACGIH
		STEL (Inhalable particulate matter)	0,0005 mg/m <sup>3</sup> (Cr(VI): Hexavalent chromium)	ACGIH
		STEL (Inhalable particulate matter)	0,0005 mg/m <sup>3</sup> (Cr(VI): Hexavalent chromium)	ACGIH

### Personal protective equipment

Respiratory protection : Breathing protection if dusts are formed.

Filter type : Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection

Remarks : nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection : Safety glasses with side-shields.

Skin and body protection : Body protection must be chosen based on level of activity and exposure.  
light protective clothing

Protective measures : Avoid contact with the skin, eyes and clothing.  
Avoid inhalation of dusts.  
In order to prevent contamination while handling, closed working clothes and working gloves should be used.  
Handle in accordance with good building materials hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : gray

Odor : slight

Odor Threshold : Not determined due to potential health hazard by inhalation.

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

**MasterFlux 880 (formerly BluCem HE80)**

Version 1.0	Revision Date: 28.05.2024	SDS Number: 963000000288	Date of last issue: - Date of first issue: 28.05.2024
----------------	------------------------------	-----------------------------	--

---

Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	not self-igniting
Upper explosion limit / Upper flammability limit	:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Lower explosion limit / Lower flammability limit	:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Vapor pressure	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

Possibility of hazardous reactions	:	The product is stable if stored and handled as prescribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong bases Strong acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated. In case of fire hazardous decomposition products may be produced such as: toxic gases/vapours

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified due to lack of data.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization****Skin sensitization**

Not classified due to lack of data.

**Respiratory sensitization**

Not classified due to lack of data.

**Chronic toxicity****Germ cell mutagenicity**

Not classified due to lack of data.

**Carcinogenicity**

May cause cancer.

**Reproductive toxicity**

Not classified due to lack of data.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure**

Not classified due to lack of data.

**Aspiration toxicity**

Not classified due to lack of data.



**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

**Further information****Product:**

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Persistence and degradability****Product:**

Biodegradability : Remarks: Not applicable for inorganic substances.

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: The product will not be readily bioavailable due to its consistency and insolubility in water.

**Mobility in soil****Product:**

Distribution among environmental compartments : Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.  
The substance will not evaporate into the atmosphere from the water surface.

**Other adverse effects****Product:**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi-

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

cology have been derived from the properties of the individual components.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Completely emptied packagings can be given for recycling.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ASIA\_ROAD**

# SAFETY DATA SHEET



## MasterFlux 880 (formerly BluCem HE80)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons	:	No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
--	---	--

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

#### The ingredients of this product are reported in the following inventories:

AICC	:	On the inventory, or in compliance with the inventory
------	---	---

### SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	:	28.05.2024
---------------	---	------------

Date format	:	dd.mm.yyyy
-------------	---	------------

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
AU NOEL	:	National Workplace OELs, Workplace Exposure Standards for Airborne Contaminants (Australia)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIHTLV / Skin Designation	:	Skin Designation:

**MasterFlux 880 (formerly BluCem HE80)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.05.2024	963000000288	Date of first issue: 28.05.2024

---

ACGIHTLV / STEL value : Short Term Exposure Limit (STEL):  
ACGIHTLV / TWA value : Time Weighted Average (TWA):  
AU NOEL / TWA value : Time Weighted Average (TWA):  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN