

# SAFETY DATA SHEET

## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

### SECTION 1. IDENTIFICATION

Product name : MasterGlenium 7925  
Product code : 000000000050446094 000000000050446094  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Master Builders Solutions Canada Inc.  
Address : 1800 CLARK BLVD  
Brampton ON L6T 4M7  
Emergency telephone : ChemTel: +1-813-248-0585;  
National Emergency Telephone Number : USA: +1-800-255-3924 ChemTel contract no. MIS9240420

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals  
Restrictions on use : Reserved for industrial and professional use.


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A  
Skin sensitization : Category 1B  
Long-term (chronic) aquatic hazard : Category 3  
Short-term (acute) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

# SAFETY DATA SHEET

## MasterGlenium 7925

Version            Revision Date:            SDS Number:            Date of last issue: 07/28/2023  
2.0                08/15/2023                000000693217            Date of first issue: 01/24/2023

---

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements            :

**Prevention:**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P273 Avoid release to the environment.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P264 Wash face, hands and any exposed skin thoroughly after handling.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Disposal:**

P501 Dispose of contents/container to appropriate hazardous waste collection point.

**Other hazards**

No data available.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature    : No applicable information available.

**Components**

| Chemical name        | Common Name/Synonym           | CAS-No.  | Concentration (% w/w) |
|----------------------|-------------------------------|----------|-----------------------|
| acetic acid          | ethanoic acid                 | 64-19-7  | $\geq 1 - < 3$        |
| dodecyldimethylamine | 1-Dodecanamine, N,N-dimethyl- | 112-18-5 | $\geq 0 - < 1$        |
| acrylic acid         | 2-Propenoic acid              | 79-10-7  | $\geq 0.1 - < 0.3$    |

---

### SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.
- Notes to physician : Treat symptomatically.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Product is not explosive.  
  
Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.
- Materials to avoid : Observe TRGS 509/510 storage rules.
- Further information on storage stability : No data available
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components | CAS-No. | Value type | Control parame- | Basis |
|------------|---------|------------|-----------------|-------|
|------------|---------|------------|-----------------|-------|

---

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
 Date of first issue: 01/24/2023

|              |         | (Form of exposure) | ters / Permissible concentration |           |
|--------------|---------|--------------------|----------------------------------|-----------|
| acetic acid  | 64-19-7 | TWA                | 10 ppm<br>25 mg/m3               | CA AB OEL |
|              |         | STEL               | 15 ppm<br>37 mg/m3               | CA AB OEL |
|              |         | TWA                | 10 ppm                           | CA BC OEL |
|              |         | STEL               | 15 ppm                           | CA BC OEL |
|              |         | TWAEV              | 10 ppm<br>25 mg/m3               | CA QC OEL |
|              |         | STEV               | 15 ppm<br>37 mg/m3               | CA QC OEL |
|              |         | TWA                | 10 ppm                           | ACGIH     |
|              |         | STEL               | 15 ppm                           | ACGIH     |
| acrylic acid | 79-10-7 | TWA                | 2 ppm<br>5.9 mg/m3               | CA AB OEL |
|              |         | TWA                | 2 ppm                            | CA BC OEL |
|              |         | TWAEV              | 2 ppm<br>5.9 mg/m3               | CA QC OEL |
|              |         | TWA                | 2 ppm                            | ACGIH     |

**Engineering measures** : No applicable information available.

**Personal protective equipment**

**Respiratory protection** : Wear appropriate certified respirator when exposure limits may be exceeded.  
 Use NIOSH approved respiratory protection.

**Hand protection**

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.

**Skin and body protection** : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Protective measures** : Do not inhale gases/vapours/aerosols.  
 Avoid contact with the skin, eyes and clothing.  
 Avoid exposure - obtain special instructions before use.  
 Handle in accordance with good building materials hygiene and safety practice.  
 Wearing of closed work clothing is recommended.

**Hygiene measures** : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |   |
|--|---|---|
| Appearance                                       | : | Aqueous solution  |
| Color  | : | brownish  |
| Odor   | : | faint odour   |
| Odor Threshold                                   | : | No data available   |
| pH   | : | 4 - 6 (approx. 21 °C)<br>Concentration: 100.00000 g/l           |
| Melting point                                    | : | No applicable information available.                            |
| Freezing point                                   | : | No applicable information available.                            |
| Boiling point                                    | : | No applicable information available.                            |
| Flash point                                      | : | No applicable information available.                            |
| Evaporation rate                                 | : | No applicable information available.                            |
| Flammability (solid, gas)                        | : | No applicable information available.                            |
| Upper explosion limit / Upper flammability limit | : | No applicable information available.                            |
| Lower explosion limit / Lower flammability limit | : | No applicable information available.                            |
| Vapor pressure                                   | : | No data available   |
| Relative vapor density                           | : | No applicable information available.                            |
| Relative density                                 | : | No applicable information available.                            |
| Density  | : | approx. 1.07 g/cm <sup>3</sup> (21 °C)                          |
| Solubility(ies)                                  | : |   |
| Water solubility                                 | : | completely soluble  |
| Solubility in other solvents                     | : | No applicable information available.                            |
| Partition coefficient: n-octanol/water           | : | No applicable information available.                            |
| Autoignition temperature                         | : | No data available   |
| Decomposition temperature                        | : | No decomposition if stored and handled as prescribed/indicated. |

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

Viscosity  
  Viscosity, dynamic                   : No applicable information available.  
  Viscosity, kinematic                : No applicable information available.  
Oxidizing properties                 : Based on its structural properties the product is not classified as oxidizing.  
Sublimation point                     : No applicable information available.  
Molecular weight                      : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity                               : No decomposition if stored and applied as directed.  
Chemical stability                     : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Conditions to avoid                   : See SDS section 7 - Handling and storage.  
Incompatible materials               : Strong acids  
  : Strong bases  
  : Strong oxidizing agents  
  : Strong reducing agents  
Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity                    : Remarks: No applicable information available.  
Acute inhalation toxicity             : Remarks: No applicable information available.  
Acute dermal toxicity                 : Remarks: No applicable information available.

#### Skin corrosion/irritation

Causes skin irritation.

#### **Product:**

Remarks                               : May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

**Product:**

Remarks : May cause irreversible eye damage.

**Respiratory or skin sensitization**

**Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Remarks : Causes sensitization.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks : The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Remarks : No data available

---

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.



# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

---

### Components:

#### **dodecyldimethylamine:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

No data available

#### **Mobility in soil**

No data available

#### **Other adverse effects**

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with national, state and local regulations.  
Do not discharge into drains/surface waters/groundwater.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# SAFETY DATA SHEET



## MasterGlenium 7925

Version 2.0      Revision Date: 08/15/2023      SDS Number: 000000693217      Date of last issue: 07/28/2023  
Date of first issue: 01/24/2023

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA AB OEL / STEL : 15-minute occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA QC OEL / TWAEV : Time-weighted average exposure value  
CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET



## MasterGlenium 7925

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/28/2023  |
| 2.0     | 08/15/2023     | 000000693217 | Date of first issue: 01/24/2023 |

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/15/2023  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN