

# **MasterPolyheed 900**

Versio 2.0	'n	Revision Date: 08/15/2023		OS Number: 0000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023		
SECTI	SECTION 1. IDENTIFICATION						
Product name		:	MasterPolyheed 900				
Р	roduc	t code	:	0000000005729	6539 00000000057296539		
м	lanufa	acturer or supplier's o	deta	ails			
С	Company name of supplier		:	Master Builders-A	Admixtures US,LLC		
A	Address		:	23700 Chagrin Blvd Beachwood OH 44122			
E	Emergency telephone		:	ChemTel: +1-813-248-0585			
	National Emergency Tele- phone Number		:	USA: +1-800-255-3924 ChemTel contract no. MIS924042			
Recommended use of the			hen	nical and restriction	ons on use		
R	Recommended use		:	Product for const	ruction chemicals		
R	Restrictions on use		:	Reserved for indu	strial and professional use.		

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
Serious eye damage/eye irritation	:	Category 2A				
Short-term (acute) aquatic hazard	:	Category 3				
GHS label elements						
Hazard pictograms	:					
Signal Word	:	Warning				
Hazard Statements	:	H319 Causes serious eye irritation. H402 Harmful to aquatic life.				
Precautionary Statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P273 Avoid release to the environment. P264 Wash face, hands and any exposed skin thoroughly after				

# MasterPolyheed 900



Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023		
		handling.			
		Response:			
		for several min to do. Continue	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ atten-		
		Disposal:			
		P501 Dispose of contents/container to appropriate haza waste collection point.			
Othe	r hazards				
None	known.				
SECTION	3. COMPOSITION/IN	FORMATION ON ING	REDIENTS		
Chemical nature :		: No data availal	ble.		

### Components

Chemical name	CAS-No.	Concentration (% w/w)
sodium nitrate	7631-99-4	>= 10 - < 20
2,2',2'',2'''-	140-07-8	>= 1 - < 3
Ethylenedinitrilotetraethanol		
2,2',2"-nitrilotriethanol	102-71-6	>= 0 - < 3
sodium thiocyanate	540-72-7	>= 0 - < 7
glutaral	111-30-8	>= 0 - < 0.2
dazomet	533-74-4	>= 0 - < 0.2
2-phenylphenol (ISO)	90-43-7	>= 0 - < 0.1

### **SECTION 4. FIRST AID MEASURES**

General advice :	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



# **MasterPolyheed 900**

Version 2.0	Revision Date: 08/15/2023		DS Number: 00000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023	
If swallowed		:	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>		
Most important symptoms and effects, both acute and delayed		:	Causes serious eye irritation.		
Notes to physician		:	Treat symptomat	ically.	

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media		Water spray Carbon dioxide (CO2) Dry powder Foam
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures		Use personal protective equipment.
Environmental precautions :	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up		Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion		Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust.



# **MasterPolyheed 900**

Version 2.0	Revision Date: 08/15/2023		DS Number: 00000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023			
			Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.				
Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.				
Further information on stor- age conditions		:	Keep container ti Store in unopene	ghtly closed. d original containers in a cool and dry place.			
Mate	Materials to avoid		No applicable info	ormation available.			
Further information on stor- age stability		:	No decomposition	n if stored and applied as directed.			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis				
		exposure)	concentration					
2,2',2"-nitrilotriethanol	102-71-6	TŴA	5 mg/m3	ACGIH				
Engineering measures	No applicable	information ava	ilable.					
Personal protective equipmen	t							
Respiratory protection :	may be excee	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.						
Hand protection								
Remarks :		for a specific wo	orkplace should be di ective gloves.	scussed				
Eye protection :	Tightly fitting	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.						
Skin and body protection :		protection accor	ding to the amount a ubstance at the work					
Protective measures :		dust/fumes/aero with the skin, ey	osols. ves and clothing.					

### Ingredients with workplace control parameters





Vers 2.0	ion	Revision Date: 08/15/2023		S Number: 0000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023			
				and safety practic	ance with good building materials hygiene e. I work clothing is recommended.			
	Hygiene measures		:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				
SEC	SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES							
	Appear	ance	:	liquid				
	Color		:	brown				
	Odor		:	sweetish				
	Odor T	hreshold	:	not determined				
	pН		:	approx. 8 - 9 (68	°F / 20 °C)			
	Boiling point		:	No applicable inf	ormation available.			
	Flash point		:	A flash point dete water content.	ermination is unnecessary due to the high			
	Evapor	ation rate	:	No applicable inf	ormation available.			
	Flamm	ability (solid, gas)	:	not flammable				
		explosion limit / Upper ibility limit	:	No applicable inf	ormation available.			
		explosion limit / Lower bility limit	:	No applicable inf	ormation available.			
	Vapor	pressure	:	approx. 26 mbar (for a component				
	Relativ	e vapor density	:	17.3 (68 °F / 20 °	°C)			
	Relativ	e density	:	No applicable inf	ormation available.			
	Density	/	:	1.233 g/cm3 (68	°F / 20 °C)			
	Bulk de	ensity	:	Not applicable				
	Solubili Wat	ity(ies) ter solubility	:	soluble (59 °F /	15 °C)			



# **MasterPolyheed 900**

ersion .0	Revision Date: 08/15/2023		S Number: 0000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023	
Solubility in other solvents		:	No applicable information available.		
Partition coefficient: n- octanol/water		:	Not applicable		
Autoi	gnition temperature	:	Based on the water content the product does not ignite.		
Decor	Decomposition temperature		No decomposition if stored and handled as pre- scribed/indicated.		
Viscosity Viscosity, dynamic		:	No applicable information available.		
Viscosity, kinematic		:	No applicable information available.		
Explo	Explosive properties		Not explosive Not explosive		
Oxidiz	zing properties	:	Based on its structural properties the product is not classi as oxidizing.		
Sublir	nation point	:	No applicable information available.		
Moleo	cular weight	:	No data available		

Reactivity	:	No decomposition if stored and applied as directed.	
Chemical stability	:	No decomposition if stored and applied as directed.	
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.	
Conditions to avoid	:	See SDS section 7 - Handling and storage.	
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents	
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.	

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

Not classified based on available information.

#### Product:

: Remarks: No applicable information available. Acute oral toxicity



# MasterPolyheed 900

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023			
Acut	e inhalation toxicity	: Remarks: No a	applicable information available.			
Acut	e dermal toxicity	: Remarks: No a	: Remarks: No applicable information available.			
-	Skin corrosion/irritation Not classified based on available information.					
	Serious eye damage/eye irritation Causes serious eye irritation.					
Resp	piratory or skin sensiti	zation				
-	Skin sensitization Not classified based on available information.					
•	Respiratory sensitization Not classified based on available information.					
	Germ cell mutagenicity Not classified based on available information.					
	Carcinogenicity Not classified based on available information.					
-	<b>Reproductive toxicity</b> Not classified based on available information.					
	<b>STOT-single exposure</b> Not classified based on available information.					
	STOT-repeated exposure Not classified based on available information.					
-	Aspiration toxicity Not classified based on available information.					
SECTION	I 12. ECOLOGICAL INF	ORMATION				
Ecot	oxicity					
Prod	luct:					
	Ecotoxicology Assessment         Acute aquatic toxicity       : Harmful to aquatic life.					

### Persistence and degradability

### Product:

Biodegradability

: Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-gradable according to OECD classification.

## MasterPolyheed 900



Version 2.0	Revision Date: 08/15/2023		S Number: 0000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023	
Bioa	ccumulative potential				
Prod	uct:				
Bioad	Bioaccumulation		: Remarks: No data available. Discharge into the environment must be avoided.		
Mobi	lity in soil				
No d	No data available				
Othe	r adverse effects				
<u>Prod</u>	uct:				
Addit matic	ional ecological infor- n	:		hazard cannot be excluded in the event of andling or disposal. c life.	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub-stance/product.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION




## **MasterPolyheed 900**

Version 2.0	Revision Date: 08/15/2023	SDS Number: 000000260331	Date of last issue: 07/28/2023 Date of first issue: 01/05/2023
SAR	A 313		mponents are subject to reporting levels es RA Title III, Section 313:
		sodium nitrate	7631-99-4
US S	State Regulations		
Penr	nsylvania Right To Ki 2,2',2"-nitrilotriet sodium nitrate		102-71-6 7631-99-4
New	Jersey Right To Kno 2,2',2"-nitrilotriet		102-71-6
Calif	ornia Prop. 65		

WARNING: This product can expose you to chemicals including Chromium (VI) ion, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:			
DSL	:	All components of this product are on the Canadian DSL	
TSCA	:	All substances listed as active on the TSCA inventory	

### **SECTION 16. OTHER INFORMATION**



### Full text of other abbreviations

ACGIH

: USA. ACGIH Threshold Limit Values (TLV)



## MasterPolyheed 900

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/15/2023	000000260331	Date of first issue: 01/05/2023

ACGIH / TWA

: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

: 08/15/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN