# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

#### **SECTION 1. IDENTIFICATION**

Product name : MasterRoc MP 231CLN

Product code : 00000000050001088 00000000050001088

Other means of identification : MRoc MP 231 CLN

Manufacturer or supplier's details

Company name of supplier : Master Builders Solutions Canada Inc.

Address : 1800 CLARK BLVD

Brampton ON L6T 4M7

Emergency telephone : ChemTel: +1-813-248-0585;

National Emergency Tele-

phone Number

USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

Restrictions on use : Reserved for industrial and professional use.

### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

## **GHS label elements**

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : Phthalate esters

### Components

Common Name/Synonym	CAS-No.	Concentration (% w/w)
1,4- Benzenedicar- boxylic acid, bis(2-ethylhexyl) ester	6422-86-2	99 - 100

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

**SECTION 4. FIRST AID MEASURES** 

General advice : Immediately remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air.

If breathing difficulties develop, aid in breathing and seek im-

mediate medical attention.

In case of skin contact : Wash affected areas thoroughly with soap and water.

If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open.

If irritation develops, seek medical attention.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms and effects, both acute and

delayed

No symptoms known or expected.

Notes to physician : Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder Water spray Foam

Unsuitable extinguishing

media

water jet

Specific hazards during fire

fighting

The product is combustible.

Cool endangered containers with water-spray.

Hazardous combustion prod-

ucts

harmful vapours nitrogen oxides

fumes/smoke carbon black

Further information : The degree of risk is governed by the burning substance and

the fire conditions.

If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

# MasterRoc MP 231CLN



**Revision Date:** SDS Number: Date of last issue: 07/28/2023 Version 08/15/2023 000000562057 Date of first issue: 01/09/2023 2.0

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Wear eye/face protection.

Wear suitable protective clothing.

Handle in accordance with good industrial hygiene and safety

practice.

Environmental precautions Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Ensure thorough ventilation of stores and work areas. Advice on safe handling

Avoid inhalation of dusts/mists/vapours.

Avoid skin contact.

Handle in accordance with good industrial hygiene and safety

practice.

Further information on stor-

age conditions

Keep container tightly closed and dry; store in a cool place.

Materials to avoid Segregate from strong oxidizing agents.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** Provide local exhaust ventilation to control vapours/mists.

### Personal protective equipment

Respiratory protection Wear respiratory protection if ventilation is inadequate.

Wear a NIOSH-certified (or equivalent) organic va-

pour/particulate respirator as needed.

Hand protection

Remarks Chemical resistant protective gloves. Manufacturer's direc-

tions for use should be observed because of great diversity of

types.

# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

Eye protection : Safety glasses with side-shields.

Wear face shield if splashing hazard exists.

Skin and body protection : Body protection must be chosen depending on activity and

possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective measures : Do not inhale dust/fumes/aerosols.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good building materials hygiene

and safety practice.

Wearing of closed work clothing is recommended.

Hygiene measures : When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at

the end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

When using do not eat or drink.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colorless

Odor : very faint, aliphatic

Odor Threshold : not determined

pH : Not applicable

Freezing point : < -67.2 °C

Melting point > -67.2 °C

Boiling point/boiling range : 375 °C

(1013.250 hPa)

Flash point : 212 °C

Method: Standard Method of Test for Flash Point by Setaflash

**Closed Tester** 

Evaporation rate : No data available

Flammability (liquids) : hardly combustible

Method: derived from flash point

# MasterRoc MP 231CLN



Version Revision Date: SDS Number: Date of last issue: 07/28/2023 2.0 08/15/2023 000000562057 Date of first issue: 01/09/2023

Self-ignition : not self-igniting

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : negligible

Relative vapor density : No data available

Relative density : 0.98 (20 °C)

Density : 0.98 g/cm3 (20 °C)

Solubility(ies)

Water solubility : practically insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 387 °C

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : 65.8 mPa.s (25 °C)

Viscosity, kinematic : No data available

Explosive properties : Based on the chemical structure there is no indication of ex-

plosive properties.

Oxidizing properties : Based on its structural properties the product is not classified

as oxidizing.

Sublimation point : No data available

Molecular weight : 390.56 g/mol

Metal corrosion rate : Corrosive effects to metal are not anticipated.

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is stable if stored and handled as pre-

# MasterRoc MP 231CLN



Version Revision Date: SDS Number: Date of last issue: 07/28/2023 08/15/2023 000000562057 Date of first issue: 01/09/2023 2.0

scribed/indicated.

tions

Possibility of hazardous reac- : Reacts with strong oxidizing agents.

Conditions to avoid Avoid extreme temperatures.

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

# Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Product:**

Toxicity to fish LC50 (trout, rainbow): > 0.25 mg/l

# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

Exposure time: 7 d Test Type: Flow through.

Method: other GLP: yes

Remarks: No toxic effects occur within the range of solubility.

LC50 (Fathead minnow): > 984 mg/l

Exposure time: 96 h Test Type: static

Method: Fish, Acute Toxicity Test

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna): , > 1.4 ug/L

Exposure time: 48 h Test Type: static

Method: Daphnia sp., Acute Immobilisation Test.

GLP: yes

Remarks: No toxic effects occur within the range of solubility.

EC50 (mussel): , > 624 ug/L

Exposure time: 96 h Test Type: Flow through.

Method: other GLP: yes

Toxicity to algae/aquatic

plants

EC50 (green algae): > 0.86 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static

Method: Algae, Growth Inhibition Test

GLP: yes

Toxicity to fish (Chronic tox-

icity)

No observed effect concentration (Rainbow trout): > 0.28 mg/l

Exposure time: 60 d Test Type: Flow through.

Method: other GLP: yes

Remarks: No toxic effects occur within the range of solubility.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No observed effect concentration (Daphnia magna): > 0.76

mg/l

Exposure time: 21 d Test Type: Flow through.

Method: Daphnia magna, Reproduction Test.

GLP: yes

Remarks: No toxic effects occur within the range of solubility.

Toxicity to microorganisms

EC50 (activated sludge of a predominantly domestic sewage):

10 mg/l

Exposure time: 3 h Test Type: aquatic

Method: Activated Sludge, Respiration Inhibition Test.

GLP: yes

Remarks: No toxic effects occur within the range of solubility.

# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

Plant toxicity : EC50: > 1400-1500 ug/L

Exposure time: 14 d End point: Growth Method: other GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

**Product:** 

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, domestic, non-adapted

Concentration: 10 mg/l

Result: Readily biodegradable. Biodegradation: 73.5 % Exposure time: 28 d Method: Production of CO2

GLP: yes

Photodegradation : Test Type: air

Sensitizer: OH radical

Rate constant: 2.19554E-11 cm3/s

Method: other (calculated)

Bioaccumulative potential

**Product:** 

Bioaccumulation : Bioconcentration factor (BCF): 393

Exposure time: 38 d Concentration: 50 ug/l

Elimination: yes GLP: yes

Mobility in soil
No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi-

cology have been derived from the properties of the individual

components.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Observe national and local legal requirements.

Disposal requirements are dependent on the hazard classifi-

# MasterRoc MP 231CLN



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

cation and will vary by location and the type of disposal se-

lected.

The use and processing of this product, or addition of other constituents, may cause it to be considered a hazardous

waste.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

#### TDG

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

## The ingredients of this product are reported in the following inventories:

TSCA : All chemical substances in this product are either listed as

active on the TSCA Inventory or are in compliance with a

TSCA Inventory exemption.

DSL : All components of this product are on the Canadian DSL

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/28/2023

 2.0
 08/15/2023
 000000562057
 Date of first issue: 01/09/2023

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/15/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN