MasterFiber F100



Version 2.0	Revision Date: 08/16/2023			Date of last issue: 07/28/2023 Date of first issue: 01/09/2023	
SECTIO	N 1. IDENTIFICATION				
Proc	luct name	:	MasterFiber F100		
Proc	luct code	:	0000000005411	8766 00000000054118766	
Othe	er means of identification	:	No data available		
Mar	ufacturer or supplier's o	deta	ails		
Com	pany name of supplier	:	Master Builders S	olutions Canada Inc.	
Add	ress	:	1800 CLARK BL\ Brampton ON L6	-	
Eme	ergency telephone	:	ChemTel: +1-813	-248-0585;	
	onal Emergency Tele- ne Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420	
Rec	ommended use of the c	hen	nical and restriction	ons on use	
Rec	ommended use	:	Product for constr	uction chemicals	
Res	trictions on use	:	Reserved for indu	strial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

GHS label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: polymer fibres

Components

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

SECTION 4. FIRST AID MEASURES

General advice

: First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

MasterFiber F100



Version 2.0	Revision Date: 08/16/2023		DS Number: 00000390666	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023	
If inhaled		:		n, remove to fresh air. ist, seek medical advice.	
In case of skin contact		:	Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. If large slivers or particles penetrate skin, get medical atten- tion. If symptoms persist, seek medical advice.		
In ca	se of eye contact	:	flush with copious	nould be removed. Hold eyelids open and amounts of clean, fresh water or a special and seek medical advice.	
If swallowed		:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.		
	t important symptoms effects, both acute and yed	:	None known.		
Note	s to physician	:	Treat symptomati	cally.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry powder Foam Water spray
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 7 - Handling and storage.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.



MasterFiber F100

Vers 2.0	sion	Revision Date: 08/16/2023		0S Number: 0000390666	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023		
	Methods and materials for containment and cleaning up		:	: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulation			
SEC	TION 7	. HANDLING AND ST	OR/	AGE			
		on protection against l explosion	:	Avoid dust format Dust can form an	ion. explosive mixture with air.		
	Advice	on safe handling	:	Ensure thorough	ventilation of stores and work areas.		
				• •	ection see section 8. Ind drinking should be prohibited in the ap-		
	Conditi	ons for safe storage	:	Electrical installati	ons / working materials must comply with safety standards.		
	Further information on stor- age conditions		:	Avoid dust format ture with air.	ion, product dust can form an explosive mix-		
	Materia	als to avoid	:	No materials to be	e especially mentioned.		
	Further age sta	information on stor- bility	:	ventilated place a Protect from direct	riginal container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight. i if stored and applied as directed.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.						
Engineering measures	:	Ensure adequate ventilation.				
Personal protective equipn	nent					
Respiratory protection	:	Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as neces- sary.				
Hand protection						
Remarks	:	Protective glove selection must be based on the user's as- sessment of the workplace hazards.				
Eye protection	:	Safety glasses				
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.				
Protective measures	:	Handle in accordance with good industrial hygiene and safety practice.				



MasterFiber F100

Version 2.0	Revision Date: 08/16/2023		S Number: 0000390666	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
Нус	giene measures	:	stored, or consum Hands and/or fac the end of the shi Handle in accorda practice.	and tobacco products shall not be carried, ned where this material is in use. e should be washed before breaks and at ft. ance with good industrial hygiene and safety hygiene practice.
SECTIO	N 9. PHYSICAL AND CH	EMI		5
App	bearance	:	fibers	
Col	or	:	white	
Ode	or	:	odorless	
Ode	or Threshold	:	Not relevant	
pН		:	Not applicable	
Me	lting point	:	approx. 162 °C	
Fre	ezing point		approx. 162 °C	
Boi	ling point	:	Not applicable	
Fla	sh point	:	does not flash	
Eva	aporation rate	:	No data available	9
Fla	mmability (solid, gas)	:	Not classified as	a flammability hazard
Sel	f-ignition	:	593 °C	
	per explosion limit / Upper nmability limit	:	No data available	9
	ver explosion limit / Lower nmability limit	:	No data available	9
Vap	por pressure	:	Not applicable	
Rel	ative vapor density	:	No data available	9
Rel	ative density	:	No data available	9
Der	nsity	:	No data available	9
Bul	k density	:	910 kg/m3 (20 °0	2)

MasterFiber F100



Version 2.0	Revision Date: 08/16/2023		S Number: 0000390666	Date of last issue: 07/28/2023 Date of first issue: 01/09/2023
	bility(ies) Vater solubility	:	insoluble	
S	olubility in other solvents	:	No data available)
	tion coefficient: n- nol/water	:	Not applicable	
Auto	ignition temperature	:	No data available)
Deco	omposition temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
Visc V	osity ′iscosity, dynamic	:	No data available)
V	iscosity, kinematic	:	No data available)
Expl	osive properties	:	Not explosive Not explosive	
Oxid	izing properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
Subl	imation point	:	No data available)
Mole	ecular weight	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated. Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

MasterFiber F100



/ersion 2.0	Revision Date:SDS Number:Date of last issue: 07/28/202308/16/2023000000390666Date of first issue: 01/09/2023								
SECTION	11. TOXICOLOGICA	LINFO	ORMATION						
	e toxicity lassified based on ava	ailahle	information						
Skin	corrosion/irritation lassified based on ava								
	us eye damage/eye lassified based on ava								
Resp	iratory or skin sensi	tizatio	n						
-	sensitization lassified based on ava	ailable	information.						
	iratory sensitization lassified based on ava		information.						
	cell mutagenicity lassified based on ava	ailable	information.						
	nogenicity lassified based on ava	ailable	information.						
-	oductive toxicity lassified based on ava	ailable	information.						
	F-single exposure lassified based on ava	ailable	information.						
	F-repeated exposure lassified based on ava		information.						
•	ation toxicity lassified based on ava	ailable	information.						
Furth	er information								
<u>Prod</u> Rema		:	The product ha	are not known or expected under normal use. Is not been tested. The statements on toxicolo lerived from products of a similar structure and					

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Product:		
Ecotoxicology Assessment Acute aquatic toxicity		This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

MasterFiber F100



Revision Date: 08/16/2023		
stence and degradal	oility	
<u>ict:</u>		
gradability	ingre	arks: Taking into consideration the properties of several dients, the product is estimated not to be readily biode- able according to OECD classification.
cumulative potentia	I	
<u>ict:</u>		
cumulation		arks: No data available. arge into the environment must be avoided.
ity in soil		
ta available		
adverse effects		
<u>ict:</u>		
onal ecological infor- n	harm The p colog	e is a high probability that the product is not acutely ful to aquatic organisms. product has not been tested. The statements on ecotoxi- y have been derived from the properties of the individua ponents.
	08/16/2023 stence and degradat <u>ict:</u> gradability cumulative potential <u>ict:</u> cumulation ity in soil ta available adverse effects <u>ict:</u> onal ecological infor-	08/16/2023 00000033 stence and degradability Intervention Intra gradability : Remains ity in soil : Remains ity in soil : Remains ita available : Intervention adverse effects : Theremains in a cological infor- : Theremains

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging	:	Empty containers should be taken to an approved waste han-
		dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good



MasterFiber F100

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/16/2023	000000390666	Date of first issue: 01/09/2023

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories: DSL : Exempt as an article

DSL	Exempt as an article

TSCA

Exempt as an article

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Verv Persistent and Verv Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/16/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not



MasterFiber F100

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/16/2023	00000390666	Date of first issue: 01/09/2023

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN