

# MasterFiber 510 35mm

Version 2.1	Revision Date: 08/23/2023		DS Number: 0000013374	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023		
SECTION 1	. IDENTIFICATION					
Product name		:	MasterFiber 510 35mm			
Product code		:	00000000058411006 00000000058411006			
Other means of identification		:	No data available			
	acturer or supplier's on any name of supplier			olutions Canada Inc.		
Addres	s	:	1800 CLARK BLV Brampton ON L61	-		
Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;		
	al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420		

## Recommended use of the chemical and restrictions on use

Restrictions on use	:	Reserved for industrial and professional use.

### **SECTION 2. HAZARDS IDENTIFICATION**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

## Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Does not contain any hazardous ingredients.

## SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap.



# MasterFiber 510 35mm

Version 2.1	Revision Date: 08/23/2023		S Number: 000013374	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023
				stances should organic solvent be used. ps, seek medical attention.
In ca	se of eye contact		flush with copious	nould be removed. Hold eyelids open and amounts of clean, fresh water or a special and seek medical advice.
lf swa	allowed		seek medical atte	e mouth and then drink 200-300 ml of water, ention. miting unless told to by a poison control cen-
	important symptoms effects, both acute and /ed	:	No symptoms kno	own or expected.
Notes	s to physician	:	Treat symptomat	ically.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
tive equipment and emer-		Wear eye/face protection.
gency procedures		Use personal protective clothing.
		Handle in accordance with good building materials hygiene
		and safety practice.



# MasterFiber 510 35mm

Vers 2.1	sion	Revision Date: 08/23/2023		0S Number: 0000013374	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023	
	Enviro	nmental precautions	:		ated water/firefighting water. into drains/surface waters/groundwater.	
	Methods and materials for containment and cleaning up		:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.		
SEC	CTION 7	. HANDLING AND ST	OR	AGE		
		on protection against d explosion	:	The product is ne nor does it promo	ither self-ignitable, nor an explosion hazard, te fires.	
	Advice	on safe handling	:	Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is use correctly.		
		r information on stor- nditions	:		priginal container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters	Ingredients v	with wo	kplace	control	parameters
---	---------------	---------	--------	---------	------------

Engineering measures	:	Ensure adequate ventilation.	
Personal protective equipme Respiratory protection	ent :	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.	
Hand protection			
Remarks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.	
Eye protection	:	Wear safety glasses with side shields or goggles.	
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.	
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.	
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at	



# MasterFiber 510 35mm

Version 2.1	Revision Date: 08/23/2023		S Number: 0000013374	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023
			care agents appli Gloves must be in	shift the skin should be cleaned and skin-
SECTION	9. PHYSICAL AND CH	EMI		S
Appea	arance	:	solid	
Color		:	gray	
Odor		:	odorless	
Odor	Threshold	:	not determined	
Densi	Density		: 7.85 g/cm3 (20 °C)	
	on coefficient: n- ol/water	:	not applicable fo	r mixtures
Decor	mposition temperature	:	No decompositic scribed/indicated	n if stored and handled as pre- l.
SECTION	10. STABILITY AND RI	EAC	ΤΙVITY	
React	ivity	:	No hazardous re scribed/indicated	actions if stored and handled as pre- l.
Chem	ical stability	:	The product is st scribed/indicated	able if stored and handled as pre- l.
Possil tions	bility of hazardous reac-	:	The product is st scribed/indicated	able if stored and handled as pre- l.
Condi	itions to avoid	:	See SDS section	n 7 - Handling and storage.
Incom	npatible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	
Hazar produ	rdous decomposition cts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Not classified based on available information.

# MasterFiber 510 35mm



rsion	Revision Date: 08/23/2023	SDS Number: 960000013374	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023
	corrosion/irritation assified based on ava	ilable information.	
Serio	us eye damage/eye i	rritation	
Not cl	assified based on ava	ilable information.	
Respi	iratory or skin sensit	ization	
Skin s	sensitization		
Not cl	assified based on ava	ilable information.	
-	iratory sensitization		
Not cl	assified based on ava	ilable information.	
	cell mutagenicity	the late of the second second	
	assified based on ava	llable information.	
	<b>nogenicity</b> assified based on ava	ilable information	
	oductive toxicity		
-	assified based on ava	ilable information.	
STOT	-single exposure		
	assified based on ava	ilable information.	
STOT	-repeated exposure		
Not cl	assified based on ava	ilable information.	
Aspir	ation toxicity		
Not cl	assified based on ava	ilable information.	
Furth	er information		
<u>Produ</u>	<u>uct:</u>		
Rema	ırks	The product ha	are not known or expected under normal use s not been tested. The statements on toxicol erived from the properties of the individual

# Ecotoxicity

# Product:

Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity		This product has no known ecotoxicological effects. This product has no known ecotoxicological effects.	
Persistence and degradability			
Product:			
Biodegradability	:	Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-	

# MasterFiber 510 35mm



Revision Date: 08/23/2023		• • • • • • • • •	Date of last issue: 08/15/2023 Date of first issue: 01/12/2023
		gradable according to OECD classification.	
accumulative potential			
duct:			
ccumulation	:	: Remarks: No data available. Discharge into the environment must be avoided.	
ility in soil			
lata available			
er adverse effects			
duct:			
0	:	The product has	product into the environment without control. not been tested. The statements on ecotoxi- a derived from the properties of the individual
		08/23/2023 96   accumulative potential 96   duct: 1   accumulation 1   bility in soil 1   data available 1   er adverse effects 1   duct: 1   itional ecological infor- 1	08/23/2023 960000013374   gradable accordir   accumulative potential   duct:   accumulation   : Remarks: No data Discharge into the Di

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**TDG** Not regulated as a dangerous good



# MasterFiber 510 35mm

Version	Revision Date:	SDS Number:	
2.1	08/23/2023	96000013374	I

Date of last issue: 08/15/2023 Date of first issue: 01/12/2023

### SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:DSL:Exempt as an article

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	08/23/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-



08/15/2023 01/12/2023

# MasterFiber 510 35mm

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	08/23/2023	96000013374	Date of first issue:

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN