# MasterRoc MP 355 PART B



Version **Revision Date:** SDS Number: Date of last issue: -

963000000631 1.0 13.08.2025 Date of first issue: 13.08.2025

**SECTION 1: IDENTIFICATION** 

Product name MasterRoc MP 355 PART B

Product code 000000000059300193

Manufacturer or supplier's details

Company MB Solutions Australia Pty Ltd

Address Suite 102, 2 Burbank Place

Norwest NSW 2153

Telephone +611300227300

ChemTel: +1-813-248-0585; Australia: 1-300-954-583 Emergency telephone

Recommended use of the chemical and restrictions on use

Recommended use Product for construction chemicals

Restrictions on use Reserved for industrial and professional use.

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Inhalation) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2A

Respiratory sensitization Category 1

Skin sensitization Category 1

Carcinogenicity Category 2

Specific target organ toxicity -

single exposure

Category 3 (Respiratory system)

Specific target organ toxicity - : Category 2

repeated exposure

(Inhalation)

## **GHS** label elements

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 96300000631 Date of first issue: 13.08.2025

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or re-

peated exposure if inhaled.

# Precautionary Statements : Pre

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection. P284 Wear respiratory protection.

## Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before

# Storage:

reuse.

P403 + P233 Store in a well-ventilated place. Keep container

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 96300000631 Date of first issue: 13.08.2025

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Isocyanates

## Components

| Chemical name                              | CAS-No.   | Concentration (% w/w) |
|--|-----------|-----------------------|
| Isocyanic acid, polymethylenepolyphenylene | 9016-87-9 | >= 60 -<= 100         |
| ester (P-MDI)                              |           |                       |

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing immediately and clean before

re-use or dispose it if necessary.

If inhaled : Remove to fresh air immediately. Get medical attention imme-

diately.

If breathing difficulties develop, aid in breathing and seek im-

mediate medical attention.

In case of skin contact : Take off all contaminated clothing immediately.

After contact with skin, wash immediately with a polyethylene

glycol solution, followed by plenty of water.

or

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Seek medical advice.

If swallowed : Do NOT induce vomiting.

Rinse mouth with water.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention.

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 963000000631 Date of first issue: 13.08.2025

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Foan

Dry chemical

Carbon dioxide (CO2)

Water spray in large fire situations

Unsuitable extinguishing

media

water jet

Hazardous combustion prod-

ucts

Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni-

trogen (NOx), dense black smoke.

harmful vapours isocyanate hydrogen cyanide

Specific extinguishing meth-

ods

The degree of risk is governed by the burning substance and

the fire conditions.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus and chemical-

protective clothing.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Ensure adequate ventilation.

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Wear eye/face protection.

Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

Information regarding personal protective measures, see sec-

tion 8.

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 963000000631 Date of first issue: 13.08.2025

Environmental precautions : Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Neutralize with a solution of 5 - 10 % Sodium carbonate, 0,2 -

2 % detergents and 90 - 95 % water.

Dike spillage.

Dispose of absorbed material in accordance with regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

The product is neither self-ignitable, nor an explosion hazard,

nor does it promote fires.

Advice on safe handling : Ensure thorough ventilation of stores and work areas.

Avoid aerosol formation.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts/mists/vapours.

When handling heated product, vapours of the product should

be ventilated, and respiratory protection used. Wear respiratory protection when spraying. Clean up contamination as soon as they occur.

Provide basic employee training to prevent/minimize expo-

sures.

Products freshly manufactured from isocyanates can contain incompletely reacted isocyanates and other dangerous sub-

stances.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this prod-

uct.

Hygiene measures : When using, do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Hands and/or face should be washed before breaks and at the

end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight. Protect against moisture.

Formation of CO2 and build up of pressure possible.

Danger of bursting when sealed gastight.

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 963000000631 Date of first issue: 13.08.2025

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

| Components  | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis  |  |
|---|--|-------------------------------------|--|--------|--|
| Isocyanic acid, polymeth-<br>ylenepolyphenylene ester (P-<br>MDI) | 9016-87-9  | TWA                                 | 0,02 mg/m3<br>(NCO)                            | AU OEL |  |
|   | Further information: Sensitiser  |                                     |  |        |  |
|   |  | STEL                                | 0,07 mg/m3<br>(NCO)                            | AU OEL |  |
|   | Further information: Sensitiser  |                                     |  |        |  |
|   |  | TWA                                 | 0,02 mg/m3<br>(NCO)                            | AU OEL |  |
|   | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser |                                     |  |        |  |
|   |  | STEL                                | 0,07 mg/m3<br>(NCO)                            | AU OEL |  |
|   | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser |                                     |  |        |  |

**Engineering measures** : Ensure adequate ventilation.

## Personal protective equipment

Respiratory protection : Respiratory protection in case of vapour/aerosol release.

Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2) Particle filter with high efficiency for solid and liquid particles

(e.g. EN 143 or 149, Type P3 or FFP3).

Suitable respiratory protection for higher concentrations or

long-term effect:

Self-contained breathing apparatus.

Hand protection

Remarks : Chemical resistant protective gloves (EN 374) Suitable mate-

rials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): butyl rubber (butyl) - 0.7 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness chloroprene rubber (CR) - 0.5 mm coating thickness Unsuitable materials polyvinylchloride (PVC) - 0.7 mm coating thickness Manufacturer's directions for use should be

observed because of great diversity of types.

Eye protection : Safety glasses with side-shields (frame goggles) (e.g. EN

166)

Skin and body protection : Body protection must be chosen based on level of activity

# MasterRoc MP 355 PART B



Version 1.0

Revision Date: 13.08.2025

SDS Number: 96300000631

Date of last issue: -

Date of first issue: 13.08.2025

and exposure.

Protective measures : Do not inhale dust/fumes/aerosols.

With products freshly manufactured from isocyanates body protection and chemical resistant protective gloves is rec-

ommended.

Avoid contact with the skin, eyes and clothing.

Avoid exposure - obtain special instructions before use. Wearing of closed work clothing is recommended.

Handle in accordance with good building materials hygiene

and safety practice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : brown

Odor : characteristic

Odor Threshold : not determined

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (liquids) : The product is not flammable.

Self-ignition : does not ignite

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 96300000631 Date of first issue: 13.08.2025

Density : 1,22 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not applicable for mixtures

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Metal corrosion rate : Not corrosive to metals.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Container can be pressurized by carbon dioxide due to reac-

tion with humid air and/or water.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

Reacts with water to form carbon dioxide and heat

Risk of bursting. Reacts with alcohols. Reacts with acids. Reacts with alkalies.

Reacts with amines.
Risk of exothermic reaction.
Polymerization can occur.

Conditions to avoid : Avoid moisture.

See SDS section 7 - Handling and storage.

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 963000000631 Date of first issue: 13.08.2025

Incompatible materials : Strong acids and strong bases

Strong oxidizing agents Strong reducing agents

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

In case of fire hazardous decomposition products may be

produced such as: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) hydrogen cyanide Isocyanates

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Harmful if inhaled.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitization

## Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## **Chronic toxicity**

## Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Suspected of causing cancer.

#### **Product:**

Remarks : Industrial cleaning with aprotic polar solvents (meeting the

IUPAC definition) may lead to formation of hazardous primary

aromatic amine (>0,1%).

# Reproductive toxicity

Not classified due to lack of data.

## STOT-single exposure

May cause respiratory irritation.

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 963000000631 Date of first issue: 13.08.2025

## STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### **Aspiration toxicity**

Not classified due to lack of data.

#### **Further information**

**Product:** 

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Product:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## Persistence and degradability

**Product:** 

Biodegradability : Remarks: Taking into consideration the properties of several

ingredients, the product is estimated not to be readily biode-

gradable according to OECD classification.

## **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: No data available.

Discharge into the environment must be avoided.

Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

Stability in soil : Remarks: No data available

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

963000000631 1.0 13.08.2025 Date of first issue: 13.08.2025

#### Other adverse effects

## **Product:**

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Observe national and local legal requirements.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**UNRTDG** 

UN number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Not applicable Packing group Not applicable Labels

IATA-DGR

Not applicable UN/ID No. Not applicable Proper shipping name Class Not applicable Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable Packing instruction (cargo

aircraft)

Packing instruction (passen-

Not applicable

ger aircraft)

**IMDG-Code** 

**UN** number Not applicable Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Not applicable Packing group

# MasterRoc MP 355 PART B



Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 96300000631 Date of first issue: 13.08.2025

Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**ASIA ROAD** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

# The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

#### **SECTION 16: ANY OTHER RELEVANT INFORMATION**

Revision Date : 13.08.2025

Date format : dd.mm.yyyy

#### Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit





Version Revision Date: SDS Number: Date of last issue: -

1.0 13.08.2025 96300000631 Date of first issue: 13.08.2025

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN