

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

### SECTION 1. IDENTIFICATION

Product name : MasterGlenium 7500

Product code : 000000000050701363 000000000050701363

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Master Builders Solutions Canada Inc.

Address : 1800 CLARK BLVD  
Brampton ON L6T 4M7

Emergency telephone number : ChemTel: +1-813-248-0585;

National Emergency Telephone Number : Canada: 1-800-255-3924 ChemTel contract no. MIS9240420

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals admixture

Restrictions on use : Reserved for industrial and professional use.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2

Eye irritation : Category 2A

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations

## MasterGlenium 7500

Version 1.2      Revision Date: 07/28/2023      SDS Number: 000000260511      Date of last issue: 08/15/2023  
Date of first issue: 01/09/2023

H319 Causes serious eye irritation.  
H401 Toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature :

### Components

| Chemical name                            | Common Name/Synonym                           | CAS-No.      | Concentration (% w/w) |
|------------------------------------------|-----------------------------------------------|--------------|-----------------------|
| acetic acid                              | Acetic acid                                   | 64-19-7      | $\geq 1 - < 5$ *      |
| Alkoxylated fatty alkylamines            | Alkoxylated fatty alkylamines                 | Not Assigned | $\geq 1 - < 5$ *      |
| (Z)-2,2'-(Octadec-9-enylimino)bisethanol | Ethanol, 2,2'-(9-octadecenyylimino)bis-, (Z)- | 13127-82-7   | $\geq 0.1 - < 1$ *    |
| acrylic acid                             | 2-Propenoic acid                              | 79-10-7      | $\geq 0.1 - < 1$ *    |

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

- |                                                             |                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : Immediately remove contaminated clothing.<br>: Keep patient calm, remove to fresh air.<br>: If symptoms persist, seek medical advice.                                                                                                                              |
| In case of skin contact                                     | : After contact with skin, wash immediately with plenty of water and soap.<br>: Under no circumstances should organic solvent be used.<br>: If irritation develops, seek medical attention.                                                                          |
| In case of eye contact                                      | : Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.                                                                                                    |
| If swallowed                                                | : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.<br>: Do not induce vomiting unless told to by a poison control center or doctor.                                                                                               |
| Most important symptoms and effects, both acute and delayed | : Causes skin irritation.<br>: Causes serious eye irritation.<br>: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. |
| Notes to physician                                          | : Treat symptomatically.                                                                                                                                                                                                                                             |

## SECTION 5. FIREFIGHTING MEASURES

- |                                |                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Foam<br>: Water spray<br>: Dry powder<br>: Carbon dioxide (CO <sub>2</sub> )                                                                                                                                                                                                                                                                                     |
| Unsuitable extinguishing media | : water jet                                                                                                                                                                                                                                                                                                                                                        |
| Hazardous combustion products  | : fumes/smoke<br>: harmful vapours<br>: Carbon oxides<br>: nitrogen oxides<br>: carbon black                                                                                                                                                                                                                                                                       |
| Further information            | : The degree of risk is governed by the burning substance and the fire conditions.<br>: If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.<br>: Contaminated extinguishing water must be disposed of in accordance with official regulations. |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

Special protective equipment : Wear a self-contained breathing apparatus.  
for firefighters

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wear eye/face protection.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.

Materials to avoid : No materials to be especially mentioned.

Recommended storage temperature : 1 - 41 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components  | CAS-No. | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|-------------|---------|----------------------------------|------------------------------------------------|-----------|
| acetic acid | 64-19-7 | TWA                              | 10 ppm<br>25 mg/m <sup>3</sup>                 | CA AB OEL |
|             |         | STEL                             | 15 ppm<br>37 mg/m <sup>3</sup>                 | CA AB OEL |
|             |         | TWA                              | 10 ppm                                         | CA BC OEL |
|             |         | STEL                             | 15 ppm                                         | CA BC OEL |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

Version 1.2      Revision Date: 07/28/2023      SDS Number: 000000260511      Date of last issue: 08/15/2023  
Date of first issue: 01/09/2023

|              |         |       |                    |           |
|--------------|---------|-------|--------------------|-----------|
|              |         | TWAEV | 10 ppm<br>25 mg/m3 | CA QC OEL |
|              |         | STEV  | 15 ppm<br>37 mg/m3 | CA QC OEL |
|              |         | TWA   | 10 ppm             | ACGIH     |
|              |         | STEL  | 15 ppm             | ACGIH     |
| acrylic acid | 79-10-7 | TWA   | 2 ppm<br>5.9 mg/m3 | CA AB OEL |
|              |         | TWA   | 2 ppm              | CA BC OEL |
|              |         | TWAEV | 2 ppm<br>5.9 mg/m3 | CA QC OEL |
|              |         | TWA   | 2 ppm              | ACGIH     |

**Engineering measures** : Ensure adequate ventilation.

### Personal protective equipment

**Respiratory protection** : Wear appropriate certified respirator when exposure limits may be exceeded.  
Use NIOSH approved respiratory protection.

**Hand protection**

**Remarks** : Chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): butyl rubber (butyl) - 0.7 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness chloroprene rubber (CR) - 0.5 mm coating thickness Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection** : Wear safety glasses with side shields or goggles.

**Skin and body protection** : Body protection must be chosen based on level of activity and exposure.

**Protective measures** : Do not inhale dust/fumes/aerosols.  
Avoid contact with the skin, eyes and clothing.  
Avoid exposure.  
Handle in accordance with good building materials hygiene and safety practice.  
Wearing of closed work clothing is recommended.

**Hygiene measures** : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |                                                                             |
|--------------------------------------------------|-----------------------------------------------------------------------------|
| Appearance                                       | : liquid                                                                    |
| Colour                                           | : brown                                                                     |
| Odour                                            | : slight odour, faint                                                       |
| Odour Threshold                                  | : not determined                                                            |
| pH                                               | : approx. 4.60 (22 °C)                                                      |
| Melting point/freezing point                     | : No data available                                                         |
| Boiling point/boiling range                      | : No data available                                                         |
| Flash point                                      | : A flash point determination is unnecessary due to the high water content. |
| Evaporation rate                                 | : No data available                                                         |
| Flammability (liquids)                           | : The product is not flammable.                                             |
| Self-ignition                                    | : not auto-flammable                                                        |
| Upper explosion limit / Upper flammability limit | : No data available                                                         |
| Vapour pressure                                  | : No data available                                                         |
| Relative vapour density                          | : No data available                                                         |
| Relative density                                 | : No data available                                                         |
| Density                                          | : 1.049 g/cm <sup>3</sup> (20 °C)                                           |
| Solubility(ies)                                  |                                                                             |
| Water solubility                                 | : No data available                                                         |
| Solubility in other solvents                     | : No data available                                                         |
| Partition coefficient: n-                        | : not applicable for mixtures                                               |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Sublimation point : No data available

Molecular weight : Not applicable

Metal corrosion rate : Not corrosive to metals

Particle characteristics

Particle Size Distribution : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability : The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong acids  
Strong bases  
Strong oxidizing agents  
Strong reducing agents

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

#### **(Z)-2,2'-(Octadec-9-enylimino)bisethanol:**

Acute oral toxicity : LD50 (Rat, male and female): 1,260 mg/kg  
Method: OECD Test Guideline 401

#### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Assessment : Irritating to skin.  
Remarks : Expert judgement

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Assessment : Irritating to eyes.  
Remarks : Expert judgement

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

### Aspiration toxicity

Not classified due to lack of data.

### Further information

#### Product:

Remarks : The product has not been tested. The statement has been derived from the properties of the individual components.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### Components:

##### **(Z)-2,2'-(Octadec-9-enylimino)bisethanol:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

##### **acrylic acid:**

M-Factor (Acute aquatic toxicity) : 1

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Taking into consideration the properties of several components, the product is estimated not to be readily biodegradable according to OECD classification.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available.  
Discharge into the environment must be avoided.

### Mobility in soil

No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

### Other adverse effects

#### **Product:**

Additional ecological information : There is a high probability that the product is not acutely harmful to aquatic organisms.  
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regulations.  
Do not discharge into drains/surface waters/groundwater.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### National Regulations

#### **TDG**

Not regulated as a dangerous good

#### **Special precautions for user**

Not applicable

## SECTION 15. REGULATORY INFORMATION

### Canadian lists

The following substance(s) is/are subject to a Significant New Activity Notification:  
propylene oxide 75-56-9

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

No substances are subject to CEPA Section 84 Ministerial Conditions.

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

|                   |   |                                                                                                                                          |
|-------------------|---|------------------------------------------------------------------------------------------------------------------------------------------|
| ACGIH             | : | USA. ACGIH Threshold Limit Values (TLV)                                                                                                  |
| CA AB OEL         | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)                                                                      |
| CA BC OEL         | : | Canada. British Columbia OEL                                                                                                             |
| CA QC OEL         | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants |
| ACGIH / TWA       | : | 8-hour, time-weighted average                                                                                                            |
| ACGIH / STEL      | : | Short-term exposure limit                                                                                                                |
| CA AB OEL / TWA   | : | 8-hour Occupational exposure limit                                                                                                       |
| CA AB OEL / STEL  | : | 15-minute occupational exposure limit                                                                                                    |
| CA BC OEL / TWA   | : | 8-hour time weighted average                                                                                                             |
| CA BC OEL / STEL  | : | short-term exposure limit                                                                                                                |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value                                                                                                     |
| CA QC OEL / STEV  | : | Short-term exposure value                                                                                                                |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MasterGlenium 7500

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 08/15/2023  |
| 1.2     | 07/28/2023     | 000000260511 | Date of first issue: 01/09/2023 |

---

on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative;  
WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/28/2023  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN