

SAFETY DATA SHEET

MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

SECTION 1. IDENTIFICATION

Product name : MasterRoc SA 160
Product code : 000000000050336504 000000000050336504

Manufacturer or supplier's details

Company name of supplier : Master Builders-Admixtures US,LLC
Address : 23700 Chagrin Blvd
Beachwood OH 44122
Emergency telephone : ChemTel: +1-813-248-0585
National Emergency Telephone Number : USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use


Recommended use : Product for construction chemicals
Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation : Category 1
Specific target organ toxicity - repeated exposure : Category 2 (Kidney, Liver, Blood)

GHS label elements

Hazard pictograms : 

Signal Word : Danger
Hazard Statements : H318 Causes serious eye damage.
H373 May cause damage to organs (Kidney, Liver, Blood) through prolonged or repeated exposure.
Precautionary Statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P260 Do not breathe dusts or mists.

MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
 Date of first issue: 04/20/2023

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :
 Chemical nature : Mixture
 : No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sulfuric acid, aluminum salt (3:2), tetradecahydrate	16828-12-9	>= 20 - < 40
Aluminium sulphate	10043-01-3	>= 15 - < 25
2,2'-iminodiethanol	111-42-2	>= 1 - < 3
Sulfuric acid, aluminum salt (3:2), tetradecahydrate	16828-12-9	>= 20 - <= 40
2,2'-iminodiethanol	111-42-2	>= 1 - <= 3

SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.

In case of skin contact : After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

In case of eye contact : Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

SAFETY DATA SHEET



MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam
Water spray
Dry powder
Carbon dioxide (CO₂)

Unsuitable extinguishing media : water jet

Hazardous combustion products : fumes/smoke
harmful vapours
Carbon oxides
nitrogen oxides
carbon black

Further information : The degree of risk is governed by the burning substance and the fire conditions.
If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wear eye/face protection.
Use personal protective clothing.
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.
Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.

SAFETY DATA SHEET



MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

- Advice on safe handling : Avoid inhalation of dusts/mists/vapours.
Avoid skin contact.
Ensure adequate ventilation.
No special measures necessary provided product is used correctly.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Containers should be stored tightly sealed in a dry place.
Keep away from heat.
Protect against moisture.
Store protected against freezing.
Keep only in the original container.
- Materials to avoid : Segregate from metals.
Segregate from bases.
Segregate from oxidants.
Segregate from foods and animal feeds.

Do not store near acids.
- Recommended storage temperature : 32 °F / 0 °C
- Further information on storage stability : Minimum storage temperature:
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures : No applicable information available.

Personal protective equipment

Respiratory protection : Wear the following respiratory protection if exposure limits may be exceeded:
Wear a NIOSH-certified (or equivalent) organic vapour respirator.

Hand protection

Remarks : Wear chemical resistant protective gloves. Suitable materials may include butyl rubber fluoroelastomer (Viton)

Eye protection : Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Skin and body protection : depending upon conditions of use.
Cover as much of the exposed skin as possible to prevent all skin contact.

SAFETY DATA SHEET



MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

- Protective measures : light protective clothing
: Avoid contact with the skin, eyes and clothing.
In order to prevent contamination while handling, closed working clothes and working gloves should be used.
Handle in accordance with good building materials hygiene and safety practice.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : suspension
- Color : white to beige
- Odor : characteristic
- Odor Threshold : No data available
- pH : 2.0 - 3.0 (68 °F / 20 °C)
- Melting point : No applicable information available.
- Flash point : does not flash
- Evaporation rate : not determined
- Relative vapor density : not determined
- Density : approx. 1.43 g/cm³ (68 °F / 20 °C)
- Solubility(ies)
Water solubility : soluble
- Solubility in other solvents : No applicable information available.
- Partition coefficient: n-octanol/water : No data available
- Autoignition temperature : Not applicable
- Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.
- Viscosity
Viscosity, dynamic : approx. 500 - 1,000 mPa.s (68 °F / 20 °C)
- Viscosity, kinematic : No applicable information available.

SAFETY DATA SHEET



MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Sublimation point : No applicable information available.

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Explosion hazard when product reacts with metals and forms hydrogen.
Reacts with base metals, with evolution of hydrogen.
The product is stable if stored and handled as prescribed/indicated.
No decomposition if stored and applied as directed.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : base metal alloys
base metals
Strong bases

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



MasterRoc SA 160

Version 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

mation The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with national, state and local regulations.
Do not discharge into drains/surface waters/groundwater.
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.
-

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

- UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(DIETHANOLAMINE)

- Class : 9
Subsidiary risk : EHSM
Packing group : III
Labels : CLASS 9, Environmentally hazardous
ERG Code : 171
Marine pollutant : yes
-

SECTION 15. REGULATORY INFORMATION

- SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

SAFETY DATA SHEET

MasterRoc SA 160

Version: 2.0 Revision Date: 08/16/2023 SDS Number: 960000012087 Date of last issue: 07/28/2023
Date of first issue: 04/20/2023

2,2'-iminodiethanol 111-42-2

US State Regulations

Pennsylvania Right To Know

Aluminium sulphate 10043-01-3
2,2'-iminodiethanol 111-42-2

New Jersey Right To Know

Aluminium sulphate 10043-01-3
2,2'-iminodiethanol 111-42-2

California Prop. 65

WARNING: This product can expose you to chemicals including 2,2'-iminodiethanol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:


DSL : All components of this product are on the Canadian DSL

TSCA : All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH		
FLAMMABILITY		
PHYSICAL HAZARD		

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

SAFETY DATA SHEET



MasterRoc SA 160

Version	Revision Date:	SDS Number:	Date of last issue: 07/28/2023
2.0	08/16/2023	960000012087	Date of first issue: 04/20/2023

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/16/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN