

MasterCrete LH 5460 (formerly BluCem LH60)

Version **Revision Date:** SDS Number: Date of last issue: 04.06.2024 15.07.2025 963000000263 2.0 Date of first issue: 04.06.2024

SECTION 1: IDENTIFICATION

Product name MasterCrete LH 5460 (formerly BluCem LH60)

Product code 000000000059300060

Manufacturer or supplier's details

Company MB Solutions Australia Pty Ltd

Address 11 Stanton Road, Seven Hills

NSW 2147

Telephone +611300227300

ChemTel: +1-813-248-0585; Australia: 1-300-954-583 Emergency telephone

Recommended use of the chemical and restrictions on use

Product for construction chemicals Recommended use

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 1

Carcinogenicity (Inhalation) Category 2

Specific target organ toxicity -

single exposure

Category 3 (Respiratory system)

Specific target organ toxicity - : Category 2 (Lungs)

repeated exposure

(Inhalation)

GHS label elements

Hazard pictograms







Signal Word Danger

Hazard Statements H315 Causes skin irritation.

> H318 Causes serious eye damage. H335 May cause respiratory irritation.

H351 Suspected of causing cancer if inhaled.



MasterCrete LH 5460 (formerly BluCem LH60)

Version Revision Date: SDS Number: Date of last issue: 04.06.2024 2.0 15.07.2025 963000000263 Date of first issue: 04.06.2024

H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : modified cement mortar

Components

Chemical name	CAS-No.	Concentration (% w/w)
crystalline silica	14808-60-7	>= 30 -< 60



MasterCrete LH 5460 (formerly BluCem LH60)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.06.2024

 2.0
 15.07.2025
 963000000263
 Date of first issue: 04.06.2024

Cement, portland, chemicals	65997-15-1	>= 20 -< 30
Ashes (residues)	68131-74-8	>= 10 -< 20
Quartz (SiO2)	14808-60-7	>= 1 -< 10
Limestone	1317-65-3	< 10
Sulfuric acid, calcium salt (1:1)	10101-41-4	< 10
Aluminum calcium oxide sulfate (Al6Ca4O12(SO4))	12005-25-3	< 1

SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing.

If inhaled : After inhalation of dust.

Keep patient calm, remove to fresh air.

If difficulties occur: Seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

Suspected of causing cancer if inhaled.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam

Water spray Dry powder

Carbon dioxide (CO2)

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are

sufficient.



MasterCrete LH 5460 (formerly BluCem LH60)

Version Revision Date: SDS Number: Date of last issue: 04.06.2024 963000000263 2.0 15.07.2025 Date of first issue: 04.06.2024

Unsuitable extinguishing

media

water jet

Specific hazards during fire

fighting

Product is not combustible or explosive.

No particular hazards known.

Specific extinguishing meth-

ods

Product itself is non-combustible; fire extinguishing method of

surrounding areas must be considered.

The degree of risk is governed by the burning substance and

the fire conditions.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation.

Avoid contact with skin and eyes. Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

Environmental precautions Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Sweep/shovel up.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

No special precautions necessary.

Advice on safe handling Avoid dust formation.

Avoid inhalation of dusts.

Avoid contact with skin and eyes.

The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while

emptying bags into equipment.

Breathing must be protected when large quantities are de-

canted without local exhaust ventilation.

When using, do not eat, drink or smoke. Hygiene measures

Hands and/or face should be washed before breaks and at the

end of the shift.

At the end of the shift the skin should be cleaned and skin-



MasterCrete LH 5460 (formerly BluCem LH60)

Version **Revision Date:** SDS Number: Date of last issue: 04.06.2024 15.07.2025 963000000263 Date of first issue: 04.06.2024 2.0

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

Remove contaminated clothing immediately and clean before

re-use or dispose it if necessary.

Further information on stor-

age conditions

Containers should be stored tightly sealed in a dry place.

Recommended storage tem- : 5 - 35 °C

perature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
crystalline silica	14808-60-7	TWA (Respirable dust)	0,05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have car-				
	cinogenic potential for humans				
		TWA (Res-	0,025 mg/m3	ACGIH	
		pirable par-	(Silica)		
		ticulate mat-			
		ter)			
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
		TWA (Res-	1 mg/m3	ACGIH	
		pirable par-			
		ticulate mat-			
		ter)			
Quartz (SiO2)	14808-60-7	TWA (Res-	0,05 mg/m3	AU OEL	
		pirable dust)	-		
	Further information: Category 1A (Carc. 1A) Known to have car-				
	cinogenic potential for humans				
		TWA (Res-	0,025 mg/m3	ACGIH	
		pirable par-	(Silica)		
		ticulate mat-			
		ter)			
Limestone	1317-65-3	TWA	10 mg/m3	AU OEL	
			(Calcium car-		
			bonate)		
Sulfuric acid, calcium salt (1:1)	10101-41-4	TWA	10 mg/m3	AU OEL	
		TWA (Inhal-	10 mg/m3	ACGIH	
		able particu-	(Calcium)		
		late matter)			

Personal protective equipment

Respiratory protection Breathing protection if dusts are formed.



MasterCrete LH 5460 (formerly BluCem LH60)

Version Revision Date: SDS Number: Date of last issue: 04.06.2024 2.0 15.07.2025 963000000263 Date of first issue: 04.06.2024

Filter type : Particle filter with medium efficiency for solid and liquid parti-

cles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection

Remarks : nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection : Safety glasses with side-shields.

Skin and body protection : Body protection must be chosen based on level of activity

and exposure.

light protective clothing

Protective measures : Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene

and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : gray

Odor : characteristic

Odor Threshold : Not determined due to potential health hazard by inhalation.

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not self-igniting

Upper explosion limit / Upper

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.



MasterCrete LH 5460 (formerly BluCem LH60)

Version Revision Date: SDS Number: Date of last issue: 04.06.2024 2.0 15.07.2025 963000000263 Date of first issue: 04.06.2024

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : No data available

Relative density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Metal corrosion rate : Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

The product is stable if stored and handled as pre-

scribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong bases

Strong acids

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.



MasterCrete LH 5460 (formerly BluCem LH60)

Version Revision Date: SDS Number: Date of last issue: 04.06.2024 2.0 15.07.2025 963000000263 Date of first issue: 04.06.2024

In case of fire hazardous decomposition products may be produced such as:

toxic gases/vapours

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer if inhaled.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.



MasterCrete LH 5460 (formerly BluCem LH60)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.06.2024

 2.0
 15.07.2025
 963000000263
 Date of first issue: 04.06.2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Product:

Biodegradability : Remarks: Not applicable for inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: The product will not be readily bioavailable due to

its consistency and insolubility in water.

Mobility in soil

Product:

Distribution among environmental compartments Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater

is not expected.

The substance will not evaporate into the atmosphere from

the water surface.

Other adverse effects

Product:

Results of PBT and vPvB

assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Additional ecological infor-

mation

: Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Observe national and local legal requirements.



MasterCrete LH 5460 (formerly BluCem LH60)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.06.2024

 2.0
 15.07.2025
 963000000263
 Date of first issue: 04.06.2024

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Completely emptied packagings can be given for recycling.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ASIA_ROAD

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable



MasterCrete LH 5460 (formerly BluCem LH60)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.06.2024

 2.0
 15.07.2025
 963000000263
 Date of first issue: 04.06.2024

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and

No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or

Poisons

threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : crystalline silica

Quartz (SiO2)

Refer to model WHS Act and Regulations for prohibition, authorisation

and restricted use.

The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 15.07.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-



MasterCrete LH 5460 (formerly BluCem LH60)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.06.2024

 2.0
 15.07.2025
 963000000263
 Date of first issue: 04.06.2024

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN