

Windy Standard 3 windfarm

MasterFlux I300
Scotland, UK



Windy Standard 3 windfarm

MasterFlux I300



Product Highlights

MasterFlux I300

The images shown are used with the consent and in collaboration with Master Builders Solutions / GCE. Any reuse or modification by third parties is not permitted. All trademarks used in this job reference are trademarks of Master Builders Solutions.



Windy Standard 3 windfarm

MasterFlux I300

Project description

22 wind turbines, with different sizes and energy output were grouted to the foundation. The grouting was done by our Approved Grouting Contractor GCE, which is a guarantee for the quality of works and a maintenance free operation of the windfarm.

Challenge

The grouting works were to be done under the very harsh conditions of Scotland in March, while minimizing the risk of delaying the overall installation of the wind turbines.

Solution

MasterFlux I300 allowed for the installation in the adverse jobsite conditions, and the rapid strength development of the grout permitted a swift wind turbine installation. Additional precautions taken by our AGC, protecting the fresh grout from the elements and freezing temperatures, reassured the rapid hardening of our grout material under those harsh Scottish conditions.



Master Builders Solutions

Eugenio Manzanares
Head Global Business Development Onshore Wind

Postal Address:
Calle Duero 23
28840 Mejorada del Campo
Madrid, Spain

✉ eugenio.manzanares@masterbuilders.com

☎ +34680939898

