

# SAFETY DATA SHEET

## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

### SECTION 1: IDENTIFICATION

Product name : MasterFlux EA55RMX (formerly BluCem EA55RMX)

Product code : 000000000059300122

#### Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : 11 Stanton Road, Seven Hills  
NSW 2147

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification



Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

#### GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary Statements : **Prevention:**

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0      Revision Date: 22.08.2024      SDS Number: 963000000352      Date of last issue: -  
Date of first issue: 22.08.2024

P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
mullite	1302-93-8	< 30
crystalline silica	14808-60-7	< 30
metasilicic acid	7699-41-4	< 10
Chromium (VI) ion	18540-29-9	< 0,0001
Slags, ferrous metal, blast furnace	65996-69-2	< 30
polypropylene	9003-07-0	< 10
water	7732-18-5	< 10

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

- |   |   |
|---|---|
| General advice  | : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.   |
| If inhaled  | : Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.   |
| In case of skin contact                                     | : After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. |
| In case of eye contact                                      | : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.   |
| If swallowed  | : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.                 |
| Most important symptoms and effects, both acute and delayed | : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.   |
| Notes to physician  | : Treat symptomatically.  |

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Foam<br>Water spray<br>Dry powder<br>Carbon dioxide (CO2)   |
| Unsuitable extinguishing media | : water jet   |
| Hazardous combustion products  | : fumes/smoke<br>harmful vapours<br>Carbon oxides<br>nitrogen oxides<br>carbon black  |
| Specific extinguishing methods | : The degree of risk is governed by the burning substance and the fire conditions.<br>If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations. |

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0      Revision Date: 22.08.2024      SDS Number: 963000000352      Date of last issue: -  
Date of first issue: 22.08.2024

Special protective equipment : Wear a self-contained breathing apparatus.  
for fire-fighters

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Wear eye/face protection.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
Dispose of absorbed material in accordance with regulations.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.

Advice on safe handling : Avoid inhalation of dusts/mists/vapours.  
Avoid skin contact.  
Ensure adequate ventilation.  
No special measures necessary provided product is used correctly.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mullite	1302-93-8	TWA value	1 mg/m3	ACGIHTLV

# SAFETY DATA SHEET

## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0      Revision Date: 22.08.2024      SDS Number: 963000000352      Date of last issue: -  
Date of first issue: 22.08.2024

		(Respirable fraction)		
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH
crystalline silica	14808-60-7	TWA (Respirable dust)	0,05 mg/m <sup>3</sup>	AU OEL
Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				
		TWA (Respirable particulate matter)	0,025 mg/m <sup>3</sup> (Silica)	ACGIH

### Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

### Hand protection

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Skin and body protection : Body protection must be chosen based on level of activity and exposure.

Protective measures : Do not inhale dust/fumes/aerosols.  
Avoid contact with the skin, eyes and clothing.  
Avoid exposure.  
Handle in accordance with good building materials hygiene and safety practice.  
Wearing of closed work clothing is recommended.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white to grey

Odor : ammonia-like

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0	Revision Date: 22.08.2024	SDS Number: 963000000352	Date of last issue: - Date of first issue: 22.08.2024
----------------	------------------------------	-----------------------------	--

---

Odor Threshold	:	not determined
pH	:	12 - 13
Melting point/range	:	> 1.200 °C
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	2,5
Solubility(ies)		
Water solubility	:	slightly soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	not applicable for mixtures
Autoignition temperature	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reactions	:	The product is stable if stored and handled as prescribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

May cause an allergic skin reaction.

##### Respiratory sensitization

Not classified due to lack of data.

#### Chronic toxicity

##### Germ cell mutagenicity

Not classified due to lack of data.

##### Carcinogenicity

Not classified due to lack of data.

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

---

### Reproductive toxicity

Not classified due to lack of data.

### STOT-single exposure

May cause respiratory irritation.

### STOT-repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### mullite:

Not applicable

#### Slags, ferrous metal, blast furnace:

Not applicable

### Further information

#### Product:

Remarks : Health injuries are not known or expected under normal use.  
No data is available on the product itself.  
Information given is based on data on the ingredients and the toxicology of similar products.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0	Revision Date: 22.08.2024	SDS Number: 963000000352	Date of last issue: - Date of first issue: 22.08.2024
----------------	------------------------------	-----------------------------	--

---

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available.  
Discharge into the environment must be avoided.

#### Components:

##### mullite:

Partition coefficient: n-octanol/water : Remarks: No data available.

##### Slags, ferrous metal, blast furnace:

Partition coefficient: n-octanol/water : Remarks: Study scientifically not justified.

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : Remarks: The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

##### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

##### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### ASIA ROAD

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version 1.0	Revision Date: 22.08.2024	SDS Number: 963000000352	Date of last issue: - Date of first issue: 22.08.2024
----------------	------------------------------	-----------------------------	--

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : crystalline silica  
Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

### SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 22.08.2024

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIHTLV : American Conference of Governmental Industrial Hygienists - threshold limit values (US)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.  
  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIHTLV / TWA value : Time Weighted Average (TWA):  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

# SAFETY DATA SHEET



## MasterFlux EA55RMX (formerly BluCem EA55RMX)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2024	963000000352	Date of first issue: 22.08.2024

---

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN