SAFETY DATA SHEET



MasterRoc MP 350

Version 1.0	Revision Date: 25.01.2023		Number: 000307789	Date of last issue: - Date of first issue: 25.01.2023
SECTIC	N 1. PRODUCT AND C	OMPAN	Y IDENTIFICAT	ION
Pro	duct name	:	MasterRoc MP 3	350
Pro	duct code	:	0000000000552	97485
Manufacturer or supplier's d Company			s MB Solutions Au	istralia Pty Ltd
Ade	dress		11 Stanton Road	l, Seven Hills
Tel	ephone	:	+611300227300	
Em	ergency telephone	:	ChemTel: +1-81	3-248-0585; Australia: 1-300-954-583
Re	commended use of the	chemic	al and restriction	ons on use
Re	commended use	:	Product for cons	truction chemicals
Re	strictions on use	:	Reserved for ind	ustrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure	:	Category 2
GHS label elements Hazard pictograms	:	

SAFETY DATA SHEET

MasterRoc MP 350



Version 1.0	Revision Date: 25.01.2023	SDS Number: 000000307789	Date of last issue: - Date of first issue: 25.01.2023
Signa	l Word	: Danger	
Hazar	d Statements	H315 Causes H332 Harmfu H334 May ca difficulties if ir H317 May ca H373 May ca peated expos H335 May ca	use allergy or asthma symptoms or breathing haled. use an allergic skin reaction. use damage to organs through prolonged or re-
Preca	utionary Statements	tion/ face pro P271 Use on P260 Do not P201 Obtain P261 Avoid b P202 Do not and understo P284 In case tion. P272 Contarr the workplace	y outdoors or in a well-ventilated area. preathe dusts or mists. special instructions before use. reathing mist. nandle until all safety precautions have been read od. of inadequate ventilation wear respiratory protec- inated work clothing should not be allowed out of
		Response:	
		P308 + P311 CENTER/ do	IF exposed or concerned: Call a POISON ctor.
		Storage: P403 + P233 tightly closed P405 Store Ic	
		Disposal: P501 Dispose	e of contents/container to appropriate hazardous

waste collection point.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture
Chemical nature	: Preparation based on: Aromatic isocyanates polypropylene glycol



>= 20 -< 50

>= 0,2 -< 1 >= <u>5 -< 15</u>

MasterRoc MP 350

Dimethyl glutarate

Version 1.0	Revision Date: 25.01.2023	SDS Number: 000000307789	Date of last issue: - Date of first issue: 25.01.2023				
Com	ponents						
Chem	nical name		CAS-No.	Concentration (% w/w)			
Diphe	enylmethane-4,4'-diiso	ocyanate (MDI)	101-68-8	>= 10 -< 20			
Butan	nedioic acid, dimethyl	ester	106-65-0	>= 5 -< 15			
dimet	hyl adipate		627-93-0	>= 3 -< 15			

1119-40-0

2536-05-2

5873-54-1

SECTION 4. FIRST AID MEASURES

2,2'-Methylenediphenyl diisocyanate

diphenylmethane-2,4'-diisocyanate

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet



Vers 1.0	ion Revision Date: 25.01.2023		DS Number: 0000307789	Date of last issue: - Date of first issue: 25.01.2023
	Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black	
	Specific extinguishing meth- ods	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. Ited extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.
	Special protective equipment for fire-fighters	:	Wear a self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.



Version 1.0	Revision Date: 25.01.2023		DS Number: 00000307789	Date of last issue: - Date of first issue: 25.01.2023
Conc	litions for safe storage	:	care agents appli Gloves must be ir Replace if necess Keep container tig place. Observe label pre	nspected regularly and prior to each use. sary (e.g. pinhole leaks). ghtly closed in a dry and well-ventilated ecautions. ions / working materials must comply with
	er information on stor- conditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Personal protective equipment				
Respiratory protection	:	Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2) Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3). Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.		
Hand protection				
Remarks	:	impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.		
Eye protection	:	Safety glasses with side-shields (frame goggles) (e.g. EN 166)		
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.		
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid



Vers 1.0	sion	Revision Date: 25.01.2023		S Number: 0000307789	Date of last issue: - Date of first issue: 25.01.2023
	Color		:	dark brown	
	Odor		:	characteristic	
	Odor T	hreshold	:	No data available	9
	рН		:	ca. 9 - 10	
	Boiling	point	:	Not applicable	
	Flash p	point	:	> 100 °C	
				Method: Flashpo flashpoint.	int test using closed cup, determination of
	Evapoi	ration rate	:	not determined	
	Vapor	pressure	:	No data available	9
	Relativ	e vapor density	:	not determined	
	Density	y	:	approx. 1,15 g/cr	n3 (20 °C)
	Solubil Wa	ity(ies) ter solubility	:	partly soluble	
	Partitio octano	n coefficient: n- I/water	:	not applicable for	r mixtures
	Autoig	nition temperature	:	No data available	9
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscos Visc	ity cosity, dynamic	:	approx. 260 mPa	a.s (23 °C)
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	not fire-propagat	ing
	Metal o	corrosion rate	:	No corrosive effe	ect on metal.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as	directed.
Chemical stability	No decomposition if stored and applied as	directed.



Vers 1.0	ion	Revision Date: 25.01.2023		S Number: 0000307789	Date of last issue: - Date of first issue: 25.01.2023	
	Possibility of hazardous reac- tions		:	No decompositio	n if stored and applied as directed.	
	Conditions to avoid		:	Avoid moisture. See SDS section 7 - Handling and storage.		
	Incomp	batible materials	:	Acids Alcohols Amines Ammonia Water Alkalines Strong oxidizing Strong reducing		
	Hazaro produc	lous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.	
SEC	TION 1	1. TOXICOLOGICAL I	NFC	RMATION		
		toxicity				
	Harmful if inhaled.					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.



ersion .0	Revision Date: 25.01.2023		S Number: 0000307789	Date of last issue: - Date of first issue: 25.01.2023	
Aspir	ration toxicity				
Not classified based on available information.					
Furth	er information				
Prod	uct:				
Rema	arks	: The product has not been tested. The statement has bee derived from the properties of the individual components			
ECTION	12. ECOLOGICAL INFO	DRN	IATION		
Ecoto	oxicity				
Prod	uct:				
Ecoto	oxicology Assessment				
Acute	aquatic toxicity	:	This product has	no known ecotoxicological effects.	
Chror	nic aquatic toxicity	:	This product has	no known ecotoxicological effects.	
Persistence and degradability					
Product:					
Biode	gradability	:	ingredients, the p	into consideration the properties of several product is estimated not to be readily biodeng to OECD classification.	
Bioaccumulative potential					
Prod	uct:				
Bioac	cumulation	:	Remarks: No dat Discharge into th	a available. e environment must be avoided.	
Com	ponents:				
Buta	nedioic acid, dimethyl e	este	r:		
	Partition coefficient: n- octanol/water		log Pow: 0,405 (2 Method: other (ca	,	
Mobi	lity in soil				
No da	ata available				
Othe	r adverse effects				
Prod	uct:				
Additi matio	ional ecological infor- n	:	The product has	product into the environment without contro not been tested. The statements on ecotoxi- n derived from the properties of the individua	



Version 1.0	Revision Date: 25.01.2023	SDS Number: 000000307789	Date of last issue: - Date of first issue: 25.01.2023			
SECTION 13. DISPOSAL CONSIDERATIONS						
•	osal methods	· Observe nation	and local logal requirements			

Waste from residues	:	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IAT A-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	: : : : : : : : : : : : : : : : : : : :	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number	:	Not applicable

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ASIA_ROAD

UN number	:	Not applicable
Proper shipping name	:	Not applicable

SAFETY DATA SHEET



MasterRoc MP 350

Version	Revision Date: 25.01.2023	SDS Number:	Date of last issue: -
1.0		000000307789	Date of first issue: 25.01.2023
Pack Labe	sidiary risk sing group	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable 	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection. Standard for the Uniform : Schedule 6 Scheduling of Medicines and Poisons

Prohibition/Licensing Requirements

: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	:	25.01.2023
---------------	---	------------

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	00000307789	Date of first issue: 25.01.2023

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN