

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MasterFlux ER 628 PART B

Product code : 000000000050643503

Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : Suite 102, 2 Burbank Place
Norwest NSW 2153

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitization : Category 1

Hazardous to the aquatic environment - acute hazard : Category 3

Hazardous to the aquatic environment - chronic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H312 Harmful in contact with skin.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

H314 Causes severe skin burns and eye damage.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P260 Do not breathe dusts or mists.
P273 Avoid release to the environment.
P272 Contaminated work clothing should not be allowed out of the workplace.
P270 Do not eat, drink or smoke when using this product.
P264 Wash face, hands and any exposed skin thoroughly after handling.

Response:

P310 Immediately call a POISON CENTER/ doctor/ .?
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Salicylic acid	69-72-7	>= 7 -< 10
Benzyl alcohol	100-51-6	>= 20 -< 25
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 50 -< 75

SECTION 4. FIRST AID MEASURES

MasterFlux ER 628 PART B

Version 1.0	Revision Date: 25.01.2023	SDS Number: 000000340436	Date of last issue: - Date of first issue: 25.01.2023
----------------	------------------------------	-----------------------------	--

-
- | | | |
|---|---|---|
| General advice | : | First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing. |
| If inhaled | : | If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention. |
| In case of skin contact | : | After contact with skin, wash immediately with plenty of water and soap.
Under no circumstances should organic solvent be used.
If irritation develops, seek medical attention. |
| In case of eye contact | : | Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. |
| If swallowed | : | Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.
Do not induce vomiting unless told to by a poison control center or doctor. |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed or in contact with skin.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes serious eye damage. |
| Notes to physician | : | Treat symptomatically. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Foam
Water spray
Dry powder
Carbon dioxide (CO ₂) |
| Unsuitable extinguishing media | : | water jet |
| Hazardous combustion products | : | nitrogen oxides
Carbon oxides
fumes/smoke
carbon black
corrosive gases/vapours |
| Specific extinguishing methods | : | The degree of risk is governed by the burning substance and the fire conditions.
Contaminated extinguishing water must be disposed of in accordance with official regulations. |
| Special protective equipment for fire-fighters | : | Wear a self-contained breathing apparatus. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|----------------------------------|---|-----------------------------------|
| Personal precautions, protection | : | Use personal protective clothing. |
|----------------------------------|---|-----------------------------------|

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

- | | | |
|---|---|---|
| tive equipment and emergency procedures | | Do not breathe vapour/aerosol/spray mists.
Handle in accordance with good building materials hygiene and safety practice. |
| Environmental precautions | : | Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Pick up with suitable appliance and dispose of. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|---|---|---|
| Advice on protection against fire and explosion | : | The product is not an oxidizer, not self-combustible and not explosive. |
| Advice on safe handling | : | Avoid aerosol formation.
Avoid inhalation of mists/vapours.
Avoid skin contact.
Ensure adequate ventilation.
No special measures necessary provided product is used correctly. |
| Hygiene measures | : | When using, do not eat, drink or smoke.
Hands and/or face should be washed before breaks and at the end of the shift.
At the end of the shift the skin should be cleaned and skin-care agents applied.
Gloves must be inspected regularly and prior to each use.
Replace if necessary (e.g. pinhole leaks). |
| Further information on storage conditions | : | Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.
Protect from direct sunlight.
Store protected against freezing. |
| Materials to avoid | : | Observe TRGS 509/510 storage rules. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate.
Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

- | | |
|--------------------------|---|
| Remarks | : Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types. |
| Eye protection | : Tightly fitting safety goggles (splash goggles) (e.g. EN 166) |
| Skin and body protection | : Body protection must be chosen based on level of activity and exposure. |
| Protective measures | : Do not inhale gases/vapours/aerosols.
Avoid contact with the skin, eyes and clothing.
Handle in accordance with good building materials hygiene and safety practice. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|---|
| Appearance | : liquid |
| Color | : clear to slightly amber |
| Odor | : amine-like |
| pH | : ≤ 11 (23 °C) |
| Boiling range | : 96 - 100 °C |
| Flash point | : > 100 °C
negligible |
| Upper explosion limit / Upper flammability limit | : Not applicable |
| Lower explosion limit / Lower flammability limit | : Not applicable |
| Vapor pressure | : Not applicable |
| Density | : approx. 0,96 - 1,00 g/cm ³ (20 °C) |
| Bulk density | : Not applicable |
| Solubility(ies)
Water solubility | : insoluble |
| Autoignition temperature | : No data available |

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	not fire-propagating
Self-heating substances	:	It is not a substance capable of spontaneous heating.
Metal corrosion rate	:	No corrosive effect on metal.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reactions	:	The product is stable if stored and handled as prescribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Oxidizing agents strong alkalies Acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if swallowed or in contact with skin.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

Respiratory sensitization

Not classified based on available information.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : Health injuries are not known or expected under normal use.
The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : The local regulations on waste-water treatment must be followed.

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

mation

lowed.

The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- | | | |
|------------------------|---|---|
| Waste from residues | : | Observe national and local legal requirements.
Residues should be disposed of in the same manner as the substance/product. |
| Contaminated packaging | : | Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.
Packs that cannot be cleaned should be disposed of in the same manner as the contents. |

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

- | | | |
|--|---|-------------------|
| UN/ID No. | : | UN 2289 |
| Proper shipping name | : | Isophoronediamine |
| Class | : | 8 |
| Packing group | : | III |
| Labels | : | Corrosives |
| Packing instruction (cargo aircraft) | : | 856 |
| Packing instruction (passenger aircraft) | : | 852 |

IMDG-Code

- | | | |
|----------------------|---|-------------------|
| UN number | : | UN 2289 |
| Proper shipping name | : | ISOPHORONEDIAMINE |
| Class | : | 8 |
| Packing group | : | III |
| Labels | : | 8 |
| EmS Code | : | F-A, S-B |
| Marine pollutant | : | no |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ASIA_ROAD**

- | | | |
|----------------------|---|-------------------|
| UN number | : | UN 2289 |
| Proper shipping name | : | ISOPHORONEDIAMINE |
| Class | : | 8 |
| Packing group | : | III |
| Labels | : | 8 |
| Hazchem Code | : | 2X |

MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

The ingredients of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 25.01.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



MasterFlux ER 628 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2023	000000340436	Date of first issue: 25.01.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN