

# MB-Kure

Making the Difference to Concrete Performance and Durability

### Master Builders Solutions



We provide value-added technology and market-leading R&D capabilities to improve the performance of construction materials and to enable the reduction of CO<sub>2</sub> emissions in the production of concrete. The comprehensive portfolio under the Master Builders Solutions brand encompasses concrete admixtures, cement additives, and solutions for underground



## MB-Kure

# Comprehensive Solutions for all Areas of the Concrete Industry

#### **Benefits**

The Master Builders Solutions experts have developed an innovative range of curing compounds for all segments of the concrete industry.

- Innovative products including waterbased emulsions, pigmented curing compounds with high solar reflectance and solvent-dissolved products for immediate membrane formation in order to ensure maximum durability of the concrete.
- Superior expertise based on long-term know-how in the combined application of concrete admixtures and curing compounds.
- Value added service for specification development and optimization of concrete mix design.



#### **Environment**

The best concrete design is worthless if the surface is not dense, durable and crack-free. The surface of freshly placed concrete is its weakest point and needs to be protected to achieve its full quality potential. This is especially important for modern, high performance concrete with low water/cement ratios.

To this end, Master Builders Solutions offers a comprehensive range of high-grade curing compounds. Liquid membrane-forming curing compounds for the construction industry have many advantages over traditional curing procedures such as plastic sheets or water spray. Their requirements differ depending on climatic conditions and the regulations of the country in which they are used. Furthermore, each market segment demands that curing compounds demonstrate different features depending on the needs of the application.

Early age cracks by drying shrinkage



#### Requirements

Our MB-Kure range meets all the different requirements of the market. The key feature of a curing compound is water retention, and the need for high water retention is shared by all users of curing compounds. Additional requirements need to be met for different applications, depending on the market segment.

A contractor needs good adhesion on vertical surfaces and expects a curing compound to be able to act as a primer system for subsequent surface finishes. The flooring market requires an easily removable curing film in order to obtain a high substrate bond for subsequent coatings. On road construction sites, the reduction of temperature increases in concrete exposed to intense sunlight is an important demand.

#### **Technologies**

The Master Builders Solutions experts offer a comprehensive range of curing compounds. An evaporation reducer is recommended to ensure full hydration during the first few hours and to facilitate trowelling. Low emission curing compounds based on aqueous wax emulsions are extremely efficient, environmentally friendly and economical in use. White pigmented curing compounds serve the additional purpose of reducing temperature increases in concrete exposed to radiation from the sun. For high efficiency combined with early application and fast membrane formation, a product based on polymer resins dissolved in organic solvent offers the ideal solution.



MB-Kure selection matrix					
	MB-Kure 111 WB	MB-Kure 114 SB	MB-Kure 216 WB	MB-Kure 220 WB	MB-Kure 270 WB
Application on					
Fresh concrete	•	•			
Matt dry concrete 1)		•	•	•	•
Newly hardened / demoulded concrete		•	•	•	
Water retention					
Excellent		•	•		•
Good	•			•	
Membrane forming					
Fast	•	•			
Standard			•	•	•
Key advantages					
Improved surface quality		•	•	•	•
Subsequent surface finishes 2)		•		•	
Reduced temperature rise in concrete					•
Evaporation reducer / trowelling aid	•				
Removable by					
Shotblasting		•		•	
Pressure washing			•		•
Standards & Regulations					
ASTM C 309-03 (US)		•			
AFNOR NF P 18-370 (FR)		•			
TL NBM-StB 09 (DE)			•		•
SILKO-directions (FIN)			•		
Description					
Polymer resin dispersion		•		•	
Paraffin wax emulsion			•		•
Surfactant	•				
White pigmented					•
Waterbased	•		•	•	• )

- Ensure that no free water is present and that the initial surface sheen has disappeared from the concrete surface.
- 2) Bond is maintained with tile adhesives, paint systems and cementitious systems.



# Master Builders Solutions for the Construction Industry

#### MB-Air

Complete solutions for air entrained concrete

#### **MB-Cast**

Solutions for the manufactured concrete product industry

#### **MB-Ease**

Low viscosity for high performance concrete

#### MB-Fin

Solutions for formwork treatment and surface improvement

#### MB-Fib

Comprehensive solutions for fiber reinforced concrete

#### MB-Glen

Solutions for high performance concrete

#### **MB-Life**

Solutions for enhanced durability

#### **MB-Mat**

Advanced rheology control for concrete

#### MB-Pel

Solutions for hydrophobization, anti-efflorescence and surface protection

#### **MB-Poly**

Solutions for mid-range concrete

#### **MB-Pozz**

Solutions for water-reduced concrete

#### **MB-Build**

Solutions for high strength concrete

#### **MB-UGC**

Solutions for underground construction and surface improvement

#### **MB-Set**

Solutions for set control

#### MB-Sur

Solutions for extraordinary workability retention

#### **MB-Seed**

Advanced accelerator solutions for concrete

## Quantified sustainable benefits. Advanced chemistry by Master Builders Solutions®.

Let the numbers do the talking: We have portrayed some of our most eco-efficient product solutions for concrete and precast production, construction, civil engineering, and flooring.

sustainability.master-builders-solutions.com



#### **MBT Construction Chemicals India Private Limited**

806, A wing, Centrum Business Square, Plot D1, Wagle Industrial Estate, Thane (W), Maharashtra 400604, India info@mbt-cc.com www.master-builders-solutions.com

The data contained in this publication are based on our current knowledge and experience. They do not constitute the agreed contractual quality of the product and, in view of the many factors that may affect processing and application of our products, do not relieve processors from carrying out their own investigations and tests. The agreed contractual quality of the product at the time of transfer of risk is based solely on the data in the specification data sheet. Any descriptions, drawings, photographs, data, proportions, weights, etc. given in this publication may change without prior information. It is the responsibility of the recipient of our product to ensure that any proprietary rights and existing laws and legislation are observed (12/2023).

• registered trademark of Master Builders Solutions in many countries of the world

