



NEUROBION[®]
Nerve Pain Relief Cream

DO YOU HAVE NERVE PAIN SYMPTOMS?

NEW NEUROBION[®]
Nerve Pain Relief Cream*



SYMPTOMATIC RELIEF FROM NERVE* RELATED



1

Pain



2

Burning Sensation



3

Tingling

PATIENT INFORMATION LEAFLET

Please read the enclosed leaflet carefully before use.

1. NAME OF MEDICINAL PRODUCT

NEUROBION NERVE PAIN RELIEF CREAM
(Ayurvedic Proprietary Medicine)

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Pudina (*Mentha arvensis*) Ar. Part. Satva*.....1.7% w/w
Karpura (*Pinus roxburghii*) Bk. Exd. /Satva*.....5% w/w
Tailaparna (*Eucalyptus globulus*) Lf. Ol*.....1.0% w/w
Katuveera (*Capsicum annuum*) Fr. Satva/ crystal
[Standardized Capsicum Alc. Ext.
[**(contains Capsaicin)**].....0.075% w/w
Base.....q.s.
Ref: ~Bh. P./BNR, ~Bh. P./API, ~API.

Preservatives : Sodium Benzoate I.P. & Potassium Sorbate I.P.

Base Excipients - Polysorbate 20, Sorbitan oleate, Carbomers (Carbopol 980 NF), Tocopheryl Acetate, Disodium Edetate, Sodium Hydroxide, Purified Water

3. PHARMACEUTICAL FORM

Topical cream

4. CLINICAL PARTICULARS

4.1 Mechanism Of Action-

Capsaicin works by decreasing the amount of nerve pain signals produced from the area where you are experiencing pain.

4.2 After Application Effects

Capsaicin, when applied to the skin, creates a warming or mild burning sensation by activating specific nerve pain receptors that usually respond to heat and pain. This temporary sensation of warmth, or mild burning, signals to your brain,

4.3 Posology and method of administration

Adults (18+ years): Using the roll-on applicator, apply 5 to 7 circular strokes using light pressure to evenly distribute the product onto the affected hands or feet until it is no longer visible. Apply up to 4 times a day leaving at least 4 to 6 hours between applications. Do not use for more than 8 weeks or as directed by your doctor. Consult your doctor immediately if symptoms persist after 8 weeks of use. For external use only. Do not use in children under the age of 18 years. Use only as directed. Do not exceed the recommended dose.

4.4 Do not use if you have the following:

- Hypersensitivity to the active ingredients or to any of the excipients
- Do not use on wounds or on irritated/damaged skin
- Not suitable for use in children under the age of 18 years

4.5 Special warnings and precautions for use

- Apply only to areas of nerve pain/ symptoms (Shooting, Pricking, Tingling, Numbness, Pins and Needles) on the hands and feet only.
- Keep out of the reach and sight of children.
- Consult a doctor if symptoms persist or worsen.
- Do not use this medicine with a tight bandage.
- Do not apply with additional external heat, such as electric heating pad, as this may result in excessive skin irritation or skin burn.
- Avoid contact with eyes, nose, mouth, or mucous membranes. In case this happens, rinse thoroughly with water.
- Consult your doctor if you accidentally swallow the medicine.
- Avoid inhaling the vapour of the cream. This can lead to coughing and sneezing caused by over-application and drying of the product on the skin and then nasal inhalation of the capsaicin dust from the application site. This can exacerbate asthma and induce shortness of breath or breathlessness.

- Avoid taking a bath or shower within 1 hour before or after you apply capsaicin to your skin.
- Avoid swimming or vigorous exercise. Warm water or perspiration can increase the burning sensation caused by capsaicin.
- FOR EXTERNAL USE ONLY.

4.6 Interaction with other medicinal products and other forms of interaction

- The medicine should not be used at the same time as other topical medicines applied at the same site, e.g., other heat products or pain-relieving gels.

4.7 Fertility, pregnancy and lactation

Safety of capsaicin has not been established in pregnant or breastfeeding women. If you are pregnant, breastfeeding, think you may be pregnant or are planning to have a baby, ask the advice of your healthcare professional prior to use to determine if this product is right for you.

4.8 Effects on ability to drive and use machines.

No impairment is to be expected if used as recommended.

4.9 Reporting of side effects

- A transient burning sensation may occur upon application but generally disappears after several days of application.
- Stop use and consult your doctor if you experience: Excessive skin irritation, pain, redness, rashes, burning discomfort, swelling, blistering and/or headache occurs.
- Rare cases of serious burns have been reported with products of this type.

In case you experience any other side effects, not listed in this leaflet, talk to your doctor. You can also report side effects directly (see details below). By reporting side effects you can help provide more information on the safety of this product.

5 Shelf-life : Refer pack

6 Pack Size : 30 gm tube

7 Storage and Handling Information: Store below 30°C and protect from moisture and direct sunlight. Close cap tightly after use. Keep out of reach of children.

8 Manufacturer address : Refer pack of product

Contact number/email/address/website:

Consumer Comments/ Complaints, call CONSUMER RELATIONS on 1800-202- 1364
or write to us at address of manufacturer or
intouch.im@pg.com

INFORMATION COMPILED ON:

June 2024.

*The product is not aimed at, or to be used in curing, treating, mitigating, or preventing any disorders of the nervous system including for nerve pain that may be related to a disease, disorder or condition. In case of continued symptoms of nerve pain, consult your doctor immediately.



Manufactured by:

Procter & Gamble Health Limited,

Registered office:

P&G Plaza, Cardinal Gracias Road,

Chakala, Andheri (East),

Mumbai – 400099, MH, India.