

**Certification  
Issued Under the Authority of the  
Federal Communications Commission**

**By:**

**Compliance Certification Services  
47173 Benicia Street  
Fremont, CA 94538**

**Date of Grant: 12/02/2010  
Application Dated: 12/02/2010**

**Sierra Wireless Inc.  
13811 Wireless Way  
Richmond, BC, V6V 3A4  
Canada**

**Attention: Ying Wang , Staff Regulatory Specialist**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** N7NMC8705  
**Name of Grantee:** Sierra Wireless Inc.  
**Equipment Class:** PCS Licensed Transmitter  
**Notes:** GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA  
/HSPA+Module  
**Modular Type:** Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
BC	22H	824.2 - 848.8	1.585	2.5 PM	300KGXW
BC	22H	824.2 - 848.8	0.537	2.5 PM	300KG7W
BC	24E	1850.2 - 1909.8	0.933	2.5 PM	300KGXW
	24E	1850.2 - 1909.8	0.38	2.5 PM	300KG7W
BC	22H	826.4 - 846.6	0.182	2.5 PM	4M50F9W
BC	24E	1852.4 - 1907.6	0.2	2.5 PM	4M50F9W

Output power listed is conducted. Modular Approval for use as a module in mobile-only RF exposure conditions. Antenna gain including cable loss must not exceed 5 dBi in Cellular Band and 3.3 dBi in PCS band for compliance with power limits and for RF exposure purposes of 2.1091. This device is allowed only for OEM integration into host products. Consumer or end-user installation is not allowed. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons. The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. End-users must be provided with specific information required to satisfy RF exposure compliance for final host devices and installations. Installation of this device into portable RF Exposure category host devices requires the submission of a Class II permissive change or new application. Compliance of this device in all final host configurations is the responsibility of the Grantee. This device contains functions that are not operational in U.S Territories. This filing is only applicable for US operations.

BC: The output power is continuously variable from the value listed in this entry to 5%-10% of the value listed.