



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾/ APPROVAL EXTENDED ⁽¹⁾/
APPROVAL REFUSED ⁽⁴⁾/ APPROVAL WITHDRAWN ⁽⁴⁾/ PRODUCTION DEFINITELY
DISCONTINUED ⁽¹⁾ OF A TYPE OF ELECTRICAL/ ELECTRONIC SUB-ASSEMBLY ⁽¹⁾ WITH
REGARD TO REGULATION NO. 10.04



Approval No: 10R-048981

Extension No: 02

1. Make (trade name of manufacturer): Sierra Wireless Inc.
2. Type and general commercial description(s): AirLink LS300, AirLink GX450, AirLink RV50 – Wireless gateways for connection to cellular networks
3. Means of identification of type, if marked on the vehicle/component/ separate technical unit: ⁽¹⁾
Type name of ESA on self-adhesive label
 - 3.1. Location of that marking: Label on the bottom of the ESA
4. Category of vehicle: Not applicable
5. Name and address of manufacturer:

Sierra Wireless
13811 Wireless Way
Richmond, BC
Canada
V6V3A4
6. In the case of components and separate technical units, location and method of affixing of the ECE approval mark: Self-adhesive label on the bottom of the ESA



7. Address(es) of assembly plant(s):

Flextronics Electronics Technology (Suzhou) Co., Ltd.
No. 268 Suhong Zhong Road, Suzhou Industrial Park
Suzhou City, Jiangsu Province,
P.R. China 215126

8. Additional information (where applicable): See appendix

9. Technical Service responsible for carrying out the tests: UL VS Limited

10. Date of test report: As before and 4 September 2015

11. No. of test report: As before and UL-EMC-RP10921559JD01A

12. Any remarks: Approval to Supplement 2

See Appendix

13. Place: BRISTOL

14. Date: 1 OCTOBER 2015

15. Signature:



D LAWLOR
Head of Technical Standards & Legislation

16. The index to the information package lodged with the Approval Authority, which may be obtained on request, is attached.

17. Reasons for extension: To cover addition of AirLink RV50

(1) Strike out what does not apply.

Appendix

to type-approval communication form No. E11 10R-048981 Extension 02

concerning the type-approval of an electrical/electronic sub-assembly under Regulation No. 10.04

1. Additional information:
 - 1.1. Electrical system rated voltage: 9-36 V for LS300, GX450; 7-36 V for RV50 ~~pos~~/neg ground. ⁽¹⁾
 - 1.2. This ESA can be used on any vehicle type with the following restrictions: None
 - 1.2.1. Installation conditions, if any: Installation and use as per product user manual
 - 1.3. This ESA can be used only on the following vehicle types: Not applicable
 - 1.3.1. Installation conditions, if any: Not applicable
 - 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were: (Please specify precise method used from Annex 9): Not applicable
 - 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests: UL VS Limited, Basingstoke, Hampshire RG23 8BG, United Kingdom
 2. Remarks: None
- (1) Strike out what does not apply.