

FINISHES / NOTES

KEY COMPONENT LEGEND


VARIOUS FINISHES AVAILABLE
ALL SUPPORT BRACKETS PROJECT DEPENDANT
AUSTENITIC STAINLESS STEEL OR G276S POST
GALVANISED STEEL

- A) NORSKREEN® M4 PANEL
- B) ALUMINIUM SUPPORT ANGLE
- C) STAINLESS STEEL SUPPORT BRACKET
- D) HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY
TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREAHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS

DOW CORNING 756 FOR POROUS
SUBSTRATES OR SIMILAR



Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokerhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask

Drawing Title :

PARTIAL ELEVATION

Scale:	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
------	-------------	------

A3 NOR-M4D-E01

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

BO INDICATIVE FINISHES NOT BY TELLING Eg :

JOINT SEALANTS/ BACKING ROD
COMPRIBAND JOINT BACKING
SOLID PACKERS/ ISOLATION PADS
SUBSTRATE FIXINGS
INSULATION
BREATHER MEMBRANE
CEMENT PARTICLE / LINING BOARD
STEEL FRAMING SYSTEM
INTERNAL FINISHES
GLAZING SYSTEMS AND SEALS
CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

APPROVAL

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wolverhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720


Do not scale from this drawing, it's could ask

Drawing Title :
COLUMN TO WINDOW JAMB
DETAIL

Scale:	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
A3	NOR-M4D-D01	

COLUMN TO WINDOW JAMB DETAIL



NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A** NORSKREEN® M4 PANEL
- B** ALUMINIUM SUPPORT ANGLE
- C** STAINLESS STEEL SUPPORT BRACKET
- D** HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg:

JOINT SEALANTS/ BACKING ROD
COMPRIBAND JOINT BACKING
SOLID PACKERS/ ISOLATION PADS
SUBSTRATE FIXINGS
INSULATION
BREATHABLE MEMBRANE
CEMENT PARTICLE / LINING BOARD
STEEL FRAMING SYSTEM
INTERNAL FINISHES
GLAZING SYSTEMS AND SEALS
CLOSURE TRIMS/ FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status:

FOR INFORMATION

Material

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Ashes
Wolverhampton
WV10 7DS

Tel: 01902 797 70
Fax: 01902 797 72


Do not scale from this drawing. If in doubt ask

Drawing Title:

VERTICAL COLUMN JOINT

Scale: 1 : 5	Checked :	Drawn : EJR
	Date :	Date : 17/01/2

A3	NOR-M4D-D02
----	-------------



VERTICAL COLUMN JOINT

NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREATHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokingham
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask

Drawing Title :


COLUMN BASE DETAIL

Scale :	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
------	-------------	------

A3 NOR-M4D-D03

COLUMN BASE DETAIL



NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

BO INDICATIVE FINISHES NOT BY TELLING Eg :

JOINT SEALANTS/ BACKING ROD
COMPRIBAND JOINT BACKING
SOLID PACKERS/ ISOLATION PADS
SUBSTRATE FIXINGS
INSULATION
BREATHER MEMBRANE
CEMENT PARTICLE / LINING BOARD
STEEL FRAMING SYSTEM
INTERNAL FINISHES
GLAZING SYSTEMS AND SEALS
CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokerhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask

Drawing Title :


BEAM TO WINDOW DETAIL

Scale :	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
------	-------------	------

A3 NOR-M4D-D04

BEAM TO WINDOW DETAIL




NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREATHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS



Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material :

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokingham
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask

Drawing Title :

HORIZONTAL BEAM JOINT

Scale :	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
------	-------------	------

A3 NOR-M4D-D05

HORIZONTAL BEAM JOINT

NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREATHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Ashes
Wolverhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask


Drawing Title :

BEAM AND COLUMN DETAIL

Scale:	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
A3	NOR-M4D-D06	

GRC BEAM AND COLUMN DETAIL



NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREATHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokerhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720

Do not scale from this drawing, it's could ask

Drawing Title :


SECONDARY POST TO
WINDOW JAMB DETAIL

Scale :	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
A3	NOR-M4D-D07	

POST TO WINDOW JAMB DETAIL

NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.



KEY COMPONENT LEGEND

- ☐ A NORSKREEN® M4 PANEL
- ☐ B ALUMINIUM SUPPORT ANGLE
- ☐ C STAINLESS STEEL SUPPORT BRACKET
- ☐ D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg:

TELLING Eg

TELLING Eg

JOINT SEALANTS/ BACKING ROD

COMPRIBAND JOINT BACKING

SOLID PACKERS / ISOLATION PADS

SUBSTRATE FIXINGS

INSULATION

BREATHHER MEMBRANE

CEMENT PARTICLE / LINING BOARD

STEEL FRAMING SYSTEM

INTERNAL FINISHES

GLAZING SYSTEMS AND SEALS

CLOSURE TRIMS / FLASHINGS

FOR INFORMATION

Material

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Ashes
Wolverhampton
WV10 7DS

Tel: 01902 797 70
Fax: 01902 797 72


Do not scale from this drawing. If in doubt ask

Drawing Title :
VERTICAL SECONDARY
POST JOINT

Scale: 1 : 5	Checked :	Drawn :
	Date :	Date :

Size	Drawing No.
------	-------------

A3 NOR-M4D-D08



VERTICAL POST JOINT

NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

BO INDICATIVE FINISHES NOT BY TELLING Eg :

JOINT SEALANTS/ BACKING ROD
COMPRIBAND JOINT BACKING
SOLID PACKERS/ ISOLATION PADS
SUBSTRATE FIXINGS
INSULATION
BREATHER MEMBRANE
CEMENT PARTICLE / LINING BOARD
STEEL FRAMING SYSTEM
INTERNAL FINISHES
GLAZING SYSTEMS AND SEALS
CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wokerhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720


Do not scale from this drawing, it's could ask

Drawing Title :
SECONDARY POST BASE
DETAIL

Scale :	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
A3	NOR-M4D-D09	

COLUMN BASE DETAIL



NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.

KEY COMPONENT LEGEND

- A NORSKREEN® M4 PANEL
- B ALUMINIUM SUPPORT ANGLE
- C STAINLESS STEEL SUPPORT BRACKET
- D HORIZONTAL JOINT BRACKET

INDICATIVE FINISHES NOT BY TELLING Eg :

- JOINT SEALANTS/ BACKING ROD
- COMPRIBAND JOINT BACKING
- SOLID PACKERS/ ISOLATION PADS
- SUBSTRATE FIXINGS
- INSULATION
- BREATHER MEMBRANE
- CEMENT PARTICLE / LINING BOARD
- STEEL FRAMING SYSTEM
- INTERNAL FINISHES
- GLAZING SYSTEMS AND SEALS
- CLOSURE TRIMS / FLASHINGS

Rev.	Date	By	Comments
------	------	----	----------

Drawing Status :

FOR INFORMATION

Material:

NORSKREEN® M4
D SERIES - TYPICAL
COLUMN, POST AND BEAM
ARRANGEMENT



Ibstock Telling GRC Ltd
Unit 4E
Station Road
Four Aeries
Wolverhampton
WV10 7DS
Tel : 01902 797 700
Fax : 01902 797 720


Do not scale from this drawing, it's could ask

Drawing Title :

BEAM AND SECONDARY
COLUMN DETAIL

Scale:	Checked :	Drawn : EJR
1 : 5	Date :	Date : 17/01/20

Size	Drawing No.	Rev.
A3	NOR-M4D-D10	



GRC BEAM AND POST DETAIL

NOTE:
THESE STANDARD DETAILS DO NOT
INCORPORATE FIRE BARRIER
REQUIREMENTS AROUND WINDOW
OPENINGS AND FLOOR SLABS.
THESE INTERFACING
REQUIREMENTS MUST BE
REVIEWED WITH THE LOCAL FIRE
INSPECTOR BEFORE FINALISATION
OF DETAILS.