



DESIGN & SPECIFICATION CONSIDERATIONS

BRICKWORK DIMENSIONS TABLE – STANDARD BRICK

Brickwork dimensions should be used whenever possible at the design stage to minimise the need for cut bricks.

Tables 1 and 2 give dimensions for vertical and horizontal brickwork courses, based on the British Standard Co-ordinating size of 225mm x 112.5 x 75mm, which includes 10mm joints (this size being determined by the term CO). Table 1 and 3 should be used for 73mm bricks.

TABLE 1 - HORIZONTAL BRICKWORK DIMENSIONS - 215MM BRICKS

Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint	Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint	Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint	
	½	122.5	112.5	102.5								
1		235	225	215	23	5072.5	5062.5	5052.5	45	10022.5	10012.5	10002.5
	1½	347.5	337.5	327.5	24	5185	5175	5165	46	10135	10125	10115
2		460	450	440	25	5297.5	5287.5	5277.5	47	10247.5	10237.5	10227.5
	2½	572.5	562.5	552.5	26	5410	5400	5390	48	10360	10350	10340
3		685	675	665	27	5522.5	5512.5	5502.5	49	10472.5	10462.5	10452.5
	3½	797.5	787.5	777.5	28	5635	5625	5615	50	10585	10575	10565
4		910	900	890	29	5747.5	5737.5	5727.5	51	10697.5	10687.5	10677.5
	4½	1022.5	1012.5	1002.5	30	5860	5850	5840	52	10810	10800	10790
5		1135	1125	1115	31	5972.5	5962.5	5952.5	53	10922.5	10912.5	10902.5
	5½	1247.5	1237.5	1227.5	32	6085	6075	6065	54	11035	11025	11015
6		1360	1350	1340	33	6197.5	6187.5	6177.5	55	11147.5	11137.5	11127.5
	6½	1472.5	1462.5	1452.5	34	6310	6300	6290	56	11260	11250	11240
7		1585	1575	1565	35	6422.5	6412.5	6402.5	57	11372.5	11362.5	11352.5
	7½	1697.5	1687.5	1677.5	36	6535	6525	6515	58	11485	11475	11465
8		1810	1800	1790	37	6647.5	6637.5	6627.5	59	11597.5	11587.5	11577.5
	8½	1922.5	1912.5	1902.5	38	6760	6750	6740	60	11710	11700	11690
9		2035	2025	2015	39	6872.5	6862.5	6852.5	61	11822.5	11812.5	11802.5
	9½	2147.5	2137.5	2127.5	40	6985	6975	6965	62	11935	11925	11915
10		2260	2250	2240	41	7097.5	7087.5	7077.5	63	12047.5	12037.5	12027.5
	10½	2372.5	2362.5	2352.5	42	7210	7200	7190	64	12160	12150	12140
11		2485	2475	2465	43	7322.5	7312.5	7302.5	65	12272.5	12262.5	12252.5
	11½	2597.5	2587.5	2577.5	44	7435	7425	7415	66	12385	12375	12365
12		2710	2700	2690	45	7547.5	7537.5	7527.5		12497.5	12487.5	12477.5
	12½	2822.5	2812.5	2802.5	46	7660	7650	7640		12610	12600	12590
13		2935	2925	2915	47	7772.5	7762.5	7752.5		12722.5	12712.5	12702.5
	13½	3047.5	3037.5	3027.5	48	7885	7875	7865		12835	12825	12815
14		3160	3150	3140	49	7997.5	7987.5	7977.5		12947.5	12937.5	12927.5
	14½	3272.5	3262.5	3252.5	50	8110	8100	8090		13060	13050	13040
15		3385	3375	3365	51	8222.5	8212.5	8202.5		13172.5	13162.5	13152.5
	15½	3497.5	3487.5	3477.5	52	8335	8325	8315		13285	13275	13265
16		3610	3600	3590	53	8447.5	8437.5	8427.5		13397.5	13387.5	13377.5
	16½	3722.5	3712.5	3702.5	54	8560	8550	8540		13510	13500	13490
17		3835	3825	3815	55	8672.5	8662.5	8652.5		13622.5	13612.5	13602.5
	17½	3947.5	3937.5	3927.5	56	8785	8775	8765		13735	13725	13715
18		4060	4050	4040	57	8897.5	8887.5	8877.5		13847.5	13837.5	13827.5
	18½	4172.5	4162.5	4152.5	58	9010	9000	8990		13960	13950	13940
19		4285	4275	4265	59	9122.5	9112.5	9102.5		14072.5	14062.5	14052.5
	19½	4397.5	4387.5	4377.5	60	9235	9225	9215		14185	14175	14165
20		4510	4500	4490	61	9347.5	9337.5	9327.5		14297.5	14287.5	14277.5
	20½	4622.5	4612.5	4602.5	62	9460	9450	9440		14410	14400	14390
21		4735	4725	4715	63	9572.5	9562.5	9552.5		14522.5	14512.5	14502.5
	21½	4847.5	4837.5	4827.5	64	9685	9675	9665		14635	14625	14615
22		4960	4950	4940	65	9797.5	9787.5	9777.5		14747.5	14737.5	14727.5
					66	9910	9900	9890		14860	14850	14840



DESIGN & SPECIFICATION CONSIDERATIONS

BRICKWORK DIMENSIONS TABLE – STANDARD BRICK

TABLE 1 - HORIZONTAL BRICKWORK DIMENSIONS - 215MM BRICKS (Continued)

Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint	Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint	Number of Bricks	CO + Joint	CO (Co-ordinating Size)	CO - Joint
66½	14972.5	14962.5	14952.5	78	17560	17550	17540	89½	20147.5	20137.5	20127.5
67	15085	15075	15065	78½	17672.5	17662.5	17652.5	90	20260	20250	20240
67½	15197.5	15187.5	15177.5	79	17785	17775	17765	90½	20372.5	20362.5	20352.5
68	15310	15300	15290	79½	17897.5	17887.5	17877.5	91	20485	20475	20465
68½	15422.5	15412.5	15402.5	80	18010	18000	17990	91½	20597.5	20587.5	20577.5
69	15535	15525	15515	80½	18122.5	18112.5	18102.5	92	20710	20700	20690
69½	15647.5	15637.5	15627.5	81	18235	18225	18215	92½	20822.5	20812.5	20802.5
70	15760	15750	15740	81½	18347.5	18337.5	18327.5	93	20935	20925	20915
70½	15872.5	15862.5	15852.5	82	18460	18450	18440	93½	21047.5	21037.5	21027.5
71	15985	15975	15965	82½	18572.5	18562.5	18552.5	94	21160	21150	21140
71½	16097.5	16087.5	16077.5	83	18685	18675	18665	94½	21272.5	21262.5	21252.5
72	16210	16200	16190	83½	18797.5	18787.5	18777.5	95	21385	21375	21365
72½	16322.5	16312.5	16302.5	84	18910	18900	18890	95½	21497.5	21487.5	21477.5
73	16435	16425	16415	84½	19022.5	19012.5	19002.5	96	21610	21600	21590
73½	16547.5	16537.5	16527.5	85	19135	19125	19115	96½	21722.5	21712.5	21702.5
74	16660	16650	16640	85½	19247.5	19237.5	19227.5	97	21835	21825	21815
74½	16772.5	16762.5	16752.5	86	19360	19350	19340	97½	21947.5	21937.5	21927.5
75	16885	16875	16865	86½	19472.5	19462.5	19452.5	98	22060	22050	22040
75½	16997.5	16987.5	16977.5	87	19585	19575	19565	98½	22172.5	22162.5	22152.5
76	17110	17100	17090	87½	19697.5	19687.5	19677.5	99	22285	22275	22265
76½	17222.5	17212.5	17202.5	88	19810	19800	19790	99½	22397.5	22387.5	22377.5
77	17335	17325	17315	88½	19922.5	19912.5	19902.5	100	22510	22500	22490
77½	17447.5	17437.5	17427.5	89	20035	20025	20015				

TABLE 2 - VERTICAL BRICKWORK COURSES DIMENSIONS TABLE

using 65mm bricks and 10mm mortar joints

Course & Joint	Course & Joint	Course & Joint			
1	75	18	1350	35	2625
2	150	19	1425	36	2700
3	225	20	1500	37	2775
4	300	21	1575	38	2850
5	375	22	1650	39	2925
6	450	23	1725	40	3000
7	525	24	1800	41	3075
8	600	25	1875	42	3150
9	675	26	1950	43	3225
10	750	27	2025	44	3300
11	825	28	2100	45	3375
12	900	29	2175	46	3450
13	975	30	2250	47	3525
14	1050	31	2325	48	3600
15	1125	32	2400	49	3675
16	1200	33	2475	50	3750
17	1275	34	2550		

TABLE 3 - VERTICAL BRICKWORK COURSES DIMENSIONS TABLE

using 73mm bricks and 10mm mortar joints


Course & Joint	Course & Joint	Course & Joint			
1	83	18	1494	35	2905
2	166	19	1577	36	2988
3	249	20	1660	37	3071
4	332	21	1743	38	3154
5	415	22	1826	39	3237
6	498	23	1909	40	3320
7	581	24	1992	41	3403
8	664	25	2075	42	3486
9	747	26	2158	43	3569
10	830	27	2241	44	3652
11	913	28	2324	45	3735
12	996	29	2407	46	3818
13	1079	30	2490	47	3901
14	1162	31	2573	48	3984
15	1245	32	2656	49	4067
16	1328	33	2739	50	4150
17	1411	34	2822		

DESIGN & SPECIFICATION CONSIDERATIONS

BRICKWORK DIMENSIONS TABLE – STANDARD BRICK

All brickwork dimensions are then determined by one of 3 conditions.

- | | | |
|---------------------|-----|--|
| 1. Brick + 2 joints | CO+ | e.g. door and window openings |
| 2. Brick + 1 joint | CO | brick panel with opposite return end |
| 3. Brick only | CO- | brick piers or panels between openings |



Although the instructions contained in this publication and any other information published by Ibstock Brick Ltd are believed to be accurate at the date of publication, they are strictly for guidance only and Ibstock Brick Ltd accepts no liability in relation to their use or for any losses, howsoever caused. You are responsible for taking all reasonable steps to ensure your use of the product conforms to all applicable health and safety requirements from time to time. If in doubt, please consult appropriately qualified persons. All products sold by Ibstock are sold subject to Ibstock's Terms and Conditions of Sale, a copy of which is available on request.