



## Prime Polymeric High Tack Removable

### Features

Prime Polymeric High Tack Removable is a 90 micron polymeric vinyl, printable with a broad range of printing methods: (eco)solvent, UV and latex inks.

This product boasts a very high performance acrylic adhesive which allows removing the film for up to 6 months whilst maintaining the ability to stick for longer periods of time. This makes it an ideal solution for temporary floor signs and decals, or point of purchase advertising on walls and counter tops. Prime Polymeric High Tack Removable will also stick to carpets with a low pile and tight pattern.

### Technical & Performance Information

|                                    |   |
|------------------------------------|---|
| Film Thickness                     | 90 micron                                       |
| Adhesive Thickness                 | 25 micron                                       |
| Total Thickness                    | 115 micron                                      |
| Adhesive Type                      | High Tack Removable Clear Solvent based Acrylic |
| Release Liner                      | 140 double-sided PE coated lay-flat liner       |
| Artificial Weathering*             | 5 years   |
| Adhesion to steel (20 mins / 180°) | 17 N/25mm                                       |
| Adhesion to steel (24 hrs / 180°)  | 20 N/25mm                                       |
| Dimensional Stability              | Excellent                                       |
| Application Temperature            | + 5 to +25 °C                                   |
| Service Temperature                | - 40 to +95 °C                                  |

\* equivalent to vertical exposure in Mid-European climate

### Certifications

Fire certification B1