

Price List

Architectural Hardware

Canada | PL35 | August 2026



What's New

Architectural Hardware

- p. 15, 16, 17, 18 Change M1041 to M1040
- p. 15, 16, 17, 18 Change M043 to M1042
- p. 15, 16, 17, 18 Change M1047 to M1046
- p. 19, 25, 36, 43, 48, 54, 58, 62, 64, 65, 67, 72, 74, 90, 92, 94, 96, 104, 106, 108, 110, 112, 116, 118, 120, 122, 130, 134, 138, 140, 146, 147, 148, 150, 152, 168 Change KA2 to KA
- p. 19, 25, 36, 43, 48, 54, 58, 62, 64, 65, 67, 72, 74, 90, 92, 94, 96, 104, 106, 108, 110, 112, 116, 118, 120, 122, 130, 134, 138, 140, 146, 147, 148, 150, 152, 168 Delete NSK, NS2, MK2, SKD & CM2
- p. 53, 54 Added 622 finish to C500
- p. 61, 62 Added 622 finish to C300
- p. 80 Add DB100 Tailpieces
- p. 84 Remove 76010077 SKC code card for HPC1200/Ilco Universal code machines
- p. 84 Add 90 Series Conventional Mortise Cylinder Extension Kit
- p. 176 Add ED20LE EasyAssist Low Energy Operator
- p. 184, 185, 186, 190, 191, 192, 194, 195: Remove AF89J, ARNPJ, ARJ, ISH, SISH, ISJ, ISJH, SISJ, SISJH, JTH, FTH, TDEH, & FHJ
- Remove 7300 Series

Page blank intentionally

Table of Contents

Introduction	Terms of Sale	6
Locks	Locks Product Guide	10
	M1000 Grade 1 Mortise Series	12
	MD100 Grade 1 Mortise Dead Bolt Series	24
	T900 Tubular Series	27
	C100 Grade 1 Cylindrical Series	33
	DB100 Grade 1 Dead Bolt Series	41
	C200 Grade 2 Cylindrical Series	46
	C500 Grade 2 Cylindrical Series	53
	DB600 Grade 2 Dead Bolt Series	57
	C300 Grade 2 Cylindrical Series	61
	J300 Grade 2 Interconnected Series	63
Cylinders, Keys, and Keying	Cylinders, Keys, and Keying Product Guide	65
	Master Keying/SKC Policy	66
	Conventional Non-IC Mortise Cylinders	67
	Small & Large Format Interchangeable Cores	68
	Retrofit Cylinder Housings	79
	Tailpieces	81
	Keys and Key Blanks	81
	SFIC Padlocks	83
	Service Parts	84
	Labeling and Cylinder Marking	86
Exit Devices	Exit Devices Guide	87
	9000 Series	89
	9100 Series Wide Stile Concealed Vertical Rod Exit Device	90
	9300 Series Wide Stile Rim Exit Device	92
	9400 Series Wide Stile Surface Vertical Rod Exit Device	94
	9500 Series Wide Stile Mortise Exit Device	96
	9000 Series Exit Trims	101
	9000 Series Exit Trim Options, Cylinders & Mullions	114
	9600 Series Narrow Stile Concealed Vertical Rod Exit Device	118
	9700 Series Narrow Stile Rim Exit Device	120
	9800 Series Narrow Stile Surface Vertical Rod Exit Device	122
	9000 Series Narrow Stile Options and Accessories	124
	9000 Series Narrow Stile Exit Trims	127
	9000 Series Narrow Stile Exit Trim Options, Cylinders & Mullions	133
	8000 Series	137
	8300 Series Rim Exit Device	138
	8400 Series Surface Vertical Rod Exit Device	140
	8000 Series Options and Accessories	142
	8000 Series Exit Trims	144
	8000 Series Exit Trim Options, Cylinders & Mullions	151

Electronic Access Control Components	DKPS Power Supply Series	154
	AC Series	159
	PB Series	160
	39 Series	164
	KS Series	166
	Accessories	169
Low Energy Operators	ED900 Series	172
	ED20LE EasyAssist	176
	ED50/ED100	177
Surface Closers	Surface Closers Product Guide	179
	TS93 Series	181
	8900 Series	184
	8600 Series	190
	7400 Series	194
	STA Series	198
	GSR Series	200
	Closer Bodies	202
Fire/Life Safety	Fire/Life Safety Product Guide	204
	EMR/EMF Series	206
	1800 Series	210
	EM Series	214
Concealed Closers/Pivots	Concealed Door Closers Product Guide	216
	BTS80 Series	218
	BTS80 EMB Series	224
	BTS75V Series	230
	ITS96 Series	236
	RTS88 Series	238
	LM Series Heavy-Duty Pivots	244
	LM Series Extra Heavy-Duty Pivots	248
Stops/Holders	900/700 Series	252
Architectural Pulls and Handles	Finishes Cross Reference	256
	TG138 Locking and Non-Locking Ladder Pulls	257
	TG9387 Non-Locking Ladder Pulls	260
	MANET Non-Locking Ladder Pulls	263
	TG Decorative Pulls	266
	ARCOS Decorative Pulls	267
	Pull Handles for Commercial Doors	268

General information

Terms and conditions of sale

1. Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgement form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book.

3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.
- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall

not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

DISCLAIMER OF FURTHER WARRANTIES. EXCEPT AS SET FORTH ABOVE, THERE IS NO WARRANTY, REPRESENTATION, OR CONDITION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE PRODUCTS FOR ANY USE CONTEMPLATED BY BUYER) CONCERNING

SELLER'S PRODUCTS OR SERVICES AND NONE SHALL BE IMPLIED BY LAW.

5. LIMITATION OF LIABILITY AND REMEDIES. SELLER SHALL NOT BE LIABLE, AND BUYER WAIVES ALL CLAIMS AGAINST SELLER FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES AND PROFITS EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION UNDER THESE TERMS AND CONDITIONS IS A CLAIM FOR DAMAGES AND IN NO EVENT WILL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST SELLER EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCTS OR SERVICES AS TO WHICH THE CLAIM IS MADE. SELLER WILL NOT BE LIABLE TO BUYER FOR ANY LOSS, DAMAGE, OR INJURY TO PERSONS OR PROPERTY RESULTING FROM THE HANDLING, STORAGE, TRANSPORTATION, RESALE, OR USE OF THE PRODUCTS IN MANUFACTURING PROCESSES, OR IN COMBINATION WITH OTHER SUBSTANCES, OR OTHERWISE.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual

General information

Terms and conditions of sale

property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, Seller will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of

their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was

General information

Terms and conditions of sale

in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

22. Installation Projects. Communication: Buyer shall communicate all of these installation terms to any end-user receiving installation services from dormakaba. Work Execution: Any installation quote is prepared with the understanding that openings within the scope of work ("Work") have doors and frames in good working order. dormakaba will perform the Work in the order set forth in a field survey conducted by an end-user, an end-user consultant, or Buyer prior to beginning the installation. Work shall occur weekdays during normal business hours (M-F, 8am – 5pm, local time). Work performed outside of normal business hours is available at a rate of 135% of the normal base rate. Any Work requested to be performed outside of normal business hours will require start and stop time confirmation with installation site, such start and stop time to be obtained by the Buyer or the end-user. Installation Projects are performed as one continuous installation event, from commencement until the completion of the installation. Unless specifically noted otherwise in writing, there will be additional charges for delays or additional trips not caused by dormakaba. Commencement of installation is conditioned on acceptable site conditions, including the completion of dependent scopes of work (e.g., electrical work, keying meetings, distribution of credentials). When Buyer or end-user has given authorization for work to begin, Buyer or end-user shall ensure no other scopes may impede dormakaba's ability to complete installation in agreed upon area. dormakaba reserves the right to assess a fee for costs incurred due to unacceptable site conditions or delays by others resulting in additional installation visits. Union labor, prevailing wage, and certified payroll are excluded from the installation quote unless otherwise set forth in writing. Insurance certificates will be provided upon request. Coverage is limited to the types and amounts set forth on the insurance certificate. Includes execution of materials only as detailed within proposal. Additional Charges: Additional charges may be assessed for delays or additional install time to correct any deficiencies or discrepancies between scope

of work and actual jobsite. Any dormakaba materials delivered to Buyer but missing from installation site will be reordered at customer's expense. Any hardware changes or change orders shall be quoted on a separate proposal and timeline. Storage: dormakaba reserves the right to assess a storage fee if Buyer or end-user causes delivery to be delayed after the agreed upon delivery date. Should project timeline require storage of materials after delivery to Buyer or end-user, through no act or omission of dormakaba, dormakaba reserves the right to assess a storage fee, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Exclusions: Unless explicitly included in the installation quote, these are excluded: Distribution to staff of any form of keys, fobs or cards or credentials; any temporary security, barricades, or signage; all carpentry work outside of this specification including drywall, paint, framing, patching of existing holes, etc.; union labor, prevailing wage & certified payroll unless noted otherwise; permits are the responsibility of the end-user; Any special consideration for asbestos and lead paint hazards; any bonds; any NFPA or other certification of tolerances or rating concerning product, door, and frame configuration; disposal of material and packaging; damage from negligence, vandalism or Force Majeure; cleaning of site beyond broom clean; cost for special insurance requirements; consumable materials (e.g., batteries); any electrical work including 120v connections and low voltage wiring pulls; and other similar categories of labor and materials not included in the installation quote.

23. ay dormakaba will provide one (1) year warranty on materials to be free from manufacturer defects and on installation labor performed. Extended warranties are available for an additional cost. dormakaba is not responsible for defects or damages caused by wear and tear, consumable materials (e.g., batteries), vandalism, fires, storms, floods, acts of God, misuse, abuse, or alteration on by any company other than dormakaba. No credit will be provided for any work completed by others during warranty term. dormakaba reserves the right to withhold the performance of warranty work if Buyer payments have become past due. Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable. In the event that Buyer, its agents, employees, successors, and/or assigns tampers with, misuses, removes any parts, or adds any parts or equipment, Buyer agrees to indemnify, save and hold harmless dormakaba, its agents, employees, successors, and/or assigns, from any and all liability, damages, or losses, including reasonable attorney's fees, arising out of, or incidental to, the aforementioned conduct. dormakaba warrants that all goods manufactured by dormakaba and all services provided by dormakaba hereunder will be free from defects in workmanship and materials for twelve (12) months from the date of final project invoice to the carrier, unless sold as "With All Faults", "Shop", "As Is", "As They Stand" or other similar designation. Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

General information

Finishes Cross Reference

Finish Description	Finish Appearance	dormakaba/BHMA Code	Nearest U.S. Equivalent
Brass	Bright	605	US3
	Satin	606	US4
Bronze	Polished	611	US9
	Satin	612	US10
	Oil Rubbed/Dark Satin	613	US10B
Nickel	Bright	618	US14
	Satin	619	US15
Chrome	Bright	625	US26
	Satin	626	US26D
Stainless	Bright	629	US32
	Satin	630	US32D
Aluminum	Satin Anodized	628	US28
Dark Oxidized Bronze	Satin Anodized	710	US10B
Flat Black	Anodized	711	US19
Aluminum	Painted or Powder Coated	689	US28
Dark (Statuary) Bronze	Painted or Powder Coated	690	US20
Light (Dull) Bronze	Painted or Powder Coated	691	US10
Black	Painted or Powder Coated	693	Black Anodized
Dark (Duronodic) Bronze	Painted or Powder Coated	695	Dark Bronze Anodized
Satin Brass (Gold)	Painted or Powder Coated	696	US4
Primed	Painted or Powder Coated	600	USP
Custom	Painted or Powder Coated	Custom	RAL Pallet
Designer	Painted	Designer	Sample Match

* Excluding Mechanical Locks, Architectural Pulls & Handles. See appropriate product section for available finishes.

Reference: ANSI A156.18 American National Standard for Materials and Finishes

600 Series Plated Finishes designate the appearance of the finish, regardless of the base material. For example, 605 defines a polished brass material, but 605 can be any base material, like steel or stainless, that is finished to provide the appearance of polished brass.

Standard sprayed finishes are shown above.


For a **Custom Color**, refer to the Custom Color Pallet. For Door Controls, a \$110.00 net setup fee per purchase order, per color will be charged. For exits and trim, a \$121.00 net setup fee per purchase order, per color will be charged. For a copy of the Custom Color Pallet, please contact your Representative or our Customer Service Department. Locks are NOT included in the Custom Color program.

For a **Designer Color**, custom matched to a supplied sample, three (3) each 2" x 3" color chip samples are required. For Door Controls, a non-refundable fee of \$276.00 net is required per color match request, per order prior to processing. For exits and trim, non-refundable \$441.00 net fee is required per color match request, per order prior to processing. Allow six (6) weeks for designer color development. If a match can not be made to the customer's satisfaction after three (3) attempts, dormakaba reserves the right to decline the order. Metallic colors are difficult to duplicate and may be rejected. Locks are NOT included in the Designer Color program.


Please contact our Sales Service Department, or your local sales representative for further information.

Locks

How to Determine Hand of Door



How to Determine Handed Levers



Product Guide

	Description	ANSI BHMA	Fire Rated	Standard Cylinder	SFIC	Schlage Style/LFIC
M1000 Lock	GR1 Mortise Lock	Yes	Yes	Yes	Yes	Yes
T900 Lock	GR2 Decorative Tubular Lock (M9000 Trim)	No	Option	N/A	N/A	N/A
MD100	GR1 Small Case Mortise Dead Bolt	Yes	Yes	Yes	Yes	Yes
C100 Lever Lock	GR1 Cylindrical Lever Lock	Yes	Yes	Yes	Yes	No
DB100 Dead Bolt	GR1 Tubular Dead Bolt	Yes	Yes	Yes	Yes	No
C200 Lever Lock	GR1 Tubular Dead Bolt	Yes	Yes	Yes	Yes	No
DB600 Dead Bolt	GR2 Tubular Dead Bolt	Yes	Yes	Yes	Yes	No
C500 Lever Lock	GR2 Cylindrical Lever Lock	Yes	Yes	Yes	Yes	No
C300 Lever Lock	GR2 Cylindrical Lever Lock	Yes	Option	Yes	No	No
J300 Interconnected Lock	GR2 Interconnected Lock	Yes	Yes	Yes	Yes	No

M1000 Series

Ordering Guide

Function		Lever		Finish							
Privacy w/DB & indicator	996										
Faculty restroom/hotel w/DB & indicator	986										
Storeroom w/DB single cylinder	980										
Dormitory w/DB (F21)	973										
Intruder dead bolt (F33)	968										
Intruder dead bolt (F34)	967										
Storeroom w/DB (F14)	966										
Storeroom w/DB (F35)	958										
Dormitory w/DB (F11)	957										
Corridor w/DB (F13)	956										
Entry w/DB (F20)	953										
Privacy w/DB (F19)	940										
Institution (F30)	082										
Electrically unlocked/locked w/double locking	082EU										
Electrically unlocked/locked w/double locking	082EL										
Electrically unlocked/locked	080EU										
Electrically unlocked/locked	080EL										
Storeroom (F07)	080										
Storeroom single sided	079										
Classroom intruder latch bolt w/inside indicator	072										
Classroom intruder latch bolt (F32)	071										
Classroom (F05)	070										
Classroom single sided	069	Premium	LA		630AM						
Apartment (F09)	060	Premium	LD		626AM						
Office/entry (alt F04)	053	Premium	LN		630						
Office/entry (F04)	050	Premium	L109		629						
Privacy, bedroom/bath w/coin turn indicator	046	Premium	L110		626						
Privacy bedroom/bath w/emergency turn indicator	045	Premium	L112		625						
Privacy, bedroom/bath w/coin turn	042	Premium	L114		622						
Privacy, bedroom/bath w/emergency turn	040	Premium	L117		619						
Exit/communicating passage	026	Standard	LT		618						
Exit/communicating passage (F31)	025	Standard	LR		613						
Passage/closet (F01)	010	Standard	LF		612						
Dummy trim two sides	002	Standard	LG		606						
Dummy trim one side	001	Standard	LC		605						
M1	953	D	LR	A	626		RH	134	5006	114	XXXX
Product Family	Temporary SFIC	T		A	2-1/4" Dia. Rose	TX	RH	Right hand			Keying Options Field
Heavy Duty Grade 1 Mortise Lockset	SFIC (less core)	J		B	2-9/16" Dia. Rose	Security Screws	RHR	Right hand reverse			
	Less cylinder	L		H	2-5/16" x 8-9/16" Escutcheon (630AM not avail)	(619, 625, 626, 630 finishes only)	LH	Left hand			
	Conventional cylinder	D		M	2-1/4"x7-1/2" Escutcheon		LHR	Left hand reverse			
	Temporary Schlage LFIC	G		D	2-9/16" Dia. Decorative Rose (629 and 630 only)		Door Hand				
	Schlage LFIC (less core)	R									
		Cylinder		Rose / Escutcheon							

1. Additional functions available.

2. Standard door thickness is 1-3/4" to 2-1/4" (44mm to 51mm)
Requirements for doors 1-13/16" (46 mm) and thicker can vary by trim and function. Consult factory for these special applications.

3. Example shows default values. Refer to Lock Options section for full details.

Split finishes available - pricing will default to higher priced finish option

Split levers available - pricing will default to higher priced lever style








Door Thickness²

Strike Options³









Lip Length³

Trim Options

Lever Options — Standard




Lever Options — Premium



Note: * L109, L112, and L117 available in 629/630 only


Trim Styles
All Finishes

Wrought Roses



Note: D rose only available in 630


Escutcheons




H - Cast or Forged M - Wrought
Note: 630 anti-microbial not available in H escutcheon)

Finish Availability Chart											
	605	606	612	613	618	619	622	625	626	629	630
Standard Levers											
LR	•	•	•	•	•	•	•	•	•		•
LC	•	•	•	•	•	•	•	•	•		•
LG	•	•	•	•	•	•	•	•	•		•
LF	•	•	•	•	•	•	•	•	•		
LT	•	•	•	•	•	•	•	•	•		•
LV	•	•	•	•	•	•	•	•	•		
L118		•	•	•	•	•	•				•
Premium Levers											
LA	•	•	•	•	•	•	•	•	•		•
LD	•	•	•	•	•	•	•	•	•		
LN	•	•	•	•	•	•	•	•	•		
L109										•	•
L110	•	•	•	•	•	•	•	•	•		•
L112										•	•
L114	•	•	•	•	•	•	•	•	•		
L117										•	•


NOTE: See next 4 pages for mortise lock pricing arranged by Trim Style.




Standard levers
with Rose trim



Standard levers with
Escutcheon trim



Premium levers
with Rose trim




Premium levers with
Escutcheon trim

Standard Lever – Rose Styles

Levers: LR, LC, LF, LG, LT, LV, L118

Roses: A, B, D



A,B,D Rose

L118 not available in 605, 625, or 626 finish
LF and LV not available in 630 finish
See Lever Finish Availability Chart
D rose only available in 629 or 630 finish

626

605, 606,
612, 613,
618, 619,
622, 625,
629, 630

ANSI #	Function	Description	List \$	
Non-Keyed				
—	M1001 (w/out lock case)	Single dummy	343.00	390.00
—	M1002 (w/out lock case)	Double dummy	732.00	787.00
—	M1003 (w/lock case)	Single dummy	539.00	570.00
—	M1004 (w/lock case)	Double dummy	890.00	943.00
F01	M1010	Passage/closet	956.00	1,064.00
F31	M1025	Exit/communicating passage	1,103.00	1,213.00
	M1026	Exit (double sided trim)	1,301.00	1,551.00
—	M1040	Privacy, bedroom or bath	1,103.00	1,213.00
—	M1042	Privacy w/coin turn	1,177.00	1,294.00
—	M1046	Privacy w/indicator	1,326.00	1,381.00
F19	M1940	Privacy, w/deadbolt	1,326.00	1,381.00
—	M1942	Privacy w/deadbolt and coin turn	1,408.00	1,461.00
Keyed, Single Cylinder				
F04	M1050	Office/Entry	1,225.00	1,344.00
F04	M1053	Office/Entry	1,225.00	1,344.00
—	M1056	Office/Entry w/automatic unlocking	1,334.00	1,456.00
—	M1069	Classroom (single sided trim)	1,084.00	1,188.00
F05	M1070	Classroom	1,225.00	1,344.00
	M1079	Storeroom (single sided trim)	1,084.00	1,188.00
F07	M1080	Storeroom	1,225.00	1,344.00
—	M1080EL¹	Electrically locked (Fail Safe; 24 V)	1,845.00	1,900.00
—	M1080EU¹	Electrically unlocked (Fail Secure; 24 V)	1,845.00	1,900.00
F20	M1953	Entry w/dead bolt	1,261.00	1,381.00
F13	M1956	Corridor w/dead bolt	1,261.00	1,381.00
F12	M1959	Dormitory/Exit w/dead bolt	1,261.00	1,381.00
F21	M1973	Dormitory w/dead bolt	1,261.00	1,381.00
—	M1980	Storeroom w/dead bolt	1,261.00	1,381.00
F15	M1985	Faculty restroom/hotel w/dead bolt	1,334.00	1,456.00
—	M1986	Faculty restroom/hotel w/dead bolt/indicator	1,437.00	1,569.00
—	M1996	Privacy w/dead bolt/indicator	1,437.00	1,569.00
Keyed, Double Cylinder				
F09	M1060	Apartment	1,344.00	1,470.00
F32	M1071	Intruder latch bolt	1,344.00	1,470.00
F30	M1082	Institution lock	1,344.00	1,470.00
—	M1082EL²	Electrically locked (Fail Safe) w/double locking (24 V)	1,949.00	2,004.00
—	M1082EU²	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,949.00	2,004.00
F11	M1957	Dormitory w/dead bolt	1,414.00	1,470.00
F35	M1958	Storeroom w/dead bolt	1,414.00	1,470.00
F14	M1966	Storeroom w/dead bolt	1,414.00	1,470.00
F34	M1967	Intruder w/dead bolt	1,414.00	1,470.00
	M1968	Intruder w/dead bolt	1,414.00	1,470.00
Deadbolt Only				
F17	M1960	Deadbolt Only — Cylinder x Turn (No Trim)	637.00	664.00
F18	M1961	Deadbolt Only — Cylinder x Blank (No Trim)	523.00	555.00
F16	M1962	Deadbolt Only — Cylinder x Cylinder (No Trim)	770.00	800.00
F29	M1963	Deadbolt Only — Classroom (No Trim)	770.00	800.00

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both


2. Available with Request to Exit (RX) or Latch Monitoring

See page 13 for RX and LM Pricing

Standard Lever – Escutcheon Styles

Levers: LR, LC, LF, LG, LT, LV, L118

Escutcheons: H, M



NOTE: H Escutcheon Trim cannot be rehanded in the field.

L118 not available in 605, 625, or 626 finish
LF and LV not available in 630 finish
See Lever Finish Availability Chart

H Escutcheon		M Escutcheon	
626	605, 606, 612, 613, 618, 619, 622, 625, 629, 630	626	605, 606, 612, 613, 618, 619, 622, 625, 629, 630

ANSI #	Function	Description	List \$			
Non-Keyed						
—	M1001 (w/out lock case)	Single dummy	—	—	—	—
—	M1002 (w/out lock case)	Double dummy	740.00	791.00	739.00	792.00
—	M1003 (w/lock case)	Single dummy	—	—	—	—
—	M1004 (w/lock case)	Double dummy	892.00	946.00	891.00	946.00
F01	M1010	Passage/closet	1,001.00	1,052.00	1,001.00	1,052.00
F31	M1025	Exit/communicating passage (single side trim)	—	—	—	—
—	M1026	Exit (double sided trim)	1,633.00	1,691.00	1,477.00	1,691.00
—	M1040	Privacy, bedroom or bath	1,145.00	1,195.00	1,145.00	1,195.00
—	M1042	Privacy w/coin turn	1,216.00	1,266.00	1,216.00	1,266.00
—	M1046	Privacy w/indicator	—	—	—	—
F19	M1940	Privacy w/dead bolt	1,299.00	1,348.00	1,298.00	1,348.00
—	M1942	Privacy w/dead bolt and coin turn	1,376.00	1,424.00	1,376.00	1,424.00
Keyed, Single Cylinder						
F04	M1050	Office/Entry	1,259.00	1,314.00	1,260.00	1,314.00
F04	M1053	Office/Entry	1,259.00	1,314.00	1,260.00	1,314.00
—	M1056	Office/Entry w/automatic unlocking	1,318.00	1,370.00	1,317.00	1,370.00
—	M1069	Classroom (single sided trim)	—	—	—	—
F05	M1070	Classroom	1,259.00	1,314.00	1,260.00	1,314.00
—	M1079	Storeroom (single sided trim)	—	—	—	—
F07	M1080	Storeroom	1,259.00	1,314.00	1,260.00	1,314.00
—	M1080EL	Electrically locked (Fail Safe; 24 V)	1,792.00	1,840.00	1,791.00	1,840.00
—	M1080EU	Electrically unlocked (Fail Secure; 24 V)	1,792.00	1,840.00	1,791.00	1,840.00
F20	M1953	Entry w/dead bolt	1,298.00	1,350.00	1,297.00	1,350.00
F13	M1956	Corridor w/dead bolt	1,298.00	1,350.00	1,297.00	1,350.00
F12	M1959	Dormitory/Exit w/dead bolt	1,298.00	1,350.00	1,297.00	1,350.00
F21	M1973	Dormitory w/dead bolt	1,298.00	1,350.00	1,297.00	1,350.00
—	M1980	Storeroom w/dead bolt	1,298.00	1,350.00	1,297.00	1,350.00
F15	M1985	Faculty restroom/hotel w/dead bolt	1,351.00	1,404.00	1,350.00	1,404.00
—	M1986	Faculty restroom/hotel w/dead bolt/indicator	—	—	—	—
—	M1996	Privacy w/dead bolt/indicator	—	—	—	—
Keyed, Double Cylinder						
F09	M1060	Apartment	1,378.00	1,430.00	1,378.00	1,430.00
F32	M1071	Intruder latch bolt	1,378.00	1,430.00	1,378.00	1,430.00
F30	M1082	Institution lock	1,378.00	1,430.00	1,378.00	1,430.00
—	M1082EL	Electrically locked (Fail Safe) w/double locking (24 V)	1,878.00	1,930.00	1,876.00	1,930.00
—	M1082EU	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,878.00	1,930.00	1,876.00	1,930.00
F11	M1957	Dormitory w/dead bolt	1,378.00	1,430.00	1,378.00	1,430.00
F35	M1958	Storeroom w/dead bolt	1,378.00	1,430.00	1,378.00	1,430.00
F14	M1966	Storeroom w/dead bolt	1,378.00	1,430.00	1,378.00	1,430.00
F34	M1967	Intruder w/dead bolt	1,378.00	1,430.00	1,378.00	1,430.00
—	M1968	Intruder w/dead bolt	1,378.00	1,430.00	1,378.00	1,430.00
Deadbolt Only						
F17	M1960	Deadbolt Only — Cylinder x Turn (No Trim)	594.00	621.00	594.00	621.00
F18	M1961	Deadbolt Only — Cylinder x Blank (No Trim)	490.00	520.00	490.00	520.00
F16	M1962	Deadbolt Only — Cylinder x Cylinder (No Trim)	719.00	746.00	719.00	746.00
F29	M1963	Deadbolt Only — Classroom (No Trim)	719.00	746.00	719.00	746.00

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both

2. Available with Request to Exit (RX) or Latch Monitoring

See page 13 for RX and LM Pricing

Premium Lever – Rose Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117,

Roses: A, B, D



L109, L112, and L117 not available in 625 or 626 finishes
LD, LN, and L114 not available in 630 finish
See Lever Finish Availability Chart
D rose only available in 629 or 630 finish

A, B, D Rose


626

605, 606,
612, 613,
618, 619,
622, 625,
629, 630

ANSI #	Function	Description	List \$	
Non-Keyed				
—	M1001 (w/out lock case)	Single dummy	340.00	389.00
—	M1002 (w/out lock case)	Double dummy	723.00	774.00
—	M1003 (w/lock case)	Single dummy	528.00	559.00
—	M1004 (w/lock case)	Double dummy	871.00	928.00
F01	M1010	Passage/closet	940.00	1,041.00
F31	M1025 ¹	Exit/communicating passage	1,077.00	1,189.00
	M1026	Exit (double sided trim)	1,359.00	1,609.00
	M1040	Privacy, bedroom or bath	1,077.00	1,189.00
	M1042	Privacy w/coin turn	1,147.00	1,268.00
	M1046	Privacy w/indicator	1,295.00	1,349.00
F19	M1940	Privacy w/dead bolt	1,295.00	1,349.00
—	M1942	Privacy w/dead bolt and coin turn	1,375.00	1,424.00
Keyed, Single Cylinder				
F04	M1050	Office/Entry	1,196.00	1,311.00
F04	M1053	Office/Entry	1,196.00	1,311.00
—	M1056	Office/Entry w/automatic unlocking	1,300.00	1,420.00
	M1069	Classroom (single sided trim)	1,107.00	1,273.00
F05	M1070	Classroom	1,196.00	1,311.00
	M1079	Storeroom (single sided trim)	1,107.00	1,273.00
F07	M1080	Storeroom	1,196.00	1,311.00
—	M1080EL ¹	Electrically locked (Fail Safe; 24 V)	1,795.00	1,845.00
—	M1080EU ¹	Electrically unlocked (Fail Secure; 24 V)	1,795.00	1,845.00
F20	M1953	Entry w/dead bolt	1,229.00	1,348.00
F13	M1956	Corridor w/dead bolt	1,229.00	1,348.00
F12	M1959	Dormitory/Exit w/dead bolt	1,229.00	1,348.00
F21	M1973	Dormitory w/dead bolt	1,229.00	1,348.00
—	M1980	Storeroom w/dead bolt	1,229.00	1,348.00
F15	M1985	Faculty restroom/hotel w/dead bolt	1,300.00	1,420.00
—	M1986	Faculty restroom/hotel w/dead bolt/indicator	1,400.00	1,530.00
—	M1996	Privacy w/dead bolt/indicator	1,400.00	1,530.00
Keyed, Double Cylinder				
F09	M1060	Apartment	1,311.00	1,432.00
F32	M1071	Intruder latch bolt	1,311.00	1,432.00
—	M1072	Intruder latch bolt with indicator	1,420.00	1,543.00
F30	M1082	Institution lock	1,311.00	1,432.00
—	M1082EL ²	Electrically locked (Fail Safe) w/double locking (24 V)	1,894.00	1,947.00
—	M1082EU ²	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,894.00	1,947.00
F11	M1957	Dormitory w/dead bolt	1,379.00	1,432.00
F35	M1958	Storeroom w/dead bolt	1,379.00	1,432.00
F14	M1966	Storeroom w/dead bolt	1,379.00	1,432.00
F34	M1967	Intruder w/dead bolt	1,379.00	1,432.00
	M1968	Intruder w/dead bolt	1,379.00	1,432.00
Deadbolt Only				
F17	M1960	Deadbolt Only — Cylinder x Turn (No Trim)	594.00	621.00
F18	M1961	Deadbolt Only — Cylinder x Blank (No Trim)	490.00	520.00
F16	M1962	Deadbolt Only — Cylinder x Cylinder (No Trim)	719.00	746.00
F29	M1963	Deadbolt Only — Classroom (No Trim)	719.00	746.00

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both; 2. Available with Request to Exit (RX) or Latch Monitoring
See page 13 for RX and LM Pricing



Premium Lever – Escutcheon Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117,
Escutcheons: H, M

NOTE: H Escutcheon Trim cannot be rehanded in the field.

See Lever Finish Availability Chart

H Escutcheon		M Escutcheon	
626	605, 606, 612, 613, 618, 619, 622, 625, 629, 630	626	605, 606, 612, 613, 618, 619, 622, 625, 629, 630

ANSI #	Function	Description	List \$			
Non-Keyed						
—	M1001 (w/out lock case)	Single dummy	—	—	—	—
—	M1002 (w/out lock case)	Double dummy	784.00	833.00	784.00	833.00
—	M1003 (w/lock case)	Single dummy	—	—	—	—
—	M1004 (w/lock case)	Double dummy	935.00	885.00	934.00	884.00
F01	M1010	Passage/closet	1,047.00	1,104.00	1,046.00	1,104.00
F31	M1025	Exit/communicating passage	—	—	—	—
—	M1026	Exit (double sided trim)	1,691.00	1,878.00	1,535.00	1,749.00
—	M1040	Privacy, bedroom or bath	1,197.00	1,251.00	1,196.00	1,251.00
—	M1042	Privacy w/coin turn	1,267.00	1,324.00	1,266.00	1,320.00
—	M1046	Privacy w/indicator	—	—	—	—
F19	M1940	Privacy w/dead bolt	1,357.00	1,405.00	1,354.00	1,405.00
—	M1942	Privacy w/dead bolt and coin turn	1,432.00	1,483.00	1,431.00	1,482.00
Keyed, Single Cylinder						
F04	M1050	Office/Entry	1,316.00	1,374.00	1,315.00	1,374.00
F04	M1053	Office/Entry	1,316.00	1,374.00	1,315.00	1,374.00
—	M1056	Office/Entry w/automatic unlocking	1,377.00	1,430.00	1,377.00	1,429.00
—	M1069	Classroom (single sided trim)	—	—	—	—
F05	M1070	Classroom	1,316.00	1,374.00	1,315.00	1,374.00
—	M1079	Storeroom (single sided trim)	—	—	—	—
F07	M1080	Storeroom	1,316.00	1,374.00	1,315.00	1,374.00
—	M1080EL	Electrically locked (Fail Safe; 24 V)	1,859.00	1,913.00	1,858.00	1,910.00
—	M1080EU	Electrically unlocked (Fail Secure; 24 V)	1,859.00	1,913.00	1,858.00	1,910.00
F20	M1953	Entry w/dead bolt	1,355.00	1,409.00	1,352.00	1,409.00
F13	M1956	Corridor w/dead bolt	1,355.00	1,409.00	1,352.00	1,409.00
F12	M1959	Dormitory/Exit w/dead bolt	1,355.00	1,409.00	1,352.00	1,409.00
F21	M1973	Dormitory w/dead bolt	1,355.00	1,409.00	1,352.00	1,409.00
—	M1980	Storeroom w/dead bolt	1,355.00	1,409.00	1,352.00	1,409.00
F15	M1985	Faculty restroom/hotel w/dead bolt	1,409.00	1,463.00	1,409.00	1,462.00
—	M1986	Faculty restroom/hotel w/dead bolt/indicator	—	—	—	—
—	M1996	Privacy w/dead bolt/indicator	—	—	—	—
Keyed, Double Cylinder						
F09	M1060	Apartment	1,451.00	1,508.00	1,451.00	1,508.00
F32	M1071	Intruder latch bolt	1,451.00	1,508.00	1,451.00	1,508.00
F30	M1082	Institution lock	1,451.00	1,508.00	1,451.00	1,508.00
—	M1082EL	Electrically locked (Fail Safe) w/double locking (24 V)	1,809.00	2,023.00	1,808.00	2,022.00
—	M1082EU	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,809.00	2,023.00	1,808.00	2,022.00
F11	M1957	Dormitory w/dead bolt	1,451.00	1,508.00	1,451.00	1,508.00
F35	M1958	Storeroom w/dead bolt	1,451.00	1,508.00	1,451.00	1,508.00
F14	M1966	Storeroom w/dead bolt	1,451.00	1,508.00	1,451.00	1,508.00
F34	M1967	Intruder w/dead bolt	1,451.00	1,508.00	1,451.00	1,508.00
—	M1968	Intruder w/dead bolt	1,451.00	1,508.00	1,451.00	1,508.00
Deadbolt Only						
F17	M1960	Deadbolt Only — Cylinder x Turn (No Trim)	594.00	621.00	594.00	621.00
F18	M1961	Deadbolt Only — Cylinder x Blank (No Trim)	490.00	520.00	490.00	520.00
F16	M1962	Deadbolt Only — Cylinder x Cylinder (No Trim)	719.00	746.00	719.00	746.00
F29	M1963	Deadbolt Only — Classroom (No Trim)	719.00	746.00	719.00	746.00

NOTES:

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both

2. Available with Request to Exit (RX) or Latch Monitoring

See page 13 for RX and LM Pricing

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: M1070D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	27.00
L		Lock less conventional cylinder and cylinder ring	Example: M1070L Deduct 33.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — Keys sold separately	Example: M1070T 73.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: M1070J 73.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately	Example: M1070G 73.00
R		Schlage LFIC — Housing less core	Example: M1070R 15.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.
Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45103	SFIC Cut key — Emergency key for M1985C or M1986C; BA keyways	38.00
45403	SFIC Cut key — Emergency key for M1985C or M1986C; SKC keyways — D100 etc.	38.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00

NOTES:

- M1985D and M1986D are available MKD, CMK, or 1-bit only.
- Emergency keys for M1985D and M1986D are 45101 or 45401.
- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Configuration Options

Description: Grade 1 Mortise Locks Less Components (Use LRA trim design and specified finish for base list price.)	List Deduct \$
Less outside lever and rose Example: M1953D LLL × LRA 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 40.00
Less inside lever and rose Example: M1953D LRA × LLL 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 40.00
Less strike Example: M1953D LRA 626 RH 134 LLL	Deduct 40.00
NOTES:	
- For other configurations, consult factory. - Mortise locks not available less trim both sides.	

Strikes

Part #	Description	List Add \$
5006 — ANSI Strike for Mortise Lock (*see below for usage)		
5006-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner, curved lip	N/C
5006-078	1-1/4" × 4-7/8", 7/8" lip length, square corner, straight lip	36.00
5006-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner, curved lip	36.00
5006-134	1-1/4" × 4-7/8", 1-3/4" lip length, square corner, curved lip	36.00
5006-200	1-1/4" × 4-7/8", 2" lip length, square corner, curved lip	36.00
5006-214	1-1/4" × 4-7/8", 2-1/4" lip length, square corner, curved lip	45.00

* Default length strike shown in bold for all M1000 functions. Lip length is distance from center of mounting holes to edge of strike.

Part #	Description	List Add \$
5007 — ANSI Strike for Mortise Lock (*see below for usage)		
5007-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner (specify hand)	20.00

* Optional handed strike available for M1000 functions without dead bolts. Only available in 1-1/4" lip length. Specify hand.

Antimicrobial Coating

Description of Components Coated	List Add \$
Available on 626 and 630 finishes only.	
Specify AM. Example: 626AM or 630AM	
Rose Trim A, B, or D	Inside: lever, rose, and thumbturn Outside: Lever and rose 75.00
Escutcheon Trim H* or M	Inside: lever, escutcheon, and thumbturn Outside: Lever and escutcheon 75.00

NOTES:

- Extended leadtime, consult factory.
- *AM option on 630 H escutcheon, consult factory.

Special Application Options


Occupancy Indicators

	Part #	Description	List Add \$
	79019	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT	135.00
	79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	135.00
	79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	135.00

NOTES:

- 1-3/4"-2-1/8" thick doors.
- Specify finish. Example: 79019 626.
- Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M1046, 1056, 1072, 1940, 1942, 1953, 1956, 1957, 1959, 1960, 1961, 1962, 1966, 1967, 1968, 1973, 1974, 1980, 1985, 1986, 1996

Tactile Markings

	Part #	Description	List Add \$
	660003	Abrasive coated lever (all designs)	73.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified. Prices shown per single lever.

Request to Exit/Latch Monitoring


Suffix	Description	List Add \$
RX	Request to exit, M1080EU/ 1080EL/ 1082EU/ 1082EL. Specify RX. Example: M1080ELRX.	262.00
LM	Latch Monitoring, M1080EL/1080EU/ 1082EL/ 1082EU. Specify LM. Example: M1080EULM.	262.00
RXLM	Request to Exit & Latch Monitoring, 1080EL/ 1080EU. Specify RXLM. Example: M1080ELRX.	520.00
RXQC	Request to Exit & Quick Connect, M1080EU/ 1080EL/ 1082EU/ 1082EL. Specify RXQC. Example M1080EURXQC	341.00
LMQC	Latch Monitoring & Quick Connect, M1080EU/ 1080EL/ 1082EU/ 1082EL. Specify LMQC. Example M1080EULMQC	341.00
RXLMQC	Request to Exit, Latch Monitoring & Quick Connect, M1080EU/ 1080EL/ 1082EU/ 1082EL. Specify RXLMQC 486.00 Example M1080EURXLMQC	598.00
QC	Quick Connect Ex. M1080EUQC	79.00

Security Screws

Specify	Description	List Add \$
TX A/B/D	Security screws for all exposed fasteners (sectional trim and dead bolts only).	30.00
TX H	Security screws for all exposed fasteners (H escutcheon only).	36.00
TX M	Security screws for all exposed fasteners (M escutcheon only).	36.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

MD100 Series
Ordering Guide



Function

Turn Only —	81
Indicator × Turn —	71
Cylinder × Classroom —	63*
Cylinder × Cylinder —	62
Cylinder × Blank —	61
Cylinder × Turn —	60

Antimicrobial Coating — **AM** **TX** — **Security Screws**

Strike Options

Keying Options Field

Product Family
Grade 1 Small Case
Mortise Dead Bolt

MD1	60	626			RH	134	5301	D	XXXX
------------	-----------	------------	--	--	-----------	------------	-------------	----------	-------------

Satin Stainless —	630	Right Hand/ —	RH	134 — 1-3/4" —	T — Temporary SFIC
Satin Chrome —	626	Right Hand Reverse	LH	2-1/4"	J — SFIC (Less Core)
Bright Chrome —	625	Left Hand/ —		Door Thickness	L — Less Cylinder
Satin Black —	622	Left Hand Reverse		Handing	D — Conventional Cylinder
Satin Nickel —	619			(MD163 only)	G — Temporary Schlage LFIC
Dark Oxidized	613				R — Schlage LFIC (Less Core)
Satin Bronze —	612				
Satin Brass —	606				
Bright Brass —	605				

Finish

Cylinder Type

* D963 function available in 613, 619, 626, and 630 finish only.

			626, 630, 619	605, 606, 612, 613, 622, 625
ANSI #	Function	Description	List \$	
E06071	MD160	Cylinder × Turn	494.00	523.00
E06061	MD162	Cylinder × Cylinder	565.00	595.00
E06091	MD163	Cylinder × Classroom	565.00	595.00
E06081	MD161	Cylinder × Blank	469.00	496.00
—	MD171	Cylinder Indicator × Turn	565.00	600.00
E06181	MD181	Turn Only	371.00	388.00

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: MD160D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	1-Bit	Operated by 1-bit cut key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	27.00
L		Lock less conventional cylinder and collar	Example: MD160L Deduct 33.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — ⊗ Keys sold separately	Example: MD160T 73.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: MD160J 73.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: MD160G 73.00
R		Schlage LFIC — Housing less core	Example: MD160R 15.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.
Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/ remove LFIC Cores) — SC keyway	9.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1 bit cylinder comes with (2) uncut keys and will require a 1 bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

MD100 Accessories

Antimicrobial Coating


Description of Components Coated		List \$
Available on 626 and 630 finished. Specify AM. Example 626AM or 630AM.		
Inside	Thumb Turn and Rose if applicable to function	49.00
NOTE: AM Coating not available on Cylinders (AM Coating not available on outside). Extended lead time required, consult factory.		

Security Screws

Specify	Description	List \$
TX	Security Screws for Strike, Armor Plate, Thumb Turn	26.00
NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.		

T900 Series








Ordering Guide












Function		Rose Design		Finish ³		Fire-Rated ⁵		Latch Bolt ⁶		Strike Options ⁶		Lip Length ⁶									
Privacy, Bedroom or Bath	40	2-9/16" Dia. ¹	D	630	Satin Stainless																
Exit/Communicating Passage	25	Decorative		626	Satin Chrome																
Passage/Closet	10			625	Bright Chrome																
Double Dummy	02	2-9/16" Dia.	B	622 PVD	Satin Black																
Single Dummy, Through-Bolted	01			619 PVD	Satin Nickel																
				613 PVD	Dark Oxidized Satin Bronze																
				612 PVD	Satin Bronze																
				606 PVD	Satin Brass																
				605 PVD	Bright Brass																
T9		10		LR		B		626		AM		RH		90202		134		5101		118	
Product Family		LC		Lever		AM		RH		Right Hand		134		1-3/8" - 1-3/4"		Door Thickness ^{6,7}					
Grade 2		LD		Lever, Handed				LH		Left Hand											
Tubular Lockset		LG		Lever																	
		LN		Lever																	
		LR		Lever																	
		LT		Lever																	
		PREMIUM		Premium Lever																	

Trim Options
Lever Options


Standard



Premium




Wrought Roses



Finish Availability Chart

	605	606	612	613	619	622	625	626	630
Standard Levers									
LR	•	•	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•	•	•
LG	•	•	•	•	•	•	•	•	•
LF	•	•	•	•	•	•	•	•	
LT	•	•	•	•	•	•	•	•	•
LV	•	•	•	•	•	•	•	•	
L118		•	•	•	•	•			•
Premium Levers									
LA	•	•	•	•	•	•	•	•	•
LD	•	•	•	•	•	•	•	•	
LN	•	•	•	•	•	•	•	•	
L109		•	•	•	•	•			•
L110	•	•	•	•	•	•	•	•	•
L112		•	•	•	•	•			•
L114	•	•	•	•	•	•	•	•	
L117	•	•	•	•	•	•			•
Knob									
KB		•	•	•	•	•			•

T900 Series



Standard Levers

L118 not available in 605, 625, or 626 finish.
 LF and LV not available in 630 finish.
 See Lever Finish Availability Chart, page 21.
 D rose not available in 625 or 626.

626

605, 606, 612, 619,
622, 625, 613, 630

ANSI #	Function	Description	List \$	
Keyless				
—	T901	Single dummy, surface mounted	229.00	239.00
—	T902	Double dummy	315.00	337.00
F75	T910	Passage/closet	378.00	400.00
F111	T925	Exit/communicating	378.00	400.00
F76	T940	Privacy, bedroom or bath	401.00	423.00

NOTE: Split finishes will be priced at the higher finish list price.

Premium Levers

L109, L112, and L117 not available in 625 or 626 finishes.
 LD, LN, and L114 not available in 630 finish.
 See Lever Finish Availability Chart, page 21.
 D rose not available in 625 or 626.

626


605, 606, 612, 619,
622, 625, 613, 630

ANSI #	Function	Description	List \$	
Keyless				
—	T901	Single dummy, surface mounted	251.00	260.00
—	T902	Double dummy	348.00	371.00
F75	T910	Passage/closet	416.00	439.00
F111	T925	Exit/communicating	416.00	439.00
F76	T940	Privacy, bedroom or bath	441.00	464.00

NOTE: Split finishes will be priced at the higher finish list price.


Configuration Options

Non-Fire Latch Bolts



Part #	Backset	Description	List Add \$
90202	2-3/4"	1-1/8" faceplate, passage, square corner, non-fire, T910 only	N/C
90200	2-3/4"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90100	2-3/8"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90101	2-3/8"	1" faceplate, passage, 1/4" radius corner, non-fire, T910 only	N/C
90232	2-3/4"	1-1/8" faceplate, privacy, square corner, non-fire, T940 only	N/C
90230	2-3/4"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90130	2-3/8"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90131	2-3/8"	1" faceplate, privacy, 1/4" radius corner, non-fire, T940 only	N/C


Fire-Rated Latch Bolts



Part #	Backset	Description	List Add \$
91202	2-3/4"	1-1/8" faceplate, passage, square corner, 90 min fire-rated, T910	26.00
91200	2-3/4"	1" faceplate, passage, square corner, 90 min fire-rated, T910	26.00
91100	2-3/8"	1" faceplate, passage, square corner, 90 min fire-rated, T910	26.00
91101	2-3/8"	1" faceplate, passage, 1/4" radius corner, 90 min fire-rated, T910	26.00


NOTE: List add for fire-rated latch with T910 only. Fire-rated latch standard for T925 – no list add. Not available on T940.

Strikes




Part #	Description	List Add \$
5101 – T Strike with Dust Box		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	36.00
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, radius corner	N/C

NOTE: Default strike shown in bold.



Part #	Description	List Add \$
5201, 5202 – Full Lip Strike		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Strikes Continued

	Part #	Description	List Add \$
	5001 – ANSI Strike, includes Dust Box		
	5001-1316	1-1/4" x 4-7/8", 1-3/16 lip length, square corner	N/C
	5001-112	1-1/4" x 4-7/8", 1-1/2 lip length, square corner	36.00
	5001-078	1-1/4" x 4-7/8", 7/8 lip length	36.00

Special Application Options


Antimicrobial Coating

Available on 626 and 630 finish. Specify AM. Example: 626AM

Description of Components Coated		List Add \$
Lever trim	Inside: Lever and rose Outside: lever and rose	52.00

NOTE: Extended leadtime, consult factory.

Tactile Markings

	Part #	Description	List Add \$
	660002	Knurled or grooved lever (LR, LT, and LG designs only)	90.00
	660003	Abrasive coated lever or knob (all designs)	73.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	List Add \$
5001 – ANSI Strike with Tubular Lock Cutout, includes Dust Box		
5001-XXX	1-1/4" x 4-7/8", special lip length (longer than 1-1/2"). Specify length and finish.	147.00

Example: 5001-200 630 for a 2" lip length in 630 finish.

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.

C100 Series

Ordering Guide

Function


F93 – Faculty Restroom/Hotel ¹	85
F87 – Asylum	82
Electrically Unlocked (Fail Secure)	80EU
Electrically Locked (Fail Safe)	80EL
F86 – Storeroom	80
F110 – Classroom Intruder	77
F90 – Corridor/Dormitory	73
F80 – Communicating	72
F84 – Classroom	70
F91 – Store Door	66
F113 – Exit/Communicating Classroom	65
F88 – Apartment	60
F92 – Service Station	55
F109 – Entry	53
F82 – Entry/Office	50
F112 – Exit/Communicating Storeroom	48
Hospital Privacy	44
F76A – Privacy, Bedroom or Bath	40
F77A – Patio	30
F111 – Exit/Communicating Passage	25
F89 – Exit	12
F75 – Passage/Closet	10
Double Dummy	02
Single Dummy	01

Finish

626	– Satin Chrome
625	– Bright Chrome
622	– Satin Black
619	– Satin Nickel
613	– Dark Oxidized Satin Bronze
612	– Satin Bronze
606	– Satin Brass
605	– Bright Brass

Cylinder Type³

D	– Conventional Cylinder
L	– Less Conventional Cylinder
J	– SFIC (Less Core)
T	– Temporary SFIC






C1	53		D	LR	C	626			RH	10252	134	5001	1316	XXXX
Request to Exit ²	RX	Lever	LR	C	3-1/2" Dia.	AM	TX	RH	Right Hand		134	1-3/4"–2-1/4"		
		Lever	LC	D	3-1/2" Dia. stamped, LOCK			LH	Left Hand		138	1-3/8"–1-5/8"		
		Lever	LG	E	3-1/2" Dia. stepped rose				Door Hand		Door Thickness ⁵			
				F	3-1/2" Dia. stepped rose stamped, LOCK				Security Screws		Keying Options Field			
Antimicrobial Coating ⁴														

Heavy-Duty Grade 1 Cylindrical Lockset





- Faculty restroom/hotel function available only in SFIC.
- Request to exit option only available on lever lock. Available with C110, C150, C153, C170, C180, C180EL & C180EU functions only.
- Consult factory for other cylinder options

- Antimicrobial coating available on lever trim, 626 finish only. Consult factory for other finishes.
- Door thickness range: Lever locks 1-3/4" – 2-1/4" without spacers; 1-3/8" – 1-5/8" with spacers.


Lever Designs




Rose Designs



Lever Locks





			Lever Locks	
			626	605, 606, 612, 619, 625, 613, 622
ANSI #	Function	Description	List \$	
Keyless				
F75	C110	Passage/closet	632.00	682.00
F89	C112	Exit	632.00	682.00
F111	C125	Exit/communicating passage	632.00	682.00
F77A	C130	Patio	748.00	802.00
F76A	C140	Privacy, bedroom or bath	725.00	776.00
—	C144	Hospital privacy	725.00	776.00
—	C101	Single dummy	276.00	299.00
—	C102	Double dummy	522.00	577.00
Keyed, Single Cylinder				
F112	C148	Exit/communicating storeroom	841.00	907.00
F82	C150	Entry/office	841.00	907.00
F109	C153	Entry	841.00	907.00
F84	C170	Classroom	841.00	907.00
F92	C155	Service station	841.00	907.00
F113	C165	Exit/communicating classroom	841.00	907.00
F86	C180	Storeroom	841.00	907.00
F90	C173	Corridor/dormitory	866.00	921.00
F93	C185 ¹	Faculty restroom/hotel	982.00	1,034.00
—	C180EL	Electrically locked (fail safe)	1,145.00	1,199.00
—	C180EU	Electrically unlocked (fail secure)	1,145.00	1,199.00
Keyed, Double Cylinder				
F80	C172	Communicating	1,016.00	1,073.00
F87	C182	Asylum	1,016.00	1,073.00
F88	C160	Apartment	1,016.00	1,073.00
F91	C166	Store door	1,016.00	1,073.00
F110	C177	Classroom intruder (includes LOCK rose on inside)	1,016.00	1,073.00

NOTE: 1. Faculty restroom/hotel function available only in SFIC.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: C153D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	27.00
L		Lock less conventional cylinder	Example: C153L Deduct 33.00
Interchangeable Core Cylinders			
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — Keys sold separately	Example: C170T 73.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: C170J 73.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit key for operating 1 bit cylinders — SC, SE keyways	10.00
44101SC	CONV Key blank — SC keyway	7.00


NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.


Configuration Options

Latch Bolts


9/16" Throw, 2-3/4" Backset		
Part #	Description	List Add \$
For All Other Functions		
10252	1-1/8" × 2-1/4" front, 1" diameter, square corner, deadlocking latch	N/C




9/16" Throw, 3-3/4" Backset		
Part #	Description	List Add \$
10352	1-1/8" × 2-1/4" front, 1" diameter, square corner, deadlocking latch	24.00




9/16" Throw, 5" Backset		
Part #	Description	List Add \$
10552	1-1/8" × 2-1/4" front, 1" diameter, square corner, deadlocking latch	34.00




3/4" Throw, 2-3/4" Backset		
Part #	Description	List Add \$
100 Locks		
18262	1-1/8" × 2-1/4" front, 1" diameter, square corner. Available in 605/ 606, 612, 613, 622, 626.	161.00



Strikes

	Part #	Description	List Add \$
	5001 – ANSI Strike Includes Dust Box		
	5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	N/C
	5003-078	ANSI 7/8" Flat lip strike	35.00

NOTE: Default strike shown in bold.

	Part #	Description	List Add \$
	5101 – T Strike with Dust Box		
	5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	N/C
	5105-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	35.00

Antimicrobial Coating
Available on 626 finish. Specify AM. Example: 626AM

Description of Components Coated		List Add \$
Lever trim	Inside: Lever and rose Outside: lever and rose	49.00

NOTE: Extended leadtime, consult factory.

Special Application Options

Knurled Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive adhesive	73.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown are for one lever only.

Spacers for 1-3/8" Doors, C100 Series

Part #	Description	605, 606, 612, 613, 622, 625, 626 List Add \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8" door – Specify finish.	69.00

NOTE: Spacers are included if 1-3/8" door thickness is specified.

Security Screws

Part #	Description	List Add \$
TX	Security screws for latch and strike.	27.00

NOTE: Specify finish 625/626, 605/606, 611/612, 613

Special Strikes (Non-Standard Lip Lengths)


Part #	Description	List Add \$
5001-XXX	1-1/4" x 4-7/8", special lip length (longer than 1-1/2"). Specify length.	138.00

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.
Lip length is distance from center of mounting holes to edge of strike.

Request to Exit

Specify	Description	List Add \$
RX	Request to exit, available on C100 lever models: C110, C150, C153, C170, C180, C180EL, C180EU	237.00


Indicator Rose

	Specify	Description	List Add \$
	D Rose*	Stamped LOCK on inside rose (specify finish)	N/C
	F Rose*	Stepped, stamped LOCK on inside rose (specify finish)	N/C
			

* Optional on inside of C860 Apartment function; Standard on inside of C877 Intruder function.

DB100 Series

Ordering Guide




Function		Cylinder Type ¹		Security Screws	Latch Bolt ³	Strike Options ²	Keying Options Field
Turn x Turn —	82						
Turn only —	81						
Turn x Blank Plate —	80						
Turn x Occupancy Indicator —	71						
Cylinder x Classroom —	63	D	— Conventional Cylinder				
Cylinder x Cylinder —	62	J	— SFIC (Less Core)				
Cylinder x Blank Plate —	61	T	— Temporary SFIC	TX			
Cylinder x Turn —	60						

Product Type	Product Family	Finish	Antimicrobial Coating ³	Strike Options ²	Keying Options Field
Dead Bolt — D	Heavy-Duty Grade 1 Tubular Dead Bolt	Bright Brass — 605	AM		
		Satin Brass — 606			
		Satin Bronze ⁴ — 612			
		Dark Oxidized Satin Bronze — 613			
		Satin Nickel ⁴ — 619			
		Matte Black ⁴ — 622			
		Bright Chrome ⁴ — 625			
		Satin Chrome — 626			

Example Configuration: DB 1 60 D 626 AM TX 28752 5103 XXXX

1. The Less Conventional Cylinder option is not available for the DB100 Series.
2. Example shows default values. Refer to Configuration Options section for full details.
3. Available on 626 finish only. Consult factory for other finishes.
4. Special Order Finish — May require additional lead time.

DB100 Series



			626	605, 606, 612, 619, 625, 613, 622
ANSI #	Function	Description	List \$	
Keyless				
E21111	DB180	Thumb turn x blank plate	257.00	235.00
E2191	DB181	Thumb turn only	203.00	226.00
—	DB182	Thumb turn x thumb turn (windstorm)	252.00	278.00
—	DB171	Thumb turn x occupancy indicator w/coin turn	207.00	231.00
Keyed, Single Cylinder				
E2151	DB160	Cylinder x turn	306.00	337.00
E2161	DB161	Cylinder x blank	284.00	312.00
E2171	DB163	Cylinder x classroom turn	320.00	350.00
Keyed, Double Cylinder**				
E2141	DB162	Cylinder x cylinder	391.00	420.00

** CAUTION: Double cylinder locks used on residences and any door in a structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

NOTE: List prices for keyed locks include standard (D) cylinder, keyed different (KD) with two (2) nickel silver keys.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: DB160D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	27.00
Interchangeable Core Cylinders			
T		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: DB160T 73.00
J		Lock with disposable plastic SFIC plug	Example: DB160J 73.00

* The Less Cylinder option is not available for the D800 Series.

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00
44101SC	CONV Key blank — SC keyway	7.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate
- See Keys and Key Blanks section for complete list.

Configuration Options

Dead Bolts




1" Throw

Part #	Description	List Add \$
28752	1-1/8" × 2-1/4" faceplate, 2-3/4" backset, square corner	N/C
28652	1-1/8" × 2-1/4" faceplate, 2-3/8" backset, square corner	N/C


NOTE: Default configuration shown above in bold.

Strikes




Part #	Description	List Add \$
5103 — Standard Strike for Dead Bolt		
5103	1-1/8" × 2-3/4", no lip, square corner	N/C

NOTE: Default strike shown above in bold.



Part #	Description	List Add \$
5203 — Full Lip Strike with Dead Bolt Cutout		
5203-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C



Part #	Description	List Add \$
5004 — ANSI Strike with Dead Bolt Cutout (specify finish)		
5004	1-1/4" × 4-7/8" no lip, square corner	14.00

Antimicrobial Coating

Description of Components Coated	List Add \$
Available on 626 finish. Specify AM. Example: 626AM	
Inside: thumbturn, rose, or same as outside for double cylinder	73.00
Outside: trim ring and cylinder faceplate	

NOTE: Extended leadtime, consult factory.


Special Application Options

Security Screws

Specify	Description	List Add \$
T	Security screws for latch and strike. 626 Finish Only	40.00

NOTE: Security screws are not available for the 62 function. Security screws are stainless steel, will not match all finishes.

C200 Series
Ordering Guide



Function

Storeroom	80
Classroom	70
Entry	53
Entry/Office	50
Privacy, Bedroom or Bath	40
Patio	30
Exit/Communicating Passage	25
Exit	12
Passage/Closet	10
Dummy Trim One Side	01

Finish

626	Satin Chrome
625	Bright Chrome
613	Dark Oxidized Satin Bronze
612	Satin Bronze
606	Satin Brass
605	Bright Brass

Cylinder Type

D	Conventional Cylinder
L	Less Cylinder
J	SFIC (Less Core)
T	Construction Core SFIC

Door Thickness

Strike Options¹

Lip Length

Product Type

Product Family

Lever Design

Security Screws




Latch Bolt¹

Keying Options Field


Lever Trim

C	2	53	D	LR	E	626		17252	134	2001	1316	XXXX
---	---	----	---	----	---	-----	--	-------	-----	------	------	------

1. Example shows default values. Refer to Lock Options section or price book for full details.



Lever Locks



Lever Locks

626

605, 606, 612,
625, 613

ANSI #	Function	Description	List \$	
Keyless				
F75	C210	Passage/closet	286.00	330.00
F89	C212	Exit	317.00	359.00
F111	C225	Exit/communicating passage	317.00	359.00
F77A	C230	Patio	327.00	368.00
F76A	C240	Privacy, bedroom or bath	327.00	368.00
—	C201	Single dummy	167.00	190.00
Keyed, Single Cylinder				
F82	C250	Entry/office	417.00	433.00
F109	C253	Entry	417.00	433.00
F84	C270	Classroom	417.00	433.00
F86	C280	Storeroom	417.00	433.00

NOTES:

- Split trim not available.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Example: C253D
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	27.00
L		Lock less conventional cylinder	Example: C253L Deduct 33.00
Small Format Interchangeable Core Cylinders			
T		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: C253T 73.00
J		Lock with disposable plastic SFIC plug	Example: C253J 73.00

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.
Locks will be supplied w/plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.


Configuration Options

Latch Bolts



1/2" Throw, 2-3/8" Backset

Part #	Description	List Add \$
For 210, 212, 225, 250, 253, 270, or 280 Functions		
17150	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17152	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 230 & 240 Function		
17180	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17182	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C




1/2" Throw, 2-3/4" Backset


Part #	Description	List Add \$
For 210, 212, 225, 250, 253, 270, or 280 Functions		
17250	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17252	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C
For 230 & 240 Function		
17280	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
17281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
17282	1-1/8" x 2-1/4" front, 1" diameter, square corner	N/C

NOTE: Default configurations for CL700 shown above in bold.

Latch Bolts (continued)


**1/2" Throw, 3-3/4" Backset**

Part #	Description	List Add \$
For 210, 212, 225, 250, 253, 270, or 280 Functions		
17350	1" x 2-1/4" front, 7/8" diameter, square corner	33.00
17351	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	33.00
17352	1-1/8" x 2-1/4" front, 1" diameter, square corner	33.00
For 230 & 240 Function		
17380	1" x 2-1/4" front, 7/8" diameter, square corner	33.00
17381	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	33.00
17382	1-1/8" x 2-1/4" front, 1" diameter, square corner	33.00

**1/2" Throw, 5" Backset**


Part #	Description	List Add \$
For 210, 212, 225, 250, 253, 270, or 280 Functions		
17550	1" x 2-1/4" front, 7/8" diameter, square corner	29.00
17551	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	29.00
17552	1-1/8" x 2-1/4" front, 1" diameter, square corner	29.00
For 230 & 240 Function		
17580	1" x 2-1/4" front, 7/8" diameter, square corner	29.00
17581	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	29.00
17582	1-1/8" x 2-1/4" front, 1" diameter, square corner	29.00

Strikes




Part #	Description	List Add \$
2001 — ANSI Strike with Cylindrical Lock Cutout		
2001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	N/C

NOTE: Default strike for C200 lock shown above in bold.



Part #	Description	List Add \$
2101 — T Strike with Dust Box		
2101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	N/C
2102-118	1-1/8" x 2-3/4", 1-1/8" lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part #	Description	List Add \$
2201, 2202 — Full Lip Strike		
2201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	N/C
2202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Special Application Options

Security Screws


Specify	Description	List Add \$
T	Security screws for latch and strike. 626 Finish Only	40.00

NOTE: Security screws are not available for the 62 function. Security screws are stainless steel, will not match all finishes.

C500 Series

Finish Availability Chart

	605	606	613	619	622	625	626
LR	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•
LG	—	—	•	•	•	—	•



Function

Storeroom —	80
Classroom —	70
Entry —	53
Office/Entry —	50
Privacy, Bedroom or Bath —	40
Patio —	30
Exit/Communicating Passage —	25
Passage/Closet —	10
Dummy Trim One Side —	01

Cylinder Type¹

D — Conventional Cylinder
C — SFIC (With Core)
J — SFIC (Less Core)
T — Temporary SFIC

Finish²

626 — Satin Chrome
625 — Bright Chrome
622 — Matte Black
619 — Satin Nickel
613 — Dark Oxidized Satin Bronze
606 — Satin Brass
605 — Bright Brass

Keying Options Field

Strike Options³

Door Thickness

Product Family

Lever Design

Rose Design

Latch Bolt³

Example Configuration: C5 53 D LR C 626 15250 134 5001 XXXX

134 — 1-3/8"–1-3/4"




1. The C500 is not available less conventional cylinder.

All keyed functions are available with or without SFIC cores.

2. For split finishes, consult factory. Specify in-swing or out-swing.

3. Example shows default values. Refer to Configuration Options section for full details.

NOTE: SFIC available on LR and LC lever designs only, not available on LG lever.



Lever Locks

			Lever Locks	
			626	605, 606, 613, 619, 622, 625
ANSI #	Function	Description	List \$	
Keyless				
F75	C510	Passage/closet	194.00	217.00
F111	C525	Exit/Communicating passage	194.00	217.00
F77A	C530	Patio	198.00	219.00
F76A	C540	Privacy, bedroom or bath	198.00	219.00
—	C501	Single dummy	116.00	125.00
Keyed, Single Cylinder				
F82A	C550	Entry/Office	211.00	234.00
F109	C553	Entry	211.00	234.00
F84	C570	Classroom	211.00	234.00
F86	C580	Storeroom	211.00	234.00

NOTE: Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder	Example: C553D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; D100 keyway — ⓧ Keys sold separately	N/C
	0-Bit	Operated by 0-bit key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit cut key; SC, SE, AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⓧ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⓧ Keys sold separately	27.00
Small Format Interchangeable Core Cylinders			
T		Temporary SFIC construction core (Cores may be returned for a full refund) — ⓧ Keys sold separately	73.00
J		SFIC core sold separately (see Cylinders & Keying)	73.00
C		Lock with combined SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⓧ Keys sold separately	83.00

*The Less Cylinder option is not available for the C500 Series

1. For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

ⓧ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.


Configuration Options

Latch Bolts



1/2" Throw, 2-3/8" Backset

Part #	Description	Add List \$
For 510 or 540 Functions		
15130	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
For 525, 550, 553, 570, or 580 Functions		
15150	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
For 530 Function		
15180	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C





1/2" Throw, 2-3/4" Backset

Part #	Description	List Add \$
For 510 or 540 Functions		
15230	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15232	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C
For 525, 550, 553, 570, or 580 Functions		
15250	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15252	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C
For 530 Function		
15280	1" x 2-1/4" front, 7/8" diameter, square corner	N/C
15281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15282	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	N/C


NOTE: Default configurations for C500 shown above in bold.

Special Application Options


Drilling Jig


	Part #	Description	List \$
	76004794	Drilling jig for C100, C200, and C500 locksets	23.00
	Part #	Description	List \$
	640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" × 2-1/4" faceplate	166.00

Strikes

	Part #	Description	List Add \$
	5001 — ANSI Strike with Cylindrical Lock Cutout		
	Part #	Description	List Add \$
	5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
	Part #	Description	List Add \$
	5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	36.00

NOTE: Default strike for C500 lock shown above in bold.

	Part #	Description	List Add \$
	5101, 5102 — "T" Strike with Dust Box		
	Part #	Description	List Add \$
	5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
	Part #	Description	List Add \$
	5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	36.00
	Part #	Description	List Add \$
	5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, 1/4" radius corner	N/C
	Part #	Description	List Add \$
	5102-112	1-1/8" × 2-3/4", 1-1/2" lip length, 1/4" radius corner	36.00

	Part #	Description	List Add \$
	5201, 5202 — Full Lip Strike		
	Part #	Description	List Add \$
	5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
	Part #	Description	List Add \$
	5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C


Abrasive Coated Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive coated lever (all designs)	73.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

DB600 Series

Ordering Guide



		Cylinder Type ⁵				Door Thickness ⁶		Keying Options Field	
Function		D	Conventional Cylinder			134			
Cylinder × Blank ¹	80	C	SFIC (With Core)			1-3/8" - 1-3/4"			
Cylinder × Cylinder	62	J	SFIC (Less Core)						
Cylinder × Turn	60	T	Temporary SFIC						

DB600 Series

ANSI #	Function	Description	626, 630	605, 613, 619* 629**
			List \$	
E2152	DB660	Cylinder × turn	141.00	151.00
E2142	DB662	Cylinder × cylinder	180.00	195.00
	DB680	Turn × blank	107.00	118.00

* 619 finish available standard cylinder only.

**629 finish only available for DB660 – standard and SFIC

NOTES:

- List prices for keyed locks include standard (D) cylinder, keyed different (KD) with two (2) nickel silver keys.
- Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder	Example: DB660D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	27.00
Small Format Interchangeable Core Cylinders			
T		Locks with keyed temporary SFIC construction cores (Cores may be returned for a full refund) — Keys sold separately	73.00
J		SFIC core sold separately	73.00
C		Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately	84.00

* The Less Cylinder option is not available for the DB600 Series.

¹ For uncombined cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately


Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

Configuration Options

Dead Bolts




1" Throw, 2-3/8" – 2-3/4" Adjustable Backset

Part #	Description	List Add \$
26170	1" x 2-1/4" faceplate, square corner (1-1/8" wide w/filler)	N/C
26171	1" x 2-1/4" Faceplate, Radius Corner	N/C
26173	1" diameter, drive in (626 Finish only)	N/C


NOTE: Default configuration shown above in bold.

Strikes




Part #	Description	List Add \$
5103	Standard Strike for Dead Bolt	
5103	1-1/8" x 2-3/4", no lip, square corner	N/C

NOTE: Default strike shown above in bold.



Part #	Description	List Add \$
5203	Full Lip Strike with Dead Bolt Cutout	
5203-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C




Part #	Description	List Add \$
5004	ANSI Strike with Dead Bolt Cutout	
5004	1-1/4" x 4-7/8", no lip, square corner	12.00

C300 Series

Finish Availability Chart

	626	622	619	613	605
LR	•	•		•	
LC	•	•		•	•
LG	•	•	•	•	
LS		•	•	•	•
L118	•	•	•	•	



Product Family

Grade 2 Cylindrical Lockset

Lever

Lever — **L118**

Lever Handed — **LSB**

Lever — **LGB**

Lever — **LCB**

Lever — **LRB**

Backset

2-3/8" Fire — **238F**

2-3/4" Fire — **234F**

2-3/8" Non-Fire* — **238N**

2-3/4" Non-Fire* — **234N**

Strike

ANSI Strike, Square Corner — **5001**

T Strike, Square Corner — **5101**

Full Lip, Square Corner — **5201**

Full Lip, Radius Corner — **5202**

Cylinder Type

D — Standard Cylinder

Keying

Handing

Keyway

Function

Single Dummy — **01**

Passage — **10**

Patio — **30**

Privacy — **40**

Entry — **53**

Finish

626 — Satin Chrome

622 — Matte Black

619 — Satin Nickel

613 — Dark Bronze

605 — Bright Brass

Faceplate

100S — 1" Square

118S — 1-1/8" Square

100R — 1" Radius

DRIV — Drive-In 238N Only

RH — Right Handing

LH — Left Handing





SC — SC Keyway

D100 — SKC D100 Keyway




SCKD — Standard Cylinder Keyway

*C353 and C330 only available with fire rated latch.

Levers



Strikes



			626	605, 613, 619, 622
ANSI #	Function	Description	List \$	
—	C301	Single dummy	59.00	63.00
F75	C310	Passage/closet	111.00	115.00
F77A	C330	Patio	128.00	131.00
F76A	C340	Privacy, bedroom, or bath	117.00	119.00
F109	C353	Entry	145.00	149.00

Strikes

Option	Description	List \$
5202	Full lip strike, radius corner — default	N/C
5001	ANSI strike	15.00
5101	T strike, square corner	N/C
5102	T strike, radius corner	N/C
5201	Full lip strike, square corner	N/C

Latches

Option	Description	List \$
C310/C340 Latches		
234N	2-3/4" Backset non-fire	N/C
238N	2-3/8" Backset non-fire	N/C
234F	2-3/4" Backset fire rated	16.00
238F	2-3/8" Backset fire rated	16.00
C330/C353 Latches		
234F	2-3/4" Backset fire rated	N/C
238F	2-3/8" Backset fire rated	N/C

Abrasive Coated Levers (Tactile Markings)

Part #	Description	List \$
660003	Abrasive coated lever (all designs)	73.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

Keying

Option	Description	List \$
KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
1-Bit	Operated by 1-bit cut key, SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
0-Bit	Operated by 0-bit key, D100 keyway — Keys sold separately	N/C
0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	30.00
CMK	Construction master keyed single cylinder locks — Keys sold separately	27.00

NOTE: Less Cylinder option is not available on the C300 series. Ⓢ Denotes keys must be ordered separately.

Keys

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders – SC, SE keyways	10.00


NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

J300 Series

Finish Availability Chart

	626	613	619	605
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•
L118	•	•	•	







Product Family		Lever		Backset		Handing		Cylinder Type		Keying
		Lever (Handed)								
Interconnected Lockset	Lever	L118						T	Temporary SFIC	
	Lever	LSB						C	SFIC (With Core)	
	Lever	LGB	2-3/8" Fire	238F	Left Hand/Left Hand Reverse	LH	J	SFIC (Less Core)		
	Lever	LCB	2-3/4" Fire	234F	Right Hand/Right Hand Reverse	RH	D	Standard Cylinder		
	Lever	LRB								
Function		Finish		Faceplate		Strike				
Entry – Single Cylinder –	10	Satin Chrome –	626	1" Square –	100S	5701	(1) T Strike Square, (1) No Lip Square			
Privacy with Indicator ¹ –	46	Dark Bronze –	613	1-1/8" Square –	118S	5703	(1) Full Lip Square, (1) No Lip Square			
Entry – Double Cylinder ² –	53	Satin Nickel –	619	1" Radiused –	100R	5704	(1) Full Lip Radiused, (1) No Lip Radiused			
		Bright Brass –	605			5705	(1) Full Lip Square, (1) Full Lip Square			
						5706	(1) Full Lip Radiused, (1) Full Lip Radiused			




1. J346 not available in 605.

2. SFIC core on J353 function available with LR lever only.

Levers



Strikes



			All Levers — Per Chart	
			626	605, 613, 619
ANSI #	Function	Description	List \$	
F95	J310	Entrance, Single Locking	518.00	498.00
—	J346	Privacy with Indicator	518.00	498.00
F97	J353	Entrance, Double Locking	641.00	617.00

Strikes

Option	Description	List Add \$
5701	Lock — T strike square/Deadbolt — no lip square (default)	N/C
5703	Lock — full lip square/Deadbolt — no lip square	N/C
5704	Lock — full lip radiused/Deadbolt — no lip radiused	N/C
5705	Lock — full lip square/Deadbolt — full lip square	N/C
5706	Lock — full lip radiused/Deadbolt — full lip radiused	N/C
Description		
Split Finish		46.00

Cylinder Types, Keying Options and Keyways

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D	Conventional cylinder		
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)	N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	27.00
L	Lock less conventional cylinder, per cylinder	Example: J310L	Deduct 33.00
Small Format Interchangeable Core Cylinders			
T	Lock with keyed temporary SFIC construction core, per cylinder (cores may be returned for a full refund) — ⊗ Keys sold separately	Example: J310T	73.00
J	Lock with disposable plastic SFIC construction core	Example: J353J	73.00
C	Lock with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: J310C	83.00

NOTE: The Less Cylinder option is not available on the C500 Series.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SEIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00

NOTES:

- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Cylinders, Keys, and Keying

Product Guide

CYLINDER AVAILABILITY	Conventional	Interchangeable Core 6-Pin	Interchangeable Core 7-Pin	Conventional Hotel	Interchangeable Core Hotel
Mortise Cylinder	90	96	97	—	98
Rim Cylinder	80	86	87	—	—
KIL Cylinder	70	—	—	75	—
KIK Cylinder	71	—	—	—	—
Small Format Interchangeable Core	—	76	77	—	—

KEYWAY AVAILABILITY	SC Keyway	SE Keyway	Retrofit Keyways AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA, YG	SFIC Keyways BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ	SKC Keyways D100
KD Keyed different to a random combination	Yes	No	No	No	No
KA Keyed alike	Yes	No	No	No	No
MKD Master keyed or keyed to a specific combination	Yes	Yes	No	Yes	Yes
CMK Construction master keyed	Yes	Yes	No	No	Yes (Not available SFIC)

Master Keying

Master keying charges do not include keys. Always order and price keys as a separate line item.

A completed Key System Specification Form is required for every new master key system ordered. Orders and keying schedules must use BHMA/ANSI Standard Key Coding Symbols. See ANSI 156.28 for reference.

Keying capacity varies greatly with product and system architecture. Check keying requirements prior to selecting product. Expressions like "Plan for maximum expansion" have no meaning. The table below is a very general guide and can be misinterpreted. For more information, please contact Customer Service.

Cylinder/Core Mechanism	Theoretical Number of Changes Under the Top Master Key	System Capacity	Example of Theoretical Keying Capacity in Three Levels of Keying (Grand Master, Master and Changes)
SC Keyway with Construction Keying	$4^5 = 1,024$	Smaller Projects	GMK and 16 Masters of 64 Changes Each
SC Keyway without Construction Keying	$4^6 = 4,096$	Medium Projects	GMK and 16 Masters of 256 Changes Each
77BA, BB etc. SFIC only	$4^7 = 16,384$	Larger Projects	GMK and 64 Masters of 256 Changes Each
SKC with Construction keying	$6 \times 4^6 = 24,576$	Very Large Projects	GMK and 96 Masters of 256 Changes Each
SKC without Construction Keying	$6 \times 4^7 = 98,304$	Extremely Large Projects	GMK and 384 Masters of 256 Changes Each

SKC

Distribution of SKC (Shown in the price list as D100 keyway) is restricted. Possession of a price list does not constitute authorization to purchase SKC. Contact your local representative for information about authorization to purchase SKC.

SKC may only be used in the USA and Canada.

Conventional (Non-IC) Mortise Cylinders

Ordering Guide

Cylinder Ring (List Add)

Cylinder Type

Conventional Mortise — **90** **X**

Length

214 — 2-1/4"
200 — 2"
134 — 1-3/4"
158 — 1-5/8"
112 — 1-1/2"
138 — 1-3/8"
114 — 1-1/4"
118 — 1-1/8"

Keying

OBIT — SC & D100 provided in 1-bit - 1-bit key sold separately; other keyways provided in 0-bit
CMK — Construction Master Keyed
MKD — Master Keyed
KA — Keyed Alike
KD — Keyed Different

90 **X** **10** **SC** **118** **626** **KD**

Adams Rite & dormakaba 134OKR Key Removable Mullion — **01** **SC** — Schlage C **605** — Bright Brass
 Adams Rite 4070 — **02** **SE** — Schlage E **606** — Satin Brass
 dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions — **09** **D100** — SKC **612** — Satin Bronze
 dormakaba M1060 outside; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications — **10** **AA** — Arrow A **613** — Dark Oxidized Satin Bronze
 dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — **13** **CA** — Corbin 60 **625** — Bright Chrome
 Schlage Style Clover (L) — **15** **CB** — Corbin 67 **626** — Satin Chrome
 dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow — **16** **CC** — Corbin 77 **630** — Satin Stainless (also for use with 619)
 Best & CorbinRusswin Style Clover For all M1000 functions. M1060 inside cylinder MD100 — **19** **CD** — Corbin 59A1 **Finish**
 Falcon Dead Bolt Style Clover — **30** **CE** — CorbinRusswin L4
 CorbinRusswin DL4000 Style — **31** **RA** — Russwin 981
RB — Russwin D1
GA — Sargent LA
SF — Schlage F
YA — Yale 8
YG — Yale GA

Keyway **Retrofit Keyways Available 0-Bitted Only**

NOTE: For Cylinder Rings, refer to page 67.

NOTE: Not all keyways available in all cylinder lengths. Consult factory.

Length Includes Cam **Mortise Cylinder**

Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA	SC	90X10 SC 118 626 KD	2 keys ea.	110.00
Master keyed	SC, SE, D100	90X10 SC 118 626 MKD	⊗ Keys sold separately	Add 39.00
Construction master keyed	SC, SE, D100	90X10 SC 118 626 CMK	⊗ Keys sold separately	Add 48.00
0-Bit	SC, SE	90X10 SC 118 626 OBIT	2 key blanks provided (1-bit key needed to operate).	25.00
0-Bit	D100	90X10 D100 118 626 OBIT	⊗ Keys sold separately	N/C
0-Bit	Retro	90X10 RB 118 626 OBIT	2 key blanks	25.00
138, 112, 158, 134, or 200 length		90X10 SC 112 626 KD		Add 94.00
214, 212, 234, or 300 length		90B10 SC 200 626 KD		Add 78.00

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC

Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	13.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	10.00

NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.
- For lengths of 2-1/2", 2-3/4" and 3" cylinders please refer to page 84 for 90 series cylinder extension kits.

Small Format Interchangeable Core Mortise Housings

Ordering Guide

Cylinder Type

For 7 Pin Core — 97

For 6 Pin Core — 96

Cylinder Ring (List Add)

X

Length

300 — 3"

212 — 2-1/2"

214 — 2-1/4"

200 — 2"

134 — 1-3/4"

138 — 1-3/8"

97

X

10

138

626

Adams Rite & dormakaba 134OKR Key Removable Mullion — 01

Adams Rite 4070 — 02

dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions — 09

dormakaba M1060 outside cylinder Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications — 10

dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — 13

Schlage Style Clover (L) — 15

dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow Best & CorbinRusswin Style Clover All M1000 Mortise functions, M1060 outside cylinder Mortise locks MD100 — 19

Falcon Dead Bolt Style Clover — 30

CorbinRusswin DL4000 Style — 31

605 — Bright Brass

606 — Satin Brass

612 — Satin Bronze


613 — Dark Oxidized Satin Bronze


625 — Bright Chrome

626 — Satin Chrome

630 — Satin Stainless (also for use with 619)

Finish





Length Includes Cam

SFIC Mortise Housing

- NOTES:**
- For Cylinder Rings, refer to page 67.
 - To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	97X10 00 138 626	99.00
Housing less core — 200 or 214 length (extended leadtime)	97X10 00 200 626	Add 356.00
Housing less core — 212 or 300 length (extended leadtime)	97X10 00 212 626	Add 45.00

Dummy and Thumbturn Cylinders

Ordering Guides

Cylinder Ring (List Add)

Cylinder Type

Dummy — 91 X

Length

1-1/8" — 118

1-1/4" — 114

Finish

605 — Bright Brass

606 — Satin Brass


612 — Satin Bronze

613 — Dark Oxidized Satin Bronze

625 — Bright Chrome

626 — Satin Chrome

NOTE: For Cylinder Rings, refer to page 67.



Dummy Cylinder

Cylinder Ring (List Add)

Cylinder Type

Thumbturn — 92 X

Finish

626 — Satin Chrome

625 — Bright Chrome

613 — Dark Oxidized Satin Bronze

612 — Satin Bronze

606 — Satin Brass

605 — Bright Brass

Cam

Adams Rite & dormakaba 134OKR Key Removable Mullion — 01

Adams Rite 4070 — 02

dormakaba M1060 outside cylinder Mortise Locks; DORMA 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications — 10


Best & CorbinRusswin Style Clover — 19

Length

100 — 1"

114 — 1-1/4"

118 — 1-1/8"



Thumbturn Cylinder

NOTE: For special arm applications, consult Technical Services.

Description	Example	All Finishes \$
91 Series dummy cylinder	91X 118 626	84.00
92 Series thumbturn cylinder	92X 10 118 626	110.00

NOTE: For cylinders over 1-1/4" long, contact the factory.

Mortise Cylinder Cams for dormakaba Products

Ordering Guide

Product Type

Mortise Cylinder Cam — 63

Pattern

C — dormakaba SFIC Screw-On
dormakaba 93R Housing for Schlage FSIC

D — dormakaba Conventional

6310D

dormakaba Key Removable Mullion & Adams Rite — 01

Adams Rite 4070 & Amarlite: Baldwin Mortise Locks,
Miscellaneous Non-dormakaba Straight Cam Applications — 02 (Not available in SFIC)

dormakaba 9600, 9700 & 9800 Exit
Z Trim w/09 or 12 Functions — 09

dormakaba M1060 outside cylinder Mortise Locks;
dormakaba 9100, 9300, 9400 & 9500 (prior to 11/2014)
Exit Y Trim/Options & Other Straight Cam Applications — 10


dormakaba 9500 05 and 08 Functions (11/2014 or later),
9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions — 13

Schlage Style Clover (L) — 15

dormakaba 5000 Series Exit J Trim,
Sargent & Yale Narrow — 16

Best & CorbinRusswin Style Clover — 19

All M1000 Mortise functions, M1060 inside cylinder MD100
Vingcard — 22


6310D


6310C

Conventional Cams (Suffix D) have
mounting holes at 3 and 9 o'clock.

SFIC/LFIC Cams (Suffix C) have mounting
screw holes at 12 and 6 o'clock.

Cam

Description	U/M	List \$
Cams — 6301D, 6302D, 6309D, 6310D, 6312D, 6313D, 6315D, 6316D, 6319D	ea.	13.00
Cams — 6301C, 6309C, 6310C, 6312C, 6313C, 6315C, 6316C	ea.	13.00


Part#	Description	U/M	List \$
76007125	Cam screws, dormakaba I/C mortise housing (used with "C" suffix cams) – pack of 20	pack	36.00
76019185	Cam screws, dormakaba standard mortise cylinder (used with "D" suffix cams) – pack of 20	pack	36.00

70

Architectural Hardware Canada Price List - PL35

Retrofit Mortise Cylinder Cams

Ordering Guide for other manufacturers' cylinders




Retrofit cams are configured to fit non-dormakaba cylinders. Use of incorrect cams can cause lockouts.

Description	List \$
Cams — 6313CR	15.00
Cams — 6313SG	15.00

Mortise Cylinder Rings

Ordering Guide



Description	List \$
Blocking rings — 64C, 64D	13.00 15.00
Tapered rings — 64A, 64J, 64K (includes wave washer)	16.00 24.00
Tapered rings — 64G, 64H (includes wave washer)	20.00 25.00
Wave washer (sold in multiples of 25 only)	25 (pack) 25 (pack)

Example: 64J 626

Conventional (Non-IC) Rim Cylinders
Ordering Guide

Cylinder Ring

Standard Ring

R

Tailpiece

40 — Long Horizontal

30 — Long Vertical

20 — Horizontal

10 — Vertical

80

R

40

SC

626

KD

80 — Conventional Rim

SC — Schlage C

SE — Schlage E

D100 — SKC

AA — Arrow A

CA — Corbin 60

CB — Corbin 67

CC — Corbin 77

CD — Corbin 59A1

CE — CorbinRusswin L4

RA — Russwin 981

RB — Russwin D1

GA — Sargent LA

SF — Schlage F

YA — Yale 8

YG — Yale GA

630 — Satin Stainless (also for use with 619)

626 — Satin Chrome

625 — Bright Chrome

613 — Dark Oxidized Satin Satin Bronze

612 — Satin Bronze

606 — Satin Brass

605 — Bright Brass

Keying

KD — Keyed Different

KA — Keyed Alike

MKD — Master Keyed

CMK — Construction Master Keyed

OBIT — O-Bitted (Pinned 1 Bit, Uncut Keys)

Retrofit Keyways Available O-Bitted Only

80


R

40

SC

626

KD



Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA	SC	80R40 SC 626 KD	2 keys ea.	77.00
Master keyed	SC, SE, D100	80R40 SC 626 MKD	⊗ Keys sold separately	Add 36.00
Construction master keyed	SC, SE, D100	80R40 SC 626 CMK	⊗ Keys sold separately	Add 44.00
O-Bit	SC, SE	80R40 SC 626 OBIT	2 keys ea.	25.00
O-Bit	D100	80R40 D100 626 OBIT	⊗ Keys sold separately	N/C
O-Bit	Retro	80R40 RB 626 OBIT	2 keys ea.	25.00

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC

Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	13.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	10.00

NOTES:

- D100 keyway cylinders must be ordered O-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Small Format Interchangeable Core Rim Housings

Ordering Guide

Long

Horizontal

Long

Vertical

Horizontal

Vertical

40

30

20

10

87

R

40

626

w/6-pin Core

86

R

w/7-pin Core

87

Cylinder Type

Cylinder Ring
Standard Ring

Finish

630

626

625

613

612

606

605

Satin Stainless
(also for use with 619)

Satin Chrome


Bright Chrome

Dark Oxidized
Satin Bronze

Satin Bronze

Satin Brass

Bright Brass



NOTES: • To order cores, refer to page 73.



Description	Example	All Finishes \$
Housing less core	87R40 00 626	74.00

Architectural Hardware Canada Price List - PL35

73

Conventional (Non-IC) Key-in-Knob/Lever Cylinders

Ordering Guide (Except Hotel Function)



NOTE: To order tailpiece only, refer to page 76.

Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2	SC	7010 SC 626 KD2 keys ea.	2 keys ea.	70.00
NSK (keyed alike, sets of 3 or more)	SC	7010 SC 626 NSK KA31	2 keys ea.	Add 36.00
Master keyed	SC, SE, D100	7010 SC 626 MKD	🚫 Keys sold separately	Add 36.00
Construction master keyed	SC, SE, D100	7010 SC 626 CMK	🚫 Keys sold separately	Add 45.00
0-Bit	SC, SE	7010 SC 626 0BIT	2 keys ea.	25.00
0-Bit	D100	7010 D100 626 0BIT	🚫 Keys sold separately	N/C
0-Bit	Retro	7010 RB 626 0BIT	2 keys ea.	25.00

NOTE: For locksets in 619, 625, 626, 629, and 630 finish, order cylinders in 626. For locksets in 605, 606, 612, and 613, order in 606.

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC


Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	13.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	18.00
45404	CONV Cut key — 1-bit cut key for operating 1-bit cylinders; SC, SE keyways only	10.00

NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Conventional (Non-IC) Hotel Cylinders

Ordering Guide



Description	Example	All Finishes \$
Key-in-Lever Cylinders		
Key-in-lever hotel cylinder	7585 SC 626 OBIT	111.00
Key-in-lever master keyed cylinder — Keys sold separately	7585 SC 626 MKD	Add 36.00
Key-in-lever construction keyed cylinder — Keys sold separately	7585 SC 626 CMK	Add 45.00

NOTES:

- For key-in-lever locksets in 619, 625, and 626 finish, order cylinders in 626. For key-in-lever locksets in 605, 606, 612, and 613, order in 606.
- Key-in-lever hotel cylinders are not available in D100 keyway.

Denotes keys must be ordered separately.

Keys Ordered Separately for MKD and CMK cylinders



Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	13.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	18.00
45102	Cut key — emergency key 75CYL; SC, SE keyways	36.00

NOTES:


- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for SKC policies.
- See Keys and Key Blanks section for complete list.

Small Format Interchangeable Core Hotel Cylinder

Ordering Guide



Cylinder without Ring



Length Includes Cam

* Extended length cylinders not available.

NOTES: • To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	98H11 00 158 626	98.00

1. For uncombined cores, UNC, cores must be ordered separately.

Small Format Interchangeable Cores

Ordering Guide

Core Length

7-Pin Core — **77**

6-Pin Core — **76**

Finish

626 — Satin Chrome

606 — Satin Brass

77 BA 606 MKD

Keying

BA — Best A

BB — Best B

BC — Best C

BD — Best D

BE — Best E

BF — Best F

BG — Best G

BH — Best H

BJ — Best J

BK — Best K

BL — Best L

BM — Best M

TB — Best TB

BQ — Best Q

D100 — SKC (supplied standard with dormakaba logo - 7-pin Core only)

BLK — Black Construction Core

BLU — Blue Construction Core

GRN — Green Construction Core


Keyway

MKD — Combined (Master Keyed)

UNC — Uncombined

TMP — Temporary Construction Core

NOTE: To order tailpiece only, refer to page 76.



Description	Example	All Finishes \$
Uncombined core — ⊗ Keys sold separately	77 BA 606 UNC	53.00
76 or 77 Series core, combined — ⊗ Keys sold separately	77 BA 606 MKD	Add 36.00
Temporary construction core — ⊗ Keys sold separately	77 XX 606 TMP	69.00
Cores may be returned for a full refund (Quantities limited; contact Customer Service for details)		

NOTES:

- For locksets in 619, 625, 626, 629, and 630 finish, order cores in 626. For locksets in 605, 606, 612, and 613, order cores in 606.
- SFIC cores are not available O-Bitted.

⊗ Denotes keys must be ordered separately.

Keys Ordered Separately

Part #	Description	List \$
45101	Cut key — change key, master key, control key; "B" keyways	13.00
45401	Cut key — change key, master key, control key; SKC keyways — D100 etc.	18.00
45103	Cut key — emergency key for M9985C "B" keyways	38.00
45403	Cut key — emergency key for M9985C D100 keyway	38.00

NOTES:


- D100 keyway cylinders must be ordered UNC or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for SKC policies.
- See Keys and Key Blanks section for complete list.

Service Items

Part #	Description	List \$
860051	Plastic construction core	10.00

Large Format Interchangeable Core

Ordering Guide



Large Format Interchangeable Cores

Keway	Option	Example	Keys	All Finishes \$
SC	O-BIT	73 SC 626 O-BIT	2 Keys Ea. (Control Key Sold Separately)	25.00
SC	MKD	73 SC 626 MKD	Keys Sold Separately	30.00
D100	O-BIT	73 D100 626 O-BIT	Keys Sold Separately	N/C
D100	MKD	73 D100 626 MKD	Keys Sold Separately	30.00
SC	Temp Construction Core	73 BLK 626 TMP	Keys Sold Separately	94.00

NOTES:

- "O-bitted" SC cores come with (2) uncut keys, a 1-bit cut key is required to operate cylinder and must be ordered separately. Control key for removing and installing core must be ordered separately.
- "O-bitted" D100 cores do not come with keys. Keys must be ordered separately (pages 77–78).
- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.

Keys

Part #	Description	List \$
45101	Cut key — change key, master key, construction key — SC keyway	13.00
45401	Cut key — change key, master key, construction key — D100 keyway	18.00
45404	Cut key — 1-bit change key (to operate "1-bit" cores) — SC keyway	10.00
45405	Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	10.00
44101SC	Key blank — SC keyway	7.00
44104SC	Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00
44404D100	Key blank — control key — D100 76014824	34.00
45404D100	Cut key — control key — D100	35.00

Retrofit Interchangeable Core Cylinder Housings

Ordering Guides

Cylinder Type
Rim Cylinder Housing — **83**

Cylinder Ring
Standard Ring — **R**

Tailpiece
40 — Long Horizontal
30 — Long Vertical

Retrofit Type
Sargent XC 11-P-7300B
Arrow Choice Plus CP7S
Arrow Choice Flex C7FS
Arrow Choice Base C7S — **X7**
Sargent XC 11-P-7300B
Arrow Choice Plus CP6S
Arrow Choice Flex C6FS
Arrow Choice Base C6S — **X6**
R — Schlage FSIC

Finish
605 — Bright Brass
606 — Satin Brass
612 — Satin Bronze
613 — Dark Oxidized Satin Bronze
625 — Bright Chrome
626 — Satin Chrome
630 — Satin Stainless (also for use with 619)

Length
112 — 1-1/2" (R only)
134 — 1-3/4" (X7, X6 only)
138 — 1-3/8" (X7, X6 only)

Cylinder Type
Interchangeable Core Housing — **93**

Retrofit Type
R — Schlage FSIC
X6
X7

Cylinder Ring (List Add)
10

Cam
01 — Adams Rite & dormakaba 134OKR Key Removable Mullion
02 — Adams Rite 4070
09 — dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions
10 — dormakaba M1060 outside cylinder Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications
13 — dormakaba 9600, 9700 & 9800 Exit Z Trim w/08 or 11 Functions
15 — Schlage Style Clover (L)
16 — dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow
19 — Best & CorbinRusswin Style Clover
30 — Falcon Dead Bolt Style Clover
31 — CorbinRusswin DL4000 Style

Finish
605 — Bright Brass
606 — Satin Brass
612 — Satin Bronze
613 — Dark Oxidized Satin Bronze
625 — Bright Chrome
626 — Satin Chrome
630 — Satin Stainless (also for use with 619)

1. Interchangeable cores only available in R option (Schlage C) for these rim cylinder housings.

1. Interchangeable cores only available in R option (Schlage C) for these mortise cylinder housings.

Retrofit	Description	Example	All Finishes \$
Full Size Interchangeable Core Housing — Less Core			
R	Housing prepared for Schlage FSIC	83 R R 40 00 626 or 93 R G 10 00 112 626	15.00
Small Format Interchangeable Core Housings — Less Core			
X7 ¹	Housing prepared for Sargent XC 7P and Arrow Choice 7P	83 X7 R 40 00 626 or 93 X7 G 10 00 112 626	87.00
X6 ¹	Housing prepared for Arrow Choice 6P	83 X6 R 40 00 626 or 93 X6 G 10 00 112 626	87.00

NOTE: If temporary construction cores are required, consult technical services. SFIC housings X6 require 6-pin temporary cores; X7 require 7-pin temporary cores.

Tailpieces

C100	Tailpiece	Cylinder Type	Application	List \$
	71770527 (KIT)	STD	All functions	12.00
	78074975 (KIT)	SFIC	All functions	12.00
C200				
	76002052	STD	All functions	12.00
	71829360	SFIC	All functions	12.00
C500 Tailpieces				
	6724D	Standard	All functions except C570	12.00
	6725D	Standard	C570 function only	12.00
	6724C	SFIC	All functions except C570	12.00
	6725C	SFIC	C570 function only	12.00
J300 Tailpieces				
	6732D	Standard	J353 (lever)	12.00
	6733D	Standard	All functions (deadbolt)	12.00
	6733C	SFIC	All functions (deadbolt)	12.00
	6732C	SFIC	J353 (lever)	12.00
C300 Tailpieces				
	6732D	Standard	C353	12.00
DB600 Tailpieces				
	6716D	Standard	D660	12.00
	6717D	Standard	D662	12.00
	6716C	SFIC	D660	12.00
	6717C	SFIC	D662	12.00
DB100 Tailpieces				
	780655760	SFIC (Screw Pack)	Double Keyed	11.00
	780655710	SFIC (Screw Pack)	Single Keyed	11.00
	732032320	Non-IC	Double Keyed	11.00
	732032290	Non-IC	Single Keyed	11.00

Miscellaneous Tailpieces/Parts

Part #	Description	List \$
76008829	Tailpiece, Rim cylinder	12.00
76009468	SFIC tailpiece spacer for use with 6-pin cores (except C800C Series)	7.00

Keys and Key Blanks

Key Blanks

Part #	Description	List \$
44101SC	SC section 6-pin (order in multiples of 50), w/dormakaba logo	7.00
44101SE	SE section 6-pin (order in multiples of 50), w/dormakaba logo	8.00
44101BA	BA section 7-pin (order in multiples of 50), w/dormakaba logo and stamped DO NOT DUPLICATE	8.00
44401D100	D100 section 7-pin (order in multiples of 50), w/DORMA logo and stamped DO NOT DUPLICATE	10.00
44102SC	SC section emergency blank for C885D	33.00
44102SE	SE section emergency blank for C885D	33.00
44103BA	BA section emergency blank for M9985C and M9986C	35.00
44104SC	Key Blank — Control key (to install/remove LFIC Cores) SC keyway.	9.00
44403D100	D100 section emergency blank for M9985C and M9986C	36.00
44404D100	Key blank – control key – (to install/remove LFIC cores) D100 keyway	34.00
44303D400	D400 Emergency key blank for M9985 and M9986C	36.00

NOTE: Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.

Cut Keys**Use cut key for master keys, change keys, control keys, construction keys, and emergency key for M9985 and M9986**

Part #	Description	List \$
45101	Cut key SC, SE, or B sections	13.00
45401D100	Cut key D100 section	19.00
45102SC	SC section emergency key for C885D	36.00
45102SE	SE section emergency key for C885D	36.00
45103	Emergency keys for SFIC, M9985C, and M9986C (specify B keyway)	38.00
45403D100	D100 section emergency key for M9985C and M9986C	38.00
45404D100	Cut key - control key (to install/remove LFIC cores) D100 keyway	36.00

NOTE: Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.


Key Stamping

Part #	Description	List Add \$
—	Alpha-numeric non-standard key symbols, up to 6 characters	10.00
—	Do not duplicate or US Property Do Not Duplicate	10.00

NOTE: BB through BQ section key stamped DUPLICATION PROHIBITED

SFIC Padlocks
Ordering Guides

Shackle Length		Cylinder Type		Keying	
2" Shackle —	20	T	— SFIC, Temporary Core	TMP	— Temporary Construction Core
1" Shackle —	10	C	— SFIC, with Core	MKD	— Combined (Master Keyed)
SFIC Heavy Duty Padlock —		J	— SFIC, Less Core		
		P1	10	J	626
		Satin Chrome —		626	BA
				Finish	BB
					BC
					BD
					BE
					BF
					BG
					BH
					BJ
					BK
					BL
					BM
					BQ
					TB
					D100
					SKC 7-Pin Only
					BLK
					BLU
					GRN
					Keyway



Description	List \$
P110 J 626 — SFIC Padlock with 1" shackle, less core	77.00
P120 J 626 — SFIC Padlock with 2" shackle, less core	89.00

Small Format Interchangeable Cores	List Add \$
T Temporary construction core — Cores may be returned for a full refund	73.00
J SFIC Core sold separately	73.00
C Padlock with combined SFIC core; BA (default). Shipped separately BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 Keyway — Keys sold separately	76.00

Cut Keys Ordered Separately

Part #	Description	List \$
45101	Change key, master key, construction master key or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	Change key, master key or control key; SKC keyways — D100 etc.	18.00

Service Parts

Pin Kits

Part #	Description	List \$
76006942	Pin kit for SC and SE keyway conventional cylinders (0.015 dia. pins)	226.00
76006943	Pin kit for dormakaba small format IC (BA, BB, etc., A2 system; 0.108 dia. pins)	226.00
76007399	Pin kit for SKC (D100) SFIC and conventional cylinders (A2 system)	529.00

NOTE: 7-pin kit for DORMA SKC also pins B keyway SFIC.

Key Machine


Part #	Description	List \$
76007932	Code key machine for originating SKC keys, 120 VAC 60 Hz. 4 week lead time.	6,919.00
76007934	Code key machine for originating SKC keys, 220 VAC 60 Hz. 4 week lead time.	7,254.00
76007936	Replacement cutter for dormakaba key machines	662.00
76007938	Replacement belt for dormakaba key machines	107.00

90 Series Conventional Mortise Cylinder Extension Kit


Part #	Description	List \$
76013269	90 Series Cylinder Extension Kit 1/2" Inch	200.00
76013270	90 Series Cylinder Extension Kit 3/4" Inch	200.00
76013271	90 Series Cylinder Extension Kit 1 Inch	200.00

IC Capping Equipment

Part #	Description	List \$
76007939	Capsaver press for D100	2,722.00
76010091	Manual capping set for D100 and B keyways (capping block and capping tool)	299.00
76010076	SFIC decombining block and ejector tool (for B keyways only)	267.00
76010074	Capping tool for manual capping	73.00
76010075	Ejector tool for decombining	44.00
76010068	Capping strips (pack of 50)	102.00
76010069	Individual caps for manual capping (pack of 500)	34.00



Capsaver Press



Capping Block



Capping Tool



Ejector Tool

Tools and Service Items

Part #	Description	List \$
76010070	Small format IC housing installation wrench	141.00
76010071	Pin tumbler tweezers	58.00
76010072	Cylinder shims (pack of 25; for servicing conventional cylinders)	24.00
76007846	Follower (for servicing all dormakaba conventional cylinders)	18.00
76010246	SKC sample set	206.00
76010534	BA sample set, 626	102.00
76010535	BA sample set, 606	102.00

Replacement Pins, A2 System

Part #	Description (Order in multiples of 100) — Price is per pin		List \$
76007952	SKC Spring		0.17
76007953	SKC full size 0 bottom pin	.185"	0.36
76007954	SKC full size 1 bottom pin	.1975"	0.36
76007955	SKC full size 2 bottom pin	.210"	0.36
76007956	SKC full size 3 bottom pin	.2225"	0.36
76007957	SKC full size 4 bottom pin	.235"	0.36
76007958	SKC full size 5 bottom pin	.2475"	0.36
76007959	SKC full size 6 bottom pin	.260"	0.36
76007960	SKC full size 7 bottom pin	.2725"	0.36
76007961	SKC full size 8 bottom pin	.285"	0.36
76007962	SKC full size 9 bottom pin	.2975"	0.36
76007963	SKC full size A top pin	.200"	0.36
76007964	SKC full size B top pin	.235"	0.36
76007965	SKC full size C top pin	.285"	0.36
76007966	SKC full size D top pin	.2975"	0.36
76010031	SFIC/SKC size 2 top	.025"	0.20
76010032	SFIC/SKC size 3 top	.0375"	0.20
76010033	SFIC/SKC size 4 top	.050"	0.20
76010034	SFIC/SKC size 5 top	.0625"	0.20
76010035	SFIC/SKC size 6 top	.075"	0.20
76010036	SFIC/SKC size 7 top	.0875"	0.20
76010037	SFIC/SKC size 8 top	.100"	0.20


Part #	Description (Order in multiples of 100) — Price is Per Pin		List \$
76010038	SFIC/SKC size 9 top	.1125"	0.20
76010039	SFIC/SKC size 10 top	.125"	0.20
76010040	SFIC/SKC size 11 top	.1375"	0.20
76010041	SFIC/SKC size 12 top	.150"	0.20
76010042	SFIC/SKC size 13 top	.1625"	0.20
76010043	SFIC/SKC size 14 top	.175"	0.20
76010044	SFIC/SKC size 15 top	.1875"	0.20
76010045	SFIC/SKC size 16 top	.200"	0.20
76010046	SFIC/SKC size 17 top	.2125"	0.20
76010047	SFIC/SKC size 18 top	.225"	0.20
76010048	SFIC/SKC size 19 top	.2375"	0.20
76010049	SFIC/SKC size 0 bottom pin	.110"	0.20
76010050	SFIC/SKC size 1 bottom pin	.1225"	0.20
76010051	SFIC/SKC size 2 bottom pin	.135"	0.20
76010052	SFIC/SKC size 3 bottom pin	.1475"	0.20
76010053	SFIC/SKC size 4 bottom pin	.160"	0.20
76010054	SFIC/SKC size 5 bottom pin	.1725"	0.20
76010055	SFIC/SKC size 6 bottom pin	.185"	0.20
76010056	SFIC/SKC size 7 bottom pin	.1975"	0.20
76010057	SFIC/SKC size 8 bottom pin	.210"	0.20
76010058	SFIC/SKC size 9 bottom pin	.2225"	0.20

Labeling and Cylinder Marking


Each product on a contract order is automatically labeled with door number, keying information, and hardware set information. This information is placed on a special secondary label. **There is no extra charge for this service.**

In addition to the secondary label, we mark our cylinders with our key symbol in a concealed location using a water-resistant marker. If the cylinder needs to be rekeyed, the marking can be rubbed off.

Visible Cylinder Marking Locations



Concealed Cylinder Marking Locations



Exit Devices

Product Guide (1 of 2)

GRADE 1 EXIT DEVICES	Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise
Architectural Wide Stile 9000 Series Panic and Fire Rated	9100	9300	9400	9500
Architectural Narrow Stile 9000 Series Panic and Fire Rated	9600	9700	9800	—
Wide Stile 8000 Series Panic and Fire Rated	—	8300	8400	—

Architectural Mullions 1300 Series Panic/Fire Rated	Aluminum 1-5/8" x 2-5/8" 1310 Panic Rated	Steel 1-1/2" x 2-1/2" 1330 Panic Rated	Steel 2" x 3" 1300 Panic/Fire Rated	Steel 2" x 3" HC1300 Hurricane Rated	Steel 2" x 3" 1340 Key Removable Panic/Fire Rated
---	--	---	--	---	---

Exit Devices


	A156.3 Grade 1	EN11.25 Grade 1	5 Mil ext. cycle test	Latch bolt load rated	Hurri- cane rated	Plated finishes	Powder coat finishes	Fire rated	Panic rated	Escutcheon trim	Sectional trim	Plate and pull trim	Electric Latch retraction	Delayed egress	Touchbar protector
8300 Rim wide stile	Yes	No	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
8400 SVR wide stile	Yes	No	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
9300 Rim wide stile	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9100 CVR wide stile	Yes	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9400 SVR wide stile	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
9500 Mor- tise wide stile	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes
9700 Rim narrow stile	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9600 CVR narrow stile	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9800 SVR narrow stile	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes

Barrier-free (BF) Model Availability


ANSI Exit Device Type	dormakaba Exit Device Model	Functions	Electric Options	Device Lengths	Ratings
Type 1 – Rim	8300BF	01, 02, 03, 05, 08, 23	BA, B4	36" & 48"	Panic & Fire
	9300BF				
Type 3 – Mortise	9500 BF				
Type 4 – Narrow Rim	9700BF				

Handing

Right-Hand Reverse (RHR)
Secure Side
(Outside)




Left-Hand Reverse (LHR)
Secure Side
(Outside)



9000 Series Exit Devices

How to Order



9100 Series

Wide Stile Concealed Vertical Rod Exit Device

9100 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Alum Door Latch Brackets	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9100	B		RHR	7	418	439	630									D	SC	KD
F9100	A	FL	RHR	7	418	340	605	*AM	LB	ALD	SK	DE	BPA	LM	CD	T	CA	KD
9100	B	TP	LHR	8	419	431	606	**PC	P		SNB	DE30	BPAR	MS	LD	J	CD	KA
	C			9		439	611		SB		T	ES	DWA	LMMS		C	CE	MKD
	SPCL			10			612				SKTX	DECBC		LMMSBP		L	[†] D100	CMK
				SPCL			613				SKSNB	MLR				D	GA	OBit
							619				TXSNB					G	RA	
							625				SKTXSNB					R	RB	
							626									F	SC	
							628									X6	SE	
							629									X7	SF	
							630										YA	
							689										YG	
							691											
							693											
							695											
							696											
							Custom											
							Designer											

— Default

— Supplied with Standard KD Cylinder

****Patented Key Control**

The D100 keyway is part of our patented serialized key control (SKC) system. SKC provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series – Wide Stile Applications


Device Length	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9100 Concealed vertical rod	2,776.00	3,307.00	3,340.00	3,552.00
01	Fire	F9100 Concealed vertical rod	3,084.00	3,605.00	3,640.00	3,845.00
Typical Options						
Item	Description					List Add \$
ALD	Wide Stile aluminum door bracket (9100 Series)					—
CD	Cylinder dogging (Includes cylinder)					142.00
LD	Less dogging (Standard with fire rated device)					—
AM*	Antimicrobial coating					127.00
SNB	Sex nuts (Included with F and HC Options)					29.00
T	Security screws					58.00
FL	Full length touchbar (Not Available DE)					—
TP	Touchbar Protector					33.00
LB	Less bottom rod					—
P	Pullman bottom latch					86.00
SB	Slide bolt (Default)					—
Up to 8'	7' to 8' Adjustable					—
Up to 10'	Door Heights over 8' to 10'		—	172.00	—	—

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' to 8' doors.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. Specify 9' on order. For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4" - 2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- **ALD** for Wide and Narrow Stile aluminum.
- For the touchbar protector kit - TPK pricing please refer to the Architectural hardware service parts price book

9300 Series

Wide Stile Rim Exit Device

9300 Series Device					Options (Specify)							Cylinders and Keying		
Device	Length	Touchbar	Strike	Finish	Special Finish Coating	Special Application Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9300	B		463	630								D	SC	KD
F9300	A	FL	320	605	*AM	HC	SK	DE	BPA	LM	CD	T	CA	KD
9300	B	TP	430	606	**PC	+BF	SNB	DE30	BPAR	MS	LD	J	CD	KA
	C		463	611			T	ES	DWA	LMMS		C	CE	MKD
	SPCL		486	612			SKTX	DECBC		LMMSBP		L	+b100	CMK
				613			SKSNB	MLR				D	GA	0Bit
				619			TXSNB					G	RA	
				625			SKTXSNB					R	RB	
				626								F	SC	
				629								X6	SE	
				630								X7	SF	
				689								YA		
				691								YG		
				693										
				695										
				696										
				Custom										
				Designer										

— Default

— Supplied with Standard KD Cylinder

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

+ Barrier Free option availability:

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9300BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Wide Stile Applications


Device Length	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Function	Description	Device, Exit Only	Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
01	Panic	9300 Rim	1,358.00	2,126.00	2,144.00	2,307.00
01	Fire	F9300 Rim	1,627.00	2,387.00	2,409.00	2,563.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	139.00
LD	Less dogging (Standard with fire rated device)	N/C
AM*	Antimicrobial coating	127.00
SNB	Sex nuts (Included with F and HC Options)	29.00
T	Security screws	58.00
HC	Hurricane (Includes SNB)	264.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. "	75.00
FL	Full length touchbar (Not Available DE)	N/C
TP	Touchbar Protector	33.00

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4"–2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- For the touchbar protector kit - TPK pricing please refer to the Architectural hardware service parts price book

9400 Series

Wide Stile Surface Vertical Rod Exit Device

9400 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Special Application Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9400	B		RHR	7	426	439	630									D	SC	KD
F9400	A	FL	RHR	7	426	340	605	*AM	LB	HC	SK	ES	BPA	LM	CD	T	CA	KD
9400	B	TP	LHR	8	426A	416V	606	**PC	P		SNB	MLR	BPAR	MS	LD	J	CD	KA
	C			9		431	611		SB		T		DWA	LMMS		C	CE	MKD
	SPCL			10		439	612				SKTX			LMMSBP		L	⁺ D100	CMK
				SPCL			613				SKSNB					D	GA	0Bit
							619				TXSNB					G	RA	
							625				SKTXSNB					R	RB	
							626									F	SC	
							629									X6	SE	
							630									X7	SF	
							689										YA	
							691										YG	
							693											
							695											
							696											
							Custom											
							Designer											

— Default

— Supplied with Standard KD Cylinder

****Patented Key Control**


The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series – Wide Stile Applications

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.
2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9400 Surface vertical rod	2,714.00	3,096.00	3,127.00	3,372.00
01	Fire	F9400 Surface vertical rod	3,021.00	3,396.00	3,428.00	3,662.00
Typical Options						
Item	Description					List Add \$
CD	Cylinder dogging (Includes Cylinder)					142.00
LD	Less dogging (Standard with fire rated device)					-
AM*	Antimicrobial coating					127.00
SNB	Sex nuts (included with F and HC options)					29.00
T	Security screws					58.00
HC	Hurricane (Includes SNB)					264.00
FL	Full length touchbar (Not Available DE)					-
TP	Touchbar Protector					33.00
LB	Less bottom rod					-
P	Pullman bottom latch					86.00
SB	Slide bolt (Default)					-
Up to 8'	7' Default					-
Up to 10'	Door Heights over 8' to 10'		87.00	172.00	172.00	172.00

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- For the touchbar protector kit - TPK pricing please refer to the Architectural hardware service parts price book

9500 Series

Wide Stile Mortise Exit Device

9500 Series Device							Options (Specify)							Cylinders and Keying			
Device	Length	Touchbar	Function	Handing	Strike	Finish	Special Finish Coating	Special Application Package	Fastener Package	Electric Locking	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9500	B		08	RHR	465	630									D	SCKD	
F9500	A	FL	01	RHR	465	605	*AM	HC	SK	LFSC	DE	BPA	LM	CD	T	CA	KD
9500	B	TP	03	LHR	565	606	**PC	*BF	SNB	LFSF	DE30	BPAR	MS	LD	J	CD	KA
	C		05			611			T		DECBC	DWA	LMMS		C	CE	MKD
	SPCL		08			612			SKTX		MLR		LMMSBP		L	**D100	CMK
			22			613			SKSNB						D	GA	OBIt
						619			TXSNB						G	RA	
						625			SKTXSNB						R	RB	
						626									F	SC	
						629									X6	SE	
						630									X7	SF	
						689										YA	
						691										YG	
						693											
						695											
						696											
						Custom											
						Designer											

 — Default

 — Supplied with Standard KD Cylinder

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.



— Default

— Supplied with Standard KD Cylinder

**Patented Key Control

The D100 keyway is part of our patented serialized key control (SKC) system. SKC provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

* Barrier Free option availability:

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9500BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Wide Stile Applications


	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)
C	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



Function	Description	Device, Exit Only	Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
01	Panic	9500 Mortise	2,425.00	2,975.00	3,005.00	3,141.00
01	Fire	F9500 Mortise	2,695.00	3,236.00	3,267.00	3,392.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes Cylinder)	142.00
LD	Less dogging (Standard with fire rated device)	–
AM*	Antimicrobial coating	127.00
SNB	Sex nuts (Included with F and HC options)	29.00
T	Security screws	58.00
HC	Hurricane (Includes SNB)	264.00
FL	Full length touchbar (Not Available DE)	–
TP	Touchbar Protector	33.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. "	75.00
LFSF	Fail safe, electric locking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1,489.00
LFSC	Fail secure, electric unlocking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1,489.00

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4"–2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- For the touchbar protector kit - TPK pricing please refer to the Architectural hardware service parts price book

Wide Stile Dummy Bars

		Available Finishes \$			
		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9030	Rigid dummy touchbar	864.00	1,259.00	1,302.00	1,302.00
9030MS	Dummy touchbar w/ microswitch	1,281.00	1,612.00	1,630.00	1,630.00
9035	Rigid touchbar	864.00	1,302.00	1,302.00	1,302.00
9036	Moveable touchbar	864.00	1,302.00	1,302.00	1,302.00
9036MS	Moveable touchbar w/ microswitch	1,281.00	1,612.00	1,630.00	1,630.00

**** For 629 finish, please allow 4 week lead time.**
NOTE: Dummy touchbars available in all rail sizes: A, B or C

Wide Stile Options

Option Code	Description	List Add \$
Strikes		
9100, 9400 Concealed and Surface Vertical Rods		
340	Flat slide bolt bottom strike (9100 and 9400 Series)	N/C
416V	Surface bottom strike for pullman latch (9400)	N/C
418	Standard top strike (9100 Series)	N/C
419	Wood frame top strike (9100 Series)	29.00
426	Standard top strike (9400 Series)	N/C
426A	Top strike w/angle (9400 Series)	46.00
431	Recessed bottom strike for pullman latch (9100 and 9400 Series)	46.00
439	Standard slide bolt bottom strike (9100 and 9400 Series)	N/C
9300 Rim Devices		
320	Overlap strike	46.00
430	Rim box strike	71.00
463	Standard rim strike (default/no charge for 9300/F9300)	N/A
486	Roller strike	29.00
9500 Mortise		
465	Standard mortise strike	N/C
565	Open back strike	46.00
Special Finishes and Coatings		
AM*	Antimicrobial protected coating	127.00
PC	Clear powder coat	127.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	194.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	700.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Bottom Latches for 9100 Concealed Vertical Rods & 9400 Surface Vertical Rods		
LB	Less bottom rod	N/C
P	Pullman bottom latch	86.00
SB	Slide bolt (Default)	N/C
Door Height Designation		
9100 Concealed Vertical Rods		
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	87.00
Over 10'	Contact Technical Service for assistance	
9400 Surface Vertical Rods		
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	87.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	172.00
Over 10'	Consult Technical Service	

*Antimicrobial available to 626 and 630 finishes only


Wide Stile Options (continued)

Option Code	Description	List Add \$
Special Application Packages		
HC	Hurricane (9300, 9400, and 9500 Series only) Includes SNB	264.00
BF	Barrier free, meets CBC (Section 11B-309.4) requirements for max. 5 lb operating force (9300, 9500)	74.00
FL	Full length touchbar (Not Available DE)	N/C
Fastener Package		
SK	Shim kit	140.00
SNB	Sex nuts	29.00
T	Security screws	58.00
SKTX	Shim kit and security screws	222.00
SKSNB	Shim kit and sex nuts	168.00
TXSNB	Security screws and sex nuts	110.00
SKTXSNB	Shim kit, security screws, and sex nuts	246.00
Electronic Controls		
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	2,613.00
DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	3,233.00
DECBC*	Delayed egress, CBC compliant	3,233.00
MLR	Motorized Latch Retraction/dogging (Recommended RPSMLR Power Supplies, can power up to 2 MLR panic exit devices; RPSMLR2 – Small enclosure, no battery storage; RPSMLR2BB – Large enclosure for battery storage (Batteries not included); See current BEST Precision Price Book pg 25)	1,463.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	1,385.00
Alarm		
BA*	Battery powered alarm	961.00
B4*	Battery powered alarm, 4 minute reset	1,025.00
DA*	Direct wired alarm	961.00
Monitoring		
LM	Latch bolt monitoring	379.00
MS	Monitor switch in touchbar	379.00
LMMS	Latch bolt and touchbar monitor	755.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	755.00
Dogging		
CD*	Cylinder dogging (panic devices only)	142.00
LD	Less dogging (panic devices only)	–
Power Supplies, Power Transfers, Power Modules		
AD100	Export power supply for up to 2 ES or LFSF/LFSC or 1 DE device 220 V	1,117.00
ES101	Delay module	209.00
ES103	Relay module	132.00
ES100	Power supply for DE devices and LFSC/LFSF trims. Powers 1 DE device or 2 trims	950.00
ES105	Power transfer (recommended for ES, DE & MLR options)	317.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices	1,117.00
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices	1,117.00
ES2	Power supply card for PS501. Powers an additional 2 devices	609.00
DKPS-2A	Power supply for MD, 9500 LFSC/LFS. Powers 1 device	835.00
DKPS-2A	Power supply for MD, 9500 LFSC/LFSF powers 2 devices	835.00
RPSMLR	Recommended RPSMLR Power Supplies, can power up to 2 MLR panic exit devices; RPSMLR2 – Small enclosure, no battery storage; RPSMLR2BB – Large enclosure for battery storage (Batteries not included)	835.00
PS406BB	Power supply with battery back-up for solenoid electric latch retraction option	1,594.00
IMPORTANT NOTE: PS406BB can only be used with electric latch retraction option		



* List price includes default cylinder.






9000 Series Exit Trim

How to Order



Lever and Knob Styles



ANSI Function	Description	Y Series Raised Escutcheon 2-3/4" W x 8-1/2" H x 15/16" D	Sectional Trim 3-3/8" Diameter Rose	Plate 2" W x 16" H	Plate 3" W x 16" H	Pulls	Cylinder Only Pull by Others
DT	Dummy trim						
02	Entrance by trim when touchbar is dogged						
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.						
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.						
06	Entrance by thumbpiece only when released by key. Key removable only when locked.						
08	Entrance by lever or knob. Key locks or unlocks lever or knob.						
08C w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.						
0808 Double Cylinder	Entrance by knob or lever. Outside or inside key locks or unlocks knob or lever. (9300 only)						
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.						
09C w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.						
11	Entrance by thumbturn and pull. Key locks or unlocks thumbturn.						
12	Entrance by thumbturn and pull only when released by key. Key removable only when locked.						
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.						
23	Entrance by lever or knob (no cylinder). Lever or knob always active.						
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.						

9000 Series Wide Stile Y Escutcheon Trim

Y Series Trim (Specify)					Special Finish Coating			Cylinders and Keying			
					Door Thickness	Retrofit					
Escutcheon	Knob, Pull, or Lever	Function	Handing	Electric Locking ²	Finish			Cylinder Type	Keyway	Keying	
					630				D	SCKD	
Y	A	DT	RHR	LFSC	605	Ext3	*AM	R ¹³	T	CA	KD
Handed —	C	02R	LHR	LFSF	606	Ext4	**PC		J	CD	KA
	D	03			611				C	CE	MKD
	K	03R			612				L	D ¹⁰⁰	CMK
Handed —	F	03MR			613				D	GA	0Bit
	G	08			619				G	RA	
	R	08M			625				R	RB	
	T	08C	— Handed		626				F	SC	
	O	08MC	— Handed		629 ¹				X6	SE	
	P	0808	— Double Cylinder (Specific handing)		630				X7	SF	
Handed —	N	09			689					YA	
	V	09C	— Handed		691					YG	
	L109	23			693						
	L110				695						
Handed —	L112	Suffix M required for 9500 mortise			696						
	L114	Suffix C and LHR/RHR required for clutch			Custom						
	L117	Suffix R required for rigid lever			Designer						
	L118										



YK



YC



YP

□ — Default

**Patented Key Control

The D100 keyway is part of our patented serialized key control (SKC) system. SKC provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

1. For 629 finish, please allow 4 week lead time.
2. LFSC/LFSF only on 09/09C Functions
3. R1 available for 9300 series devices only.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626, 629**
ANSI Function	Description							
DT	Dummy trim	YODT				211.00	305.00	350.00
02	Entrance by trim when touchbar is dogged.	YP02, YK02R, Yx02R				443.00	648.00	718.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	YO03*			YO03M*	326.00	443.00	466.00
		YP03, YK03R, Yx03R			YP03M YK03R Yx3MR	580.00	765.00	831.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	YK08, Yx08			YK08M Yx08M	765.00	897.00	1,025.00
08 w/clutch	Entrance by lever with clutch option. Key locks or unlocks lever. (Handed)	Yx08C			Yx08MC	1,082.00	1,268.00	1,338.00
0808 (9300)	Entrance by lever. Outside or inside key locks or unlocks lever.	—	Yx0808	—	—	1,339.00	1,532.00	1,591.00
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.	YK09, Yx09			—	765.00	897.00	1,025.00
09 w/clutch	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. (Handed)	Yx09C			—	1,082.00	1,268.00	1,338.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.	YP11			—	722.00	876.00	902.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	YP12			—	722.00	876.00	902.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.	Y011			—	630.00	816.00	843.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	Y012			—	630.00	816.00	843.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	YK23, Yx23			YK23M Yx23M	508.00	718.00	765.00

* Requires Pull by Others

** For 629 finish, please allow 4 week lead time.

NOTES:

- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118.
(Handed Levers — D, F, V, L114)
- List price includes the default cylinder.

9000 Series Wide Stile Sectional Trim

Sectional Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever Function Finish				Cylinder Type Keyway Keying		
		626		D	SC	KD
9C	02	605	*AM	C	CA	KD
9G	03	606	**PC	D	CD	KA
9K	08	611		J	CE	MKD
9R	23	612		L	**D100	CMK
		613		T	GA	OBIt
		619			RA	
		625			RB	
		626			SC	
		630			SE	
		689			SF	
		691			YA	
		693			YG	
		695				
		696				
		Custom				
		Designer				

— Default



9R



9K

****Patented Key Control**
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$	
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description						
02	Entrance by trim when touchbar is dogged.		9C02R 9G02R 9K02R 9R02R		—	489.00	—
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		9C03 9G03 9K03 9R03		—	599.00	—
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		9C08 9G08 9K08 9R08		—	599.00	—
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		9C23 9G23 9K23 9R23		—	489.00	—

NOTE: List price includes the default cylinder.

9000 Series Wide Stile 3" Plate Trim

Special
Finish
Coating

Retrofit

Cylinders
and Keying

Plate Trim (Specify)

Plate Type

Function

Finish

Cylinder Type

Keyway

Keying

		630			D	SC	KD
HRT	DT	630	*AM	R1 ¹	T	CA	KD
HTT	DTCV	689	**PC		J	CD	KA
NPT	02	691			C	CE	MKD
PRT	02CV	693			L	D100	CMK
PTT	03	695			D	GA	OBIt
8O	03CV	696			G	RA	
	03M	696			R	RB	
	05	606			F	SC	
	05CV	Custom			X6	SE	
	05M	Designer			X7	SF	
	06					YA	
	06CV					YG	
	22						
	22CV						
	22M						

3"



HTT

3"



PRT

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

1. R1 available for 9300 series devices only.

Suffix **CV** required for 9100 CVR

Suffix **M** required for 9500 mortise

— Default

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$	
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630 605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description						
DT	Dummy Trim	NPTDTCV	NPTDT			195.00	270.00
02	Entrance by trim when touchbar is dogged.	PRT02CV PTT02CV	PRT02 PTT02	PRT02M PTT02M		218.00	316.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPT03CV* PRT03CV PTT03CV	NPT03* PRT03 PTT03	NPT03M* PRT03M PTT03M		341.00	458.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRT05CV HTT05CV	HRT05 HTT05	HRT05M HTT05M		387.00	483.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRT06CV HTT06CV	HRT06 HTT06	—		387.00	483.00
22	Entrance by thumbpiece (no cylinder). Thumb-piece always active.	HRT22CV HTT22CV	HRT22 HTT22	HRT22M HTT22M		316.00	387.00

* Requires Pull by Others

NOTE: List price includes the default cylinder.

9000 Series Wide Stile 2" Plate Trim

Plate Trim (Specify)

Special Finish Coating

Retrofit

Cylinders and Keying

Plate Type	Function	Finish			Cylinder Type	Keyway	Keying
		630			D	SC	KD
VO	DT	605	*AM	R1 ¹	T	CA	KD
V1	DTCV	606	**PC		J	CD	KA
V3	02	611			C	CE	MKD
	02CV	612			L	^{**} D100	CMK
	03	613			D	GA	0Bit
	03CV	619			G	RA	
	03M	625			R	RB	
		626			F	SC	
		630			X6	SE	
		689			X7	SF	
		691				YA	
		693				YG	
		695					
		696					
		Custom					
		Designer					

Suffix CV required for 9100 CVR

Suffix M required for 9500 mortise

— Default

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

2"

V3

2"

V1

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description							
DT	Dummy Trim	VODTCV		VODT	—	194.00	218.00	290.00
02	Entrance by trim when touchbar is dogged.	V102CV V302CV		V102 V302	—	218.00	290.00	366.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	VO03CV* V103CV V303CV		VO03* V103 V303	VO03M* V103M V303M	341.00	411.00	478.00

* Requires Pull by Others

NOTE: List price includes the default cylinder.

9000 Series Wide Stile Pull Trim

Pulls (Specify)				Special Finish Coating	Cylinders and Keying		
Pull Type	Function	Handing	Finish		Cylinder Type	Keyway	Keying
			630		D	SC	KD
OP	02	RHR	605	*AM	T	CA	KD
POF	03HDA	LHR	606	**PC	J	CD	KA
VRF	02SPM		611		C	CE	MKD
9PBO ¹	03SPM		612		L	^{††} D100	CMK
	03		613		D	GA	OBIt
			619		G	RA	
			625		R	RB	
			626		F	SC	
			630		X6	SE	
			689		X7	SF	
			691			YA	
			693			YG	
			695				
			696				
			Custom				
			Designer				

††Patented Key Control
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

1. 9PBO not applicable on 9500 Device. 03 Function only.
Not available in 693 finish.



VRF



OP



POF



9PBO

 — Default

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

ANSI Function	Description	Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619 625, 626
02	Entrance by trim when touchbar is dogged.	OP02				194.00	244.00	288.00
		—	VRF02SPM	—	—	—	985.00	—
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	—	POF03HDA	—	—	—	1,393.00	—
		9PBO03				219.00	219.00	219.00
		—	VRF03SPM	—	—	—	985.00	—

NOTES:

- List price includes the default cylinder.
- 9PBO03 trim not recommended for wood doors. For hollow metal and aluminum door applications. Not applicable on 9500 devices. Not available in 693 finish.

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
AM*	Antimicrobial protected coating	127.00
PC**	Clear powder coat	127.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	194.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	700.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Electric Locking Trim for 9100 Concealed Vertical Rods, 9300 Rim & 9400 Surface Vertical Rods		
LFSC	Fail secure (requires ES100 power supply)	919.00
LFSS	Fail safe (requires ES100 power supply)	919.00
Retrofit		
R1	Von Duprin® retrofit. For Y series and wide stile plate trims (9300 Series devices only)	N/C
Door Thickness (includes extended spindle and fasteners)		
Ext3	Door thickness from 2-1/4"-3-1/4" (57 mm to 83 mm)	132.00
Ext4	Door thickness from 3-1/4"-4-1/4" (83 mm to 108 mm)	132.00

*Antimicrobial available to 626 and 630 finishes only


**PC - Clear Powder Coat available over 630 - Stainless Steel

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Wide Stile

Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9100/F9100 Concealed Vertical Rod, 9300/F9300 Rim, and 9400/F9400 Surface Vertical Rod Wide Stile Devices					
Sectional Trim (Key-in-Lever)	03, 08	Key-in-lever	7013SC	NA	77BA
Wide Plate Trim	03	Rim	80R40SC	NA	87R40BA
Wide Plate Trim	05, 06	Mortise	90A10BA118	#10	97A10BA138
Narrow Plate Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	08	Mortise	90X10SC118	#10	97D10BA138
Y Escutcheon Trim	09	Mortise	90X09SC118	#9	97D09BA138
Cylinders for 9500/F9500 Mortise Devices shipped prior to 11/2014					
Wide Plate Trim	03, 05	Mortise	90A10SC118	#10	97B10BA138
Wide Plate Trim	03	Mortise	90A10SC118	#10	97B10BA138
Y Escutcheon Trim	03, 08	Mortise	90X10SC158	#10	97D10BA134
Cylinders for 9500/F9500 Mortise Devices shipped 11/2014 or after					
Wide Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Wide Plate Trim	05	Mortise	90A12SC118	#12	97B12BA138
Narrow Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Y Escutcheon Trim	03	Mortise	90X13SC118	#13	97C13BA138
Y Escutcheon Trim	05, 08	Mortise	90X12SC118	#12	97C12BA138
Cylinders for Device Options					
CD, BA, B4, DE, DE30, DECBC, DA, LMMSBP	—	Mortise	90X10SC118	#10	97D10BA138

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
	D	Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	Operated by a 1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	Operated by a 1-bit key (sold separately); D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	31.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 33.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	72.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	81.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	72.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	81.00
Cylinder Housings Less Cores			
R		Housing prepared for Schlage LFIC	15.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	15.00
X6		Housing prepared for Arrow Choice 6P SFIC	15.00

¹ For uncombined cores, **UNC**, cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately		
Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Mullions

Item	Description	List \$
Aluminum Mullions x 628 (clear anodized), 1-5/8" x 2-5/8"		
1310-8	8'	1,493.00
1310-8 x 443	8', recessed strike	1,735.00
WS1310-8	8', weatherstrip	1,588.00
WS1310-8 x 443	8', weatherstrip and recessed strike	1,752.00
1310-10	10'	1,588.00
1310-10 x 443	10', recessed strike	1,905.00
WS1310-10	10', weatherstrip	1,735.00
WS1310-10 x 443	10', weatherstrip and recessed strike	2,013.00
Aluminum Mullions x 695 (painted), 1-5/8" x 2-5/8"		
1310-8	8'	1,808.00
1310-8 x 443	8', recessed strike	2,051.00
WS1310-8	8', weatherstrip	1,905.00
WS1310-8 x 443	8', weatherstrip and recessed strike	2,165.00
1310-10	10'	1,958.00
1310-10 x 443	10', recessed strike	2,220.00
WS1310-10	10', weatherstrip	2,088.00
WS1310-10 x 443	10', weatherstrip and recessed strike	2,108.00
Steel Mullions x 600 (primed for paint), 1-1/2" x 2-1/2"		
1330-8	8'	746.00
1330-10	10'	786.00
Steel Mullions x 600 (primed for paint), 2" x 3"		
1300-8	8'	973.00
F1300-8	8', fire-rated	1,250.00
F1300-10	10', fire-rated	1,671.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,643.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,923.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	2,250.00
1300-10	10'	1,119.00
1340KR-EL	8', key removable, electrified mullion	1,905.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,735.00
1340KR-EL-10	10', key removable, electrified mullion	1,998.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' x 8' with HC9300 device.	1,808.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	489.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

9600 Series

Narrow Stile Concealed Vertical Rod Exit Device

9600 Series Device									Options (Specify)							Cylinders and Keying		
Device	Length	Touchbar	Handing	Door Height	Top Strike	Bottom Strike	Door Latch Brackets	Finish	Special Finish Coating	Bottom Latch	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9600	BB		RHR	7	418	439	NS	630								D	SC	KD
F9600	AA	FL	RHR	7	418	340	NS	605	*AM	LB	SK	DE	BPA	LM	CD	T	CA	KD
9600	BB	TP	LHR	8	419	431	ALD	606	**PC	P	SNB	DE30	BPAR	MS	LD	J	CD	KA
	CC			9		439	WD	611		SB	T	ES	DWA	LMMS		C	CE	MKD
	SPCL			10				612			SKTX	DECBC	LMMSBP			L	D100	CMK
								613			SKSNB	MLR				D	GA	OBIt
								619			TXSNB					G	RA	
								625			SKTXSNB					R	RB	
								626			METRIC					F	SC	
								629								X6	SE	
								630								X7	SF	
								689									YA	
								691									YG	
								693										
								695										
								696										
								Custom										
								Designer										

 — Default

 — Supplied with Standard KD Cylinder

****Patented Key Control**

The D100 keyway is part of our patented serialized key control (SKC) system. SKC provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.8 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications


	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL Touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	—
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)	—
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)	—

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installations.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9600 Concealed vertical rod	3,062.00	3,621.00	3,483.00	3,679.00
01	Fire	F9600 Concealed vertical rod	3,209.00	3,922.00	3,769.00	3,957.00
Typical Options						
Item	Description					List Add \$
ALD	Wide Stile aluminum door bracket (9600 Series)	—	—	—	—	N/C
NS	2-1/8" narrow stile aluminum door bracket (default, 9600 Series only)	—	—	—	—	N/C
WD	Narrow stile wood or hollow steel door bracket (9600 Series only)	—	—	—	—	N/C
CD	Cylinder dogging (includes cylinder)	—	—	—	—	142.00
LD	Less dogging (Standard with fire rated device)	—	—	—	—	N/C
AM*	Antimicrobial coating	—	—	—	—	127.00
SNB	Sex nuts (Included with F and HC options)	—	—	—	—	29.00
T	Security screws	—	—	—	—	58.00
FL	Full length touchbar (Not Available DE)	—	—	—	—	N/C
TP	Touchbar protector	—	—	—	—	33.00
LB	Less bottom rod	—	—	—	—	N/C
P	Pullman bottom latch	—	—	—	—	86.00
SB	Slide Bolt (Default)	—	—	—	—	N/C
Up to 8'	7' to 8' adjustable	—	—	—	—	N/C
Up to 10'	Door heights over 8' to 10'	—	—	172.00	—	—

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

Notes:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Specify door latch brackets: **NS** (default) for 2-1/8" narrow stile aluminum, **ALD** for Wide Stile aluminum, or **WD** for wood or hollow steel.
- Fire rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' to 8' doors as specified on order
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. Specify 9' on order.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9600 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.
- ALD wide stile aluminum door bracket (9100 and 9600 Series) N/C
- NS 2-1/8" narrow stile aluminum door bracket (9600 Series only) N/C
- WD narrow stile wood or hollow steel door bracket (9600 Series only) N/C
- NOTE: For the Touchbar Protector Kit – TPK pricing, please refer to the Architectural Hardware Service Parts Price Book

9700 Series

Narrow Stile Rim Exit Device

9700 Series Device					Options (Specify)							Cylinders and Keying		
Device	Length	Touch Bar	Strike	Finish	Special Finish Coating	Special Applications Package	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9700	BB		430	630								D	SC	KD
F9700	AA	FL	320	605	*AM	HC	SK	DE	BPA	LM	CD	T	CA	KD
9700	BB	TP	430	606	**PC	*BF	SNB	DE30	BPAR	MS	LD	J	CD	KA
	CC		463	611			T	ES	DWA	LMMS		C	CE	MKD
	SPCL		486	612			SKTX	DECB		LMMSBP		L	D100	CMK
				613			SKSNB	MLR				D	GA	OBit
				619			TXSNB					G	RA	
				625			SKTXSNB					R	RB	
				626			METRIC					F	SC	
				629								X6	SE	
				630								X7	SF	
				689								YA		
				691								YG		
				693										
				695										
				696										
				Custom										
				Designer										

— Default
 — Supplied with Standard KD Cylinder

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

*** Barrier Free option availability:**

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9700BF	01, 02, 03, 05, 08, 23	ES, BA, B4, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Options
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.88 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications


	All Device Options (except BA, DA, or DE)		BA or DA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	—
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)	—
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)	—

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9700 Rim	1,646.00	2,594.00	2,495.00	2,920.00
01	Fire	F9700 Rim	1,822.00	2,857.00	2,748.00	3,163.00

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	142.00
LD	Less dogging (Standard with fire rated device)	N/C
AM*	Antimicrobial coating	127.00
SNB	Sex nuts (Included with F and HC options)	29.00
T	Security screws	58.00
HC	Hurricane (Includes SNB)	264.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options."	75.00
FL	Full length touchbar (Not Available DE)	N/C
TP	Touchbar protector	33.00

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width. If not specified, Size BB is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- All standard devices and trim are designed for 1-3/4" - 2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL** (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9700 BB FL RHR 430 630 METRIC
- For special lengths, consult Technical Service.
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.
- NOTE: For the Touchbar Protector Kit – TPK pricing, please refer to the Architectural Hardware Service Parts Price Book

9800 Series

Narrow Stile Surface Vertical Rod Exit Device

9800 Series Device								Options (Specify)								Cylinders and Keying		
Device	Length	Touch Bar	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Special Applications Package	Bottom Latch	Fastener Package	Control	Alarm	Monitoring	Dogging	Cylinder Type	Keyway	Keying
9800	BB		RHR	7	426	439	630									D	SC	KD
F9800	AA	FL	RHR	7	426	340	605	*AM	HC	LB	SK	ES	BPA	LM	CD	T	CA	KD
9800	BB	TP	LHR	8	426A	416V	606	**PC	TGD	P	SNB	MLR	BPAR	MS	LD	J	CD	KA
	CC			9		431	611			SB	T		DWA	LMMS		C	CE	MKD
	SPCL			10		439	612				SKTX		LMMSSBP			L	D100	CMK
				SPCL			613				SKSNB					D	GA	OBIt
							619				TXSNB					G	RA	
							625				SKTXSNB					R	RB	
							626				METRIC					F	SC	
							629									X6	SE	
							630									X7	SF	
							689										YA	
							691										YG	
							693											
							695											
							696											
							Custom											
							Designer											



— Default



— Supplied with Standard KD Cylinder

**Patented Key Control

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

9000 Series — Narrow Stile Applications: Standard Glass AL Doors

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)
BB	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)
CC	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)

9000 Series — Narrow Stile with Full Length Touchbar Applications


Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)
BB	36" (915 mm)	27" (686 mm)	28" (711 mm)
CC	36" (915 mm)	24" (610 mm)	25" (635 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installation.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel



			Available Finishes \$			
			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9800 Surface vertical rod	3,001.00	3,407.00	3,275.00	3,504.00
01	Fire	F9800 Surface vertical rod	3,151.00	3,709.00	3,566.00	3,783.00
Typical Options						
Item	Description					List Add \$
CD	Cylinder dogging (Includes Cylinder)		—	—	—	142.00
LD	Less dogging (Standard with fire rated device)		—	—	—	N/C
AM*	Antimicrobial coating		—	—	—	127.00
SNB	Sex nuts (Included with F and HC options)		—	—	—	29.00
T	Security screws		—	—	—	58.00
HC	Hurricane (Includes SNB)		—	—	—	264.00
FL	Full length touchbar (Not available DE)		—	—	—	N/C
TP	Touchbar protector		—	—	—	33.00
LB	Less bottom rod		—	—	—	N/C
P	Pullman bottom latch		—	—	—	86.00
SB	Slide bolt (Default)		—	—	—	N/C
TGD	Tempered glass doors—9800 only		—	963.00	—	N/C
Up to 8'	7' Default		—	—	—	N/C
Up to 10'	Door Heights over 8' to 10'		87.00	172.00	172.00	172.00

*Antimicrobial available to 626 and 630 finishes only

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL** (full length touchbar) and **METRIC** (metric installation fasteners) must be specified when ordered and included in the model number.
Example: 9800 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.
- NOTE: For the Touchbar Protector Kit – TPK pricing, please refer to the Architectural Hardware Service Parts Price Book

Narrow Stile Dummy Bars

Available Finishes \$

		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9230	Rigid dummy touchbar	864.00	1,259.00	1,302.00	1,302.00
9230MS	Dummy touchbar with microswitch	1,281.00	1,612.00	1,630.00	1,630.00
9235	Rigid touchbar	864.00	1,259.00	1,302.00	1,302.00
9236	Moveable touchbar	864.00	1,259.00	1,302.00	1,302.00
9236MS	Moveable touchbar with microswitch	1,281.00	1,612.00	1,630.00	1,630.00

**** For 629 finish, please allow 4 week lead time.**
NOTE: Dummy touchbars available in all rail sizes: AA, BB or CC

Narrow Stile Options

Option Code	Description	List Add \$
Strikes		
9600, and 9800 Concealed and Surface Vertical Rods		
340	Flat slide bolt bottom strike (9600, and 9800 Series)	N/C
416V	Surface bottom strike for pullman latch (9800 Series)	N/C
418	Standard top strike (9600 Series)	N/C
419	Wood frame top strike (9600 Series)	29.00
426	Standard top strike (9800 Series)	N/C
426A	Top strike w/angle (9800 Series)	46.00
431	Recessed bottom strike for pullman latch (9600, and 9800 Series)	46.00
439	Standard slide bolt bottom strike (9600, and 9800 Series)	N/C
9700 Rim Devices		
320	Overlap strike	46.00
430	Rim box strike (default/no charge for 9700 Series panic devices)	71.00
463	Standard rim strike (default/no charge for F9700 devices)	113.00
486	Roller strike	29.00
Special Finishes and Coatings		
AM*	Antimicrobial protected coating	127.00
PC**	Clear powder coat	127.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	194.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Designer Color	Designer painted color matched to supplied samples. Thr Electric dogging (requires DKPS-2A power supply) ee (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	700.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Bottom Latches for 9600 Concealed Vertical Rods & 9800 Surface Vertical Rods		
LB	Less bottom rod	N/C
P	Pullman bottom latch	86.00
SB	Slide bolt (Default)	N/C
Door Height Designation		
9600 Concealed Vertical Rods		
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	87.00
Over 10'	Contact Technical Service for assistance	
9800 Surface Vertical Rods		
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	87.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	172.00
Over 10'	Consult Technical Service	

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel


Narrow Stile Options (continued)

Option Code	Description	List Add \$
Special Application Packages		
HC	Hurricane (9700, 9800 Series only) Includes SNB	264.00
BF	Barrier free, meets CBC (Section 11B-309.4) requirements for max. 5 lb operating force (9700)	75.00
FL	Full length touchbar (Not Available DE)	N/C
Fastener Package		
SK	Shim kit	140.00
SNB	Sex nuts	29.00
T	Security screws	58.00
SKTX	Shim kit and security screws	222.00
SKSNB	Shim kit and sex nuts	168.00
TXSNB	Security screws and sex nuts	110.00
SKTXSNB	Shim kit, security screws, and sex nuts	246.00
METRIC	Metric installation fasteners (9600, 9700, and 9800 Series only)	N/C
Tempered Glass Door Applications (9800 Series Only)		
TGD	Tempered glass doors in 630 finish	1,103.00
Electronic Controls		
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	2,613.00
DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	3,233.00
DECBC*	Delayed egress, CBC compliant	3,233.00
MLR	Motorized Latch Retraction/dogging (Recommended RPSMLR Power Supplies, can power up to 2 MLR panic exit devices; RPSMLR2 – Small enclosure, no battery storage; RPSMLR2BB – Large enclosure for battery storage (Batteries not included); See current BEST Precision Price Book pg 25)	1,463.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	1,385.00
Alarm		
BA*	Battery powered alarm	961.00
B4*	Battery powered alarm, 4 minute reset	1,025.00
DA*	Direct wired alarm	961.00
Monitoring		
LM	Latch bolt monitoring	379.00
MS	Monitor switch in touchbar	379.00
LMMS	Latch bolt and touchbar monitor	755.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	755.00
Dogging		
CD*	Cylinder dogging (panic devices only)	142.00
LD	Less dogging (panic devices only)	N/C
Power Supplies, Power Transfers, Power Modules		
AD100	Export power supply for up to 2 ES or 1 DE device 220 V	1,117.00
ES101	Delay module	209.00
ES103	Relay module	132.00
ES100	Power supply for DE devices. Powers 1 DE device	950.00
ES105	Power transfer (recommended for ES, DE & MLR options)	317.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices	1,117.00
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices	1,117.00
ES2	Power supply card for PS501. Powers an additional 2 devices	609.00
DKPS-2A	Power supply for MD. Powers 1 device	835.00
DKPS-2A	Power supply for MD. Powers 2 devices	835.00
DKPS-2A	Recommended RPSMLR Power Supplies, can power up to 2 MLR panic exit devices RPSMLR2 – Small enclosure, no battery storage RPSMLR2BB – Large enclosure for battery storage (Batteries not included) For pricing see current BEST – Precision Price Book page 25"	835.00
PS406BB	Power supply with battery back-up for solenoid electric latch retraction option	1,594.00
IMPORTANT NOTE: PS406BB can only be used with electric latch retraction option		


* List price includes default cylinder.






9000 Series Exit Trim

How to Order



Lever and Knob Styles

A 	C 	D Handed  Right Hand Reverse Bevel Exit Device Lever Shown	F Handed  Left Hand Reverse Bevel Exit Device Lever Shown
G 	K 	N 	R 
T 	V Handed  Left Hand Reverse Bevel Exit Device Lever Shown	L109 	L110 
L112 	L114 Handed  Left Hand Reverse Bevel Exit Device Lever Shown	L117 	L118 

ANSI Function	Description	Z Series Raised Escutcheon 1-5/8" W x 8-1/2" H x 15/16" D	Cylinder Only Pull by Others
DT	Dummy trim		
02	Entrance by trim when touchbar is dogged		
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		
08C w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.		
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.		
09C w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.		
11	Entrance by thumbturn and pull. Key locks or unlocks thumbturn.		
12	Entrance by thumbturn and pull only when released by key. Key removable only when locked.		
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.		

9000 Series Narrow Stile Z Trim

Z Series Trim (Specify)					Door Thickness		Special Finish Coating			Special Application Package Cylinders and Keying		
Escutcheon Knob, Pull, or Lever		Function	Handing	Finish						Cylinder Type	Keyway	Keying
				630						D	SC	KD
Handed —	Z	A	DT	RHR	605	Ext3	*AM	TGD	T	CA	KD	
		C	02	LHR	606	Ext4	**PC		J	CD	KA	
		D	02R		611				C	CE	MKD	
		K	03		612				L	D100	CMK	
Handed —	F	03R			613				D	GA	OBit	
	G	08			619				G	RA		
	R	08C	— Handed		625				R	RB		
	T	09			626				F	SC		
Handed —	O	09C	— Handed		629				X6	SE		
	P	11			630				X7	SF		
	N	12			689					YA		
	V	23			691					YG		
Handed —	L109	25			693							
	L110				695							
	L112				696							
	L114				Custom							
	L117				Designer							
	L118											

Suffix **C** and **LH/RH** required for clutch
Suffix **R** required for rigid lever

****Patented Key Control**
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

— Default



ZP



ZK



ZC

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Available Finishes \$		
		9600 F9600	9700 F9700	9800 F9800	689, 691, 693 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626, 629**
ANSI Function	Description						
DT	Dummy trim	ZODT			211.00	305.00	350.00
02	Entrance by trim when touchbar is dogged.	ZPO2			394.00	532.00	600.00
		ZK02R, Zx02R			292.00	478.00	582.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	ZO03			326.00	443.00	466.00
		ZP03, ZK03R, Zx03R			580.00	765.00	831.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	ZK08, Zx08			765.00	897.00	1,026.00
08 w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.	Zx08C			1,082.00	1,268.00	1,338.00
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.	ZK09, Zx09			765.00	897.00	1,026.00
09 w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.	Zx09C			1,082.00	1,268.00	1,338.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn	Z011			630.00	816.00	843.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	Z012			630.00	816.00	843.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn	ZP11			722.00	876.00	902.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.	ZP12			722.00	876.00	902.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	ZK23, Zx23			508.00	708.00	765.00
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.	ZP25			625.00	770.00	942.00

**** For 629 finish, please allow 4 week lead time.**

NOTES:

- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118.
(Handed — D, F, V, L114)
- List price includes the default cylinder.

9000 Series Narrow Stile Pull Trim

Pull
(Specify)

Special
Finish
Coating

Pull Type

Function

Finish

OP

9BPO¹

02

03

630

605

606

611

612

613

619

625

626

630

689

691

693

695

696

Custom

Designer

*AM

**PC

— Default

1. 9PBO not applicable on 9500 Device, 03 Function only. Not available in 693 finish

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Available Finishes \$		
		9600 F9600	9700 F9700	9800 F9800	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description						
02	Entrance by trim when touchbar is dogged.	OP02			195.00	244.00	288.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	9PBO03			219.00	219.00	219.00

- NOTES:**
- List price includes the default cylinder.
 - 9PBO03 trim not recommended for wood doors. For hollow metal and aluminum door applications. Not available in 693 finish.

*Antimicrobial available to 626 and 630 finishes only
**PC - Clear Powder Coat available over 630 - Stainless Steel

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
AM*	Antimicrobial protected coating	127.00
PC**	Clear powder coat	127.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	195.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	700.00
	per exit device only, list add	98.00
	per trim only, list add	98.00
Tempered Glass Door Applications		
TGD	Tempered glass doors (Z series trim only), available in 630 finish only	69.00
Door Thickness (includes extended spindle and fasteners)		
Ext3	Door thickness from 2-1/4"–3-1/4" (57 mm to 83 mm)	132.00
Ext4	Door thickness from 3-1/4"–4-1/4" (83 mm to 108 mm)	132.00

*Antimicrobial available to 626 and 630 finishes only


**PC - Clear Powder Coat available over 630 - Stainless Steel

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Narrow Stile

Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9600/F9600 Concealed Vertical Rod, 9700/F9700 Rim, and 9800/F9800 Surface Vertical Rod Narrow Stile Devices					
Z Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Z Escutcheon Trim	08, 11	Mortise	90x13SC118	#13	97C13BA138
Z Escutcheon Trim	09, 12	Mortise	90x09SC118	#9	97C09BA138
Cylinders for Device Options					
CD, BA, B4, DE, DE30, DECBC, DA, LMMSBP	—	Mortise	90x10SC118	#10	97D10BA138

NOTE: For additional information, please refer to Cylinders, Keys & Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway — ⊗ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately	31.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊗ Keys sold separately	72.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	81.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	72.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	81.00
Cylinder Housings Less Cores			
EP		Euro profile half cylinder housing	N/C
R		Housing prepared for Schlage LFIC	15.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	15.00
X6		Housing prepared for Arrow Choice 6P SFIC	15.00

¹ For uncombined cores, **UNC** cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Mullions


Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"		
1310-8	8'	1,493.00
1310-8 × 443	8', recessed strike	1,735.00
WS1310-8	8', weatherstrip	1,588.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,752.00
1310-10	10'	1,588.00
1310-10 × 443	10', recessed strike	1,905.00
WS1310-10	10', weatherstrip	1,735.00
WS1310-10 × 443	10', weatherstrip and recessed strike	2,013.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"		
1310-8	8'	1,808.00
1310-8 × 443	8', recessed strike	2,051.00
WS1310-8	8', weatherstrip	1,905.00
WS1310-8 × 443	8', weatherstrip and recessed strike	2,165.00
1310-10	10'	1,958.00
1310-10 × 443	10', recessed strike	2,220.00
WS1310-10	10', weatherstrip	2,088.00
WS1310-10 × 443	10', weatherstrip and recessed strike	2,108.00
Steel Mullions × 600 (primed for paint), 1-1/2" × 2-1/2"		
1330-8	8'	746.00
1330-10	10'	786.00
Steel Mullions × 600 (primed for paint), 2" × 3"		
1300-8	8'	973.00
F1300-8	8', fire-rated	1,250.00
F1300-10	10', fire-rated	1,671.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,643.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,923.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	2,250.00
1300-10	10'	1,119.00
1340KR-EL	8', key removable, electrified mullion	1,905.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,735.00
1340KR-EL-10	10', key removable, electrified mullion	1,998.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1,808.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	489.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

8000 Series Exit Devices

How to Order



8300 Series
Rim Exit Device

8300 Series Device

Options (Specify)

Cylinders and Keying

Device	Length	Strike	Finish	Special Finish Coating	Special Application Package	Fastener Package	Dogging	Cylinder Type	Keyway	Keying
8300	B	463	689					D	SC	KD
F8300	A	320	689	**PC	HC	SK	LD	T	CA	KD
8300	B	430	689		*BF	SNB		J	CD	KA
	C	463	630TB			T		C	CE	MKD
	SPCL	486	691			SKTX		L	**D100	CMK
			693			SKSNB		D	GA	OBit
			695			TXSNB		G	RA	
			696			SKTXSNB		R	RB	
			Custom					F	SC	
			Designer					X6	SE	
								X7	SF	
									YA	
									YG	

— Default

— Supplied with Standard KD Cylinder

****Patented Key Control**

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

* Barrier Free option availability:

Exit Device	Functions	Device Lengths	Ratings
8300BF	01, 02, 03, 05, 08, 23	36" & 48"	Panic & Fire

8000 Series — Wide Stile Applications

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	36" (915 mm)	22" (559 mm)	22" (559 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.
2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

**PC - Clear Powder Coat available over 630 - Stainless Steel



Available Finishes \$

Function	Description	Device, Exit Only	689, 691, 693, 695, 696	689 w/ 630 TB
01	Panic	8300 Rim	797.00	1,201.00
01	Fire	F8300 Rim	1,091.00	1,499.00

Typical Options

Item	Description	List Add \$
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and H options)	29.00
T	Security screws	58.00
HC	Hurricane (includes SNB)	264.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options."	75.00
320	Overlap strike	46.00
430	Rim box strike	70.00
463	Standard rim strike	N/C
486	Roller strike	28.00

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

8400 Series
Surface Vertical Rod Exit Device

8400 Series Device							Options (Specify)					Cylinders and Keying		
Device	Length	Handing	Door Height	Top Strike	Bottom Strike	Finish	Special Finish Coating	Bottom Latch	Special Application Package	Fastener Package	Dogging	Cylinder Type	Keyway	Keying
8400	B	RHR	7	426	439	689						D	SC	KD
F8400	A	RHR	7	426	340	689	**PC	LB	HC	SK	LD	T	CA	KD
8400	B	LHR	8	426A	416V	689		P		SNB		J	CD	KA
	C		9		431	630TB		SB		T		C	CE	MKD
	SPCL		10		439	691				SKTX		L	⁺⁺ D100	CMK
			SPCH			693				SKSNB		D	GA	OBIt
						695				TXSNB		G	RA	
						696				SKTXSNB		R	RB	
						Custom						F	SC	
						Designer						X6	SE	
												X7	SF	
													YA	
													YG	

— Default

— Supplied with Standard KD Cylinder

⁺⁺Patented Key Control


The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

8000 Series — Wide Stile Applications

Device Length	All Device Options (except BA or DA)		BA or DA Device Options
	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
A	48" (1220 mm)	34" (864 mm)	39" (991 mm)
B	36" (915 mm)	28" (712 mm)	33" (839 mm)
C	36" (915 mm)	22" (559 mm)	22" (559 mm)

1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.
2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

**PC - Clear Powder Coat available over 630 - Stainless Steel



Available Finishes \$

Function	Description	Device, Exit Only	Available Finishes \$	
			689, 691, 693, 695, 696	689 w/ 630 TB
01	Panic	8400 Surface vertical rod	1,318.00	1,742.00
01	Fire	F8400 Surface vertical rod	1,676.00	2,095.00

Typical Options

Item	Description	List Add \$
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and HC options)	29.00
T	Security screws	58.00
HC	Hurricane (Includes SNB)	264.00
LB	Less bottom rod	N/C
P	Pullman bottom latch	78.00
SB	Slide bolt (Default)	N/C
Up to 8'	7' default	N/C
Up to 10'	Door heights over 8' to 10' (over 10', call Technical Service)	84.00
340	Flat slide bolt bottom strike	N/C
416V	Surface bottom strike for pullman latch	N/C
426	Standard top strike	N/C
426A	Top strike with angle	46.00
431	Recessed bottom strike for pullman latch	86.00
439	Standard slide bolt bottom strike	N/C

NOTES:


- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.
For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.
See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

Options

Option Code	Description	List Add \$
Special Finishes and Coatings		
PC	Powder Coat available over 630 – Stainless Steel	117.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference	
	Per order, setup charge (Net)	178.00
	per exit device only, list add	91.00
	per trim only, list add	91.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	641.00
	per exit device only, list add	91.00
	per trim only, list add	91.00
Fastener Package		
SK	Shim kit	127.00
SNB	Sex nuts	29.00
T	Security screws	58.00
SKTX	Shim kit and security screws	201.00
SKSNB	Shim kit and sex nuts	152.00
TXSNB	Security screws and sex nuts	100.00
SKTXSNB	Shim kit, security screws, and sex nuts	223.00
Special Application Packages		
HC	Hurricane, Includes SNB	227.00
BF	Barrier free, meets CBC (Section 11B-309.4) requirements for max. 5 lb operating force (8300)	31.00
Power Supplies, Power Transfers, Power Modules		
ES101	Delay module	190.00
ES103	Relay module	120.00
ES100	Power supply. Powers (2) 8000 ES devices.	863.00
ES105	Power transfer for ES devices	288.00


8000 Series Exit Trim

How to Order



Lever and Knob Styles



ANSI Function	Description	Escutcheon	Sectional 3-3/8" Diameter Rose	Wide Plate 3" W x 16" H	Pulls	Cylinder Only Pull by Others
DT	Dummy trim					
02	Entrance by trim when touchbar is dogged					
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.					
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.					
06	Entrance by thumbpiece only when released by key. Key removable only when locked.					
08	Entrance by lever or knob. Key locks or unlocks lever or knob.					
09	Entrance by lever or knob when unlocked by key. Key removable only when locked.					
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.					
23	Entrance by lever or knob (no cylinder). Lever or knob always active.					

8000 Series Escutcheon Trim

Escutcheon Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever Function Finish				Cylinder Type Keyway Keying		
		626		D	SC	KD
8HC	DT	626	**PC	C	AA	KD
8HG	03	689		D	CA	KA
8HK	08	691		J	CB	MKD
8HR	09	693		L	CC	CMK
	23	695		T	CD	0Bit
		696			CE	
		Custom			**D100	
		Designer			GA	
					RA	
					RB	
					SC	
					SE	
					SF	
					YA	
					YG	



8HR



8HK

****Patented Key Control**
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

 — Default

		Rim	Surface Vertical Rod	Available Finishes \$	
		8300 F8300	8400 F8400	689, 691, 693 695, 696	626
ANSI Function	Description				
DT	Dummy trim	8HDT		439.00	411.00
03	Entrance by trim when latch bolt is retracted by key. Key removable onlywhen trim is locked.	8Hx03 8HK03		594.00	547.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	8Hx08 8HKx08		594.00	547.00
09	Entrance by lever or knob when unlocked by key. Key removable only when locked.	8Hx09 8HK09		594.00	547.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	8Hx23 8HK23		495.00	434.00

- NOTES:**
- List price includes the default cylinder.
 - Where x appears above, x = lever style. See page 142 for details.

**PC - Clear Powder Coat available over 630 - Stainless Steel

8000 Series Sectional Trim

Sectional Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Knob or Lever	Function	Finish		Cylinder Type	Keyway	Keying
		689		D	SC	KD
8C	02	626	**PC	C	AA	KD
8G	03	689		D	CA	KA
8K	08	691		J	CB	MKD
8R	23	693		L	CC	CMK
		695		T	CD	OBIt
		696			CE	
		Custom			**D100	
		Designer			GA	
					RA	
					RB	
					SC	
					SE	
					SF	
					YA	
					YG	

— Default



8R



8K

**Patented Key Control

The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

Rim	Surface Vertical Rod	Available Finishes \$	
8300 F8300	8400 F8400	689, 691, 693 695, 696	626

ANSI Function	Description			
02	Entrance by trim when touchbar is dogged.	8x02R 8K02R	434.00	495.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	8x03 8K03	532.00	594.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	8x08 8K08	532.00	594.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	8x23 8K23	434.00	495.00

Notes:

- List price includes the default cylinder.
- Where x appears above, x = lever style. See page 142 for details.

**PC - Clear Powder Coat available over 630 - Stainless Steel

8000 Series Wide Plate Trim

Wide Plate Trim (Specify)			Special Finish Coating	Cylinders and Keying		
Plate Type	Function	Finish		Cylinder Type	Keyway	Keying
		630		D	SC	KD
HRS	DT	630	**PC	T	AA	KD
HTS	02	689		J	CA	KA
NPS	03	691		C	CB	MKD
PRS	05	693		L	CC	CMK
PTS	06	695		D	CD	OBIt
8O	08	696		G	CE	
	22	Custom		R	**D100	
		Designer		F	GA	
				X6	RA	
				X7	RB	
					SC	
					SE	
					SF	
					YA	
					YG	



PRS



HTS

****Patented Key Control**
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.

**PC - Clear Powder Coat available over 630 - Stainless Steel

		Rim	Surface Vertical Rod	Available Finishes \$	
		8300 F8300	8400 F8400	689, 691, 693 695, 696	630
ANSI Function	Description				
DT	Dummy trim	NPSDT		193.00	271.00
		80DT		118.00	—
02	Entrance by trim when touchbar is dogged.	PRS02 PTS02		271.00	338.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPS03		271.00	365.00
		PRS03 PTS03		338.00	434.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRS05 HTS05		384.00	504.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRS06 HTS06		384.00	504.00
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.	HRS22 HTS22		316.00	384.00

NOTE:

- List price includes the default cylinder.

8000 Series Pull Trim

Pulls
(Specify)

Special
Finish
Coating

Cylinders
and Keying

Pull Type	Function	Finish		Cylinder Type	Keyway	Keying
		689		D	SC	KD
80 ¹	DTP	689	**PC	T	AA	KD
8P	02	691		J	CA	KA
8PBO ²	03	693		C	CB	MKD
	03P	695		L	CC	CMK
		696		D	CD	OBIt
		Custom		G	CE	
		Designer		R	**D100	
				F	GA	
				X6	RA	
				X7	RB	
					SC	
					SE	
					SF	
					YA	
					YG	

— Default

****Patented Key Control**
The **D100** keyway is part of our patented serialized key control (**SKC**) system. **SKC** provides enhanced security through individually serialized keys and controlled key duplication processes. For additional information, contact your local sales representative or Technical Service at 800-387-4938.



1. Specify hand.
2. 8PBO available for 03 Function only. Not available in 693 finish.

		Rim	Surface Vertical Rod	Available Finishes \$
		8300 F8300	8400 F8400	689, 691, 693 695, 696
ANSI Function	Description			
02	Entrance by trim when touchbar is dogged.	8P02		384.00
		80DTP		269.00
		8PDT		146.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	8003P		365.00
		8003		193.00
		8P03		242.00
		8PBO03		216.00

- NOTES:
- List price includes the default cylinder.

8PBO03 trim not recommended for wood doors. Hollow metal and aluminum door applications.


**PC - Clear Powder Coat available over 630 - Stainless Steel

Trim Options


Option Code	Description	List Add \$
Special Finishes and Coatings		
PC	Clear powder coat	126.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	192.00
	per exit device only, list add	97.00
	per trim only, list add	97.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	690.00
	per exit device only, list add	97.00
	per trim only, list add	97.00

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Application	ANSI Function	Cylinder Type	Conventional (Default)	SFIC 7-Pin
Trim				
Sectional Trim (Key-in-Lever)	03, 08	Key-in-lever	70135C	77
3" Wide Plate Trim	03	Rim	80R40SC	87A40
3" Wide Plate Trim	05, 06	Mortise	90X10SC118	97C10138
Pulls	03	Rim	80R40SC	87A40
Device Options				
CD, BA, B4,		Mortise	90X10SC118	97D10138

NOTE:

- For additional information, please refer to Cylinders, Keys, and Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)			
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA	Keyed alike to a random combination; SC keyway with 2 keys	N/C
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway — Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	25.00
	MKD	Master keyed; SC, SE, or D100 keyway — Keys sold separately	30.00
	CMK	Construction master keyed single cylinder locks — Keys sold separately	31.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 33.00
Interchangeable Core Cylinders			
T		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — Keys sold separately	71.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
C		Keying for exit device or removable mullions with combined SFIC core installed at factory ¹ Keying for exit trim with combined core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately	80.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately	71.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — Keys sold separately	80.00
Cylinder Housings Less Cores			
R		Housing prepared for Schlage FSIC	15.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	15.00
X6		Housing prepared for Arrow Choice 6P SFIC	15.00

1. For uncombined cores, **UNC** cores must be ordered separately, see **Cylinders, Keys & Keying**. Exits/trim will be supplied w/ plastic construction core, Option J.

⊗ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1 bit key for operating 1 bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1 bit control key (to install/remove "0-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Mullions

Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"		
1310-8	8'	1,357.00
1310-8 × 443	8', recessed strike	1,577.00
WS1310-8	8', weatherstrip	1,443.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,592.00
1310-10	10'	1,443.00
1310-10 × 443	10', recessed strike	1,731.00
WS1310-10	10', weatherstrip	1,577.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,830.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"		
1310-8	8'	1,643.00
1310-8 × 443	8', recessed strike	1,864.00
WS1310-8	8', weatherstrip	1,731.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,968.00
1310-10	10'	1,780.00
1310-10 × 443	10', recessed strike	2,018.00
WS1310-10	10', weatherstrip	1,898.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,916.00
Steel Mullions × 600 (primed for paint), 1-1/2" × 2-1/2"		
1330-8	8'	678.00
1330-10	10'	714.00
Steel Mullions × 600 (primed for paint), 2" × 3"		
1300-8	8'	884.00
F1300-8	8', fire-rated	1,136.00
F1300-10	10', fire-rated	1,519.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,493.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,748.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	2,045.00
1300-10	10'	1,017.00
1340KR-EL	8', key removable, electrified mullion	1,731.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,577.00
1340KR-EL-10	10', key removable, electrified mullion	1,816.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1,643.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	444.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Type	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

DKPS Power Supply Series

Ordering Guide



DKPS Power Supply Series


Item	Description	List \$
DKPS-2A	110 V/2.0 A @ 24 VDC filter/reg, class 2 selectable output	843.00
DKPS-4A	110 V/4.0 A @ 24 VDC filter/reg, class 2 selectable output, (2) 2.0 A or (1) 4.0 A	1,557.00
DKPS-6A	110 V/6.0 A @ 24 VDC filter/reg, class 2 selectable output, (3) 2.0 A or (1) 6.0 A	1,874.00
PS502RF-220	220V/1.0 A @ 24 VDC filter/reg, class 2 selectable output	863.00

DKPS Series Specifications

Features	DKPS-2A	DKPS-4A	DKPS-6A
Enclosure dimensions	Metric 338mm X 448mm X 110mm, Standard 13-5/16" X 17-41/64" X 4-21/64"		
UL294, CAN/ULC -60839-11-1	Y	Y	Y
CAN/ULC-S533, CE, FCC	Y	Y	Y
Input Requirements	100-240VAC, 50-60Hz. 2.4A Max draw	100-240VAC, 50-60Hz. 1.8A Max draw	100-240VAC, 50-60Hz. 2.5A Max draw
Output Performance	2.5 Amps continuous supply current at Nominal 12/24 VDC	4 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC	6 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC
Battery Back-Up Charger (ordered separately)	Standard	Standard	Standard
Keyed Cabinet	Standard (Keyed alike)	Standard (Keyed alike)	Standard (Keyed alike)
LED Power Status Indicator	Standard	Standard	Standard
Fire Alarm Termination	Standard	Standard	Standard
Power Distribution Board	4 Outputs	8 Outputs	8 Outputs
Warranty	Limited Lifetime		

DKPS Power Supply Series

Ordering Guide



DKPS-2A

Options

Item	Description	List \$
BB12-4	4.5 Ahr battery backup for 12 V	88.00
BB12-7	7 Ahr battery backup for 12 V	134.00
BB24-4	4.5 Ahr battery backup for 24 V	175.00
BB24-7	7 Ahr battery backup for 24 V	265.00

Power Supplies for Use with Exit Devices

Item	Description	List \$
ES100	110 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with delayed egress (DE) exit device or LFSC/LFSF electrified exit device trim.	958.00
PS501	110 V/36 VDC, 14-18 A surge, 2 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	1,127.00
AD100	220 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	1,127.00
PS406BB*	Power supply with battery backup for solenoid latch retraction	1,609.00

Note: PS406BB can only be used with latch retraction option

Power Supply Options for Use with Exit Devices

Item	Description	List \$
ES101	Delay module (ES100 only)	211.00
ES103	Relay module (ES100 only)	134.00
ES105	Power transfer (recommended for ES and DE option)	320.00
ES2	Power card (PS501 only), powers an additional 2 devices (4 total)	614.00

Electric Strikes, Electromagnetic Locks & Shear Locks

In July 2023, all electric strike and electromagnetic lock products was made available via dormakaba RCI Electronic Locking Hardware.

This change provides customers with access to electronic controls such as electric strikes and electromagnetic locks but also a robust product offering including power supplies, switches, specialty locks, readers and credentials found within the dormakaba RCI product line.

Contact your dormakaba sales representative for further details or to inquire about sales enablement.

AC Series

Available Items

AC200 Keypads

Item	Description	List \$
AC217 630	Keypad, Indoor 120 user code, satin stainless face plate	700.00
AC217 605	Keypad, Indoor 120 user code, bright brass face plate	892.00
AC225 630	Keypad, Outdoor, 480 user code, satin stainless face plate	1,012.00
AC228 626	Keypad, Indoor, 480 user code, satin chrome face plate	510.00



AC217



AC225



AC228


Red Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB RE2 MA 628	Red	Exit	1-9/16"	Narrow	Maintained	Brushed Aluminum	245.00
PB RE2 MO 628	Red	Exit	1-9/16"	Narrow	Momentary	Brushed Aluminum	245.00
PB RE2 MA 710	Red	Exit	1-9/16"	Narrow	Maintained	Dark Bronze	245.00
PB RE2 MO 710	Red	Exit	1-9/16"	Narrow	Momentary	Dark Bronze	245.00
PB EP0 PA 630	Red	Push to exit	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	722.00
PB RE3 MA 628	Red	Exit	1-9/16"	Single Gang	Maintained	Brushed Aluminum	245.00
PB RE3 MO 628	Red	Exit	1-9/16"	Single Gang	Momentary	Brushed Aluminum	245.00
PB RE3 MA 710	Red	Exit	1-9/16"	Single Gang	Maintained	Dark Bronze	245.00
PB RE3 MO 710	Red	Exit	1-9/16"	Single Gang	Momentary	Dark Bronze	245.00
PB E03 MA 628	Red	Exit	2-3/8"	Single Gang	Maintained	Brushed Aluminum	280.00
PB E03 MO 628	Red	Exit	2-3/8"	Single Gang	Momentary	Brushed Aluminum	280.00
PB E03 MA 710	Red	Exit	2-3/8"	Single Gang	Maintained	Dark Bronze	280.00
PB E03 MO 710	Red	Exit	2-3/8"	Single Gang	Momentary	Dark Bronze	280.00
PB EP3 PA 630	Red	Push to exit	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	665.00

Accessories

Item	Description	
TD-ADJ	Field Selectable Timer — 0–30 seconds — wire inline	146.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	146.00
SBX	Surface mounting box, single gang — PBBH2 MO 630 SBX	97.00



Blue Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB BH2 MA 628	Blue	Handicap	1-9/16"	Narrow	Maintained	Brushed Aluminum	245.00
PB BH2 MO 628	Blue	Handicap	1-9/16"	Narrow	Momentary	Brushed Aluminum	245.00
PB BH2 MA 710	Blue	Handicap	1-9/16"	Narrow	Maintained	Dark Bronze	245.00
PB BH2 MO 710	Blue	Handicap	1-9/16"	Narrow	Momentary	Dark Bronze	245.00
PB HP2 PA 630	Blue	Handicap	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	722.00
PB BH3 MA 628	Blue	Handicap	1-9/16"	Single Gang	Maintained	Brushed Aluminum	245.00
PB BH3 MO 628	Blue	Handicap	1-9/16"	Single Gang	Momentary	Brushed Aluminum	245.00
PB BH3 MA 710	Blue	Handicap	1-9/16"	Single Gang	Maintained	Dark Bronze	245.00
PB BH3 MO 710	Blue	Handicap	1-9/16"	Single Gang	Momentary	Dark Bronze	245.00
PB HO3 MA 628	Blue	Handicap	2-3/8"	Single Gang	Maintained	Brushed Aluminum	280.00
PB HO3 MO 628	Blue	Handicap	2-3/8"	Single Gang	Momentary	Brushed Aluminum	280.00
PB HO3 MA 710	Blue	Handicap	2-3/8"	Single Gang	Maintained	Dark Bronze	280.00
PB HO3 MO 710	Blue	Handicap	2-3/8"	Single Gang	Momentary	Dark Bronze	280.00
PB HP3 PA 630	Blue	Handicap	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	665.00

Accessories

Item	Description	
TD-ADJ	Field Selectable Timer — 0–30 seconds — wire inline	146.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	146.00
SBX	Surface mounting box, single gang — PBBH2 MO 630 SBX	97.00

PB BH 2 MO 628

Series

Button

Faceplate

Switch

Faceplate Finish

Single Gang
#3 Faceplate

Narrow
#2 Faceplate

PBHO

PBBH

PBHP

162

Architectural Hardware Canada Price List - PL35


Illuminated Push Buttons

Available Items

Item	Button	Faceplate	Switch	Faceplate Finish	List \$
PB 731 MO 630	2" x 2" LED	Single Gang	Momentary	Brushed Stainless	189.00
PB 752 MO 628	1" x 1" LED	Narrow	Momentary	Brushed Aluminum	296.00
PB 752 MO 710	1" x 1" LED	Narrow	Momentary	Dark Bronze	296.00

Accessories

Item	Description	List \$
TD-ADJ	Field Selectable Timer — 0-30 seconds — wire inline	146.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	146.00
SBX	Surface mounting box, single gang — PB731 MO 630 SBX	97.00



Rotary/Key Release Switches

Ordering Guide

Red Key Release, 1-9/16" Dia —

Red Rotary, 1-3/4" Dia —

Style

KR¹

RR

Faceplate Option

3

1

— Aluminum, 628 or 710

— Stainless Steel, 630

Mounting Box

SBX

— Surface Mount, Single Gang

Series

PB

MA

630

Push-Button/Switch Actuator —

Maintained —

Switch Function

628

630

710

— Clear Anodized Aluminum (PBRR only)

— Satin Stainless (PBKR only)

— Satin Anodized Dark Oxidized Bronze (PBRR only)

Finish



PBRR

PBKR

1. PBKR Key Switch uses a disc tumbler style cylinder. This style cylinder can NOT be configured into the building master key system.


Item	Description	630 Finish \$	628 Finish \$	710 Finish \$
Red Rotary/Key Release Switches, 12/24 VDC				
PBRR	1-3/4" Dia MA, 2A SPDT, rotary release, single gang aluminum	—	270.00	246.00
PBKR	1-9/16" Dia MA, 2A SPDT, key release, single gang stainless steel	246.00	—	—

Mounting Box Options for PB Series

Item	Description	List \$
SBX	Surface Mount	85.00

39 Series Sounders

Ordering Guide



39032



39033



3914/3914W

39 Series Alerts/Sounders/Specialty Switches

Item	Description	List \$	628 Finish \$	710 Finish \$
Alerts				
39032	Audible alert, narrow	—	229.00	229.00
39033	Audible alert	—	229.00	229.00
Sounders				
3914	Sounder, red w/ weatherproof gasket	147.00	—	—
3914W	Sounder, white	206.00	—	—

KS Series

Ordering Guide

Key Switch Actuator

KS

30 Sec Adjustable

EA

30 Sec Fixed

EF

2 Bicolor LEDs (Red/Green)

L2

Bicolor LED (Red/Green)

L1

Mounting Box

SBX

Surface Mount, Single Gang

Series

KS

628

D

XXXX

Narrow Aluminum

5

01

MA SPDT

Single Gang Aluminum

8

02

MO SPDT

Faceplate Options

03

MA DPDT

04

MO DPDT

07

2 MO SPDT

08

1 MO SPDT/
1 MA SPDT

17

2 MO SPDT
Reset/Bypass

Switch Function

628

Clear Anodized Aluminum

710

Satin Dark Bronze Aluminum

Finish

T

Temporary SFIC

J

SFIC (Less Core)

C

SFIC (With Core)

L

Less Cylinder

D

Conventional Cylinder

G

Temporary Schlage LFIC

R

Schlage LFIC (less core)

F

Schlage LFIC

X6

Arrow Choice 6P SFIC (Less Core)

X7

Sargent XC 7P and Arrow Choice 7P SFIC (Less Core)

See Brochure for Keying Options

1. Faceplate option 5 only available with switch functions 01 and 02.
2. Timer options only available with switch function 02.
3. List price includes default conventional cylinder.



KS8 Single Gang
Aluminum




KS5 Narrow
Aluminum

KS Series Key Switches

Item	Description	List \$
KS800 Series Single Gang Aluminum		
KS801	MA SPDT	275.00
KS802	MO SPDT	275.00
KS 802 EA	MO SPDT, electronic timer, 1–30 sec adjustable	420.00
KS 802 EF	MO SPDT, electronic timer, 30 sec fixed	420.00
KS 803	MA DPDT	275.00
KS 804	MO DPDT	275.00
KS 503	MA DPDT	275.00
KS 504	MA DPDT	275.00
KS807	MO (2) SPDT	347.00
KS808	MO SPDT/MA SPDT	347.00
KS817	MO (2) SPDT, labeled Reset/Bypass	347.00
KS500 Series Narrow Aluminum		
KS501	MA SPDT	275.00
KS502	MO SPDT	275.00
KS502 EA	MO SPDT, electronic timer, 1–30 sec adjustable	420.00
KS502 EF	MO SPDT, electronic timer, 30 sec fixed	420.00
KS 502 PA	(2) SPDT, pneumatic timer, 2–60 sec adjustable	744.00

Options

Item	Description	List Add \$
Key Switch Options		
L1	One (1) bicolor (red/green) LED added to faceplate	37.00
Mounting Box Options		
SBX	Surface mount, single gang	97.00



Cylinder, Keying, and Keyway Options for KS Series

Cylinder	Option	Description	Examples	List Add/Deduct \$
Conventional Cylinders (non-interchangeable core)				
		Keying with conventional cylinder (default)	KS02628	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		26.00
	0-Bit	Operated by 0-bit key; D100 keyway — ⊗ Keys sold separately		26.00
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		26.00
	MDK	Master keyed; SC, SE, or D100 keyway — ⊗ Keys sold separately		33.00
	CMK	Construction master keyed single cylinder locks — ⊗ Keys sold separately		29.00
L		Keying less conventional cylinder	KS02628L	Deduct 33.00
Interchangeable Core Cylinders				
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — ⊗ Keys sold separately	Example: M9070T	75.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: M9070J	N/C
C		SFIC — Housing with combined SFIC core installed at the factory ¹ ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: M9070C	84.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: M9070G	75.00
R		Schlage LFIC — Housing less core	Example: M9070R	16.00
F		Schlage LFIC — Housing with combined Schlage LFIC installed at the factory (SC keyway) — ⊗ Keys sold separately	Example: M9070F	84.00

1. For uncombined cores, **UNC**, cores must be ordered separately.

⊗ Denotes keys must be ordered separately

Cut Keys Ordered Separately

Item	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	18.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders — SC, SE keyways	10.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	10.00
44101SC	CONV/LFIC Key blank — SC keyway	7.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	9.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for SKC policies
- See Keys and Key Blanks section for complete list.

Accessories

Available Items

Item	Description	List \$	
Power Transfer			
ES105	Power transfer conduit — satin chrome finish	326.00	
Flex Loops			
3118 628	Loop, 18", surface mount flex, satin aluminum finish	62.00	
3118 695	Loop, 18" flex, surface mount, less wires, dark bronze painted	90.00	
3118 714	Loop, 18" flex, surface mount, less wires, white painted	90.00	
3218 630	Loop, 18" flex, heavy duty, less wires, satin stainless	118.00	
Wired Hinges		STD	DPS
PTH4 626 / PTH4 DPS 626	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", satin chrome finish	451.00	599.00
PTH4 613 / PTH4 DPS 613	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", dark bronze finish	451.00	599.00
PTH4 605 / PTH4 DPS 605	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", bright brass finish	451.00	599.00
PTH6 626 / PTH6 DPS 626	Hinge, 6 wire power transfer, 4-1/2" × 4-1/2", satin chrome finish	709.00	673.00
PTH6 613 / PTH6 DPS 613	Hinge, 6 wire power transfer, 4-1/2" × 4-1/2", dark bronze finish	709.00	673.00
PTH6 605 / PTH6 DPS 605	Hinge, 6 wire power transfer, 4-1/2" × 4-1/2", bright brass finish	709.00	673.00
PTH10 626 / PTH10 DPS 626	Hinge, 10 wire power transfer, 4-1/2" × 4-1/2", satin chrome finish	599.00	748.00
PTH10 613 / PTH10 DPS 613	Hinge, 10 wire power transfer, 4-1/2" × 4-1/2", dark bronze finish	599.00	748.00
PTH10 605 / PTH10 DPS 605	Hinge, 10 wire power transfer, 4-1/2" × 4-1/2", bright brass finish	599.00	748.00
Wired Pivots			
75200 626 (standard)	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin chrome finish	829.00	
75200 605	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright brass finish	829.00	
75200 606	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin brass finish	829.00	
75200 611	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright bronze finish	829.00	
75200 612	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin bronze finish	829.00	
75200 613	Pivot, 3/4" offset intermediate, electrified, 8 wire, dark bronze finish	829.00	
75200 619	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin nickel finish	829.00	
75200 625	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright chrome finish	829.00	
E80622 630 (Standard)	Pivot, center hung top, electrified, 2 wire, satin chrome finish	971.00	
E80622 605	Pivot, center hung top, electrified, 2 wire, bright brass finish	971.00	
E80622 606	Pivot, center hung top, electrified, 2 wire, satin brass finish	971.00	
E80622 611	Pivot, center hung top, electrified, 2 wire, bright bronze finish	971.00	
E80622 612	Pivot, center hung top, electrified, 2 wire, satin bronze finish	971.00	
E80622 613	Pivot, center hung top, electrified, 2 wire, dark bronze finish	971.00	
E80622 619	Pivot, center hung top, electrified, 2 wire, satin nickel finish	971.00	
E80622 629	Pivot, center hung top, electrified, 2 wire, bright stainless finish	971.00	
E80622 689	Pivot, center hung top, electrified, 2 wire, aluminum painted finish	971.00	
E80622 695	Pivot, center hung top, electrified, 2 wire, dark bronze painted finish	971.00	
E80624 630 (Standard)	Pivot, center hung top, electrified, 4 wire, satin chrome finish	971.00	
E80624 605	Pivot, center hung top, electrified, 4 wire, bright brass finish	971.00	
E80624 606	Pivot, center hung top, electrified, 4 wire, satin brass finish	971.00	
E80624 611	Pivot, center hung top, electrified, 4 wire, bright bronze finish	971.00	
E80624 612	Pivot, center hung top, electrified, 4 wire, satin bronze finish	971.00	
E80624 613	Pivot, center hung top, electrified, 4 wire, dark bronze finish	971.00	
E80624 619	Pivot, center hung top, electrified, 4 wire, satin nickel finish	971.00	
E80624 629	Pivot, center hung top, electrified, 4 wire, bright stainless finish	971.00	
E80624 689	Pivot, center hung top, electrified, 4 wire, aluminum painted finish	971.00	
E80624 695	Pivot, center hung top, electrified, 4 wire, dark bronze painted finish	971.00	

Request to Exit Touch Bars (No latch assembly)

		628, 711	605, 629, 630
Item	Description	Standard Finish \$	Plated Finish \$
MSD550	Exit touch bar with mechanical switch (power transfer required), 628 or 711 finish standard, optional plated finishes 605, 629, 630	617.00	981.00

Timers/Relays

Item	Description	List \$
14-2	7-day programmable timer with memory and battery back-up. Specify 12 or 24 V	644.00
TD-ADJ	0-30 second adjustable timer	147.00
TD-FIX	30 second fixed timer	147.00
TDM	Time delay module sequencer relay	390.00

Desk Switches

Item	Description	List \$
PD15-1	MA SPDT	294.00
PD15-2	MO SPDT	200.00
PD15-3	MA SPDT (Toggle)	351.00

Desk Top Models for One or Two Doors

Item	Description	List \$
CC401DTM	One Momentary (MO) switch and one LED	584.00
CC402DTM	Two Momentary (MO) switches and two LEDs	726.00
CC403DTM	One Momentary (MO) and one Maintained (MA) switch and two LEDs	872.00
CC402DTMA	Two Maintained (MA) switches and two LEDs	726.00

Specialty Switches

Item	Description	List \$
3909S MA	Rocker switch, maintained	108.00
3909S MO	Rocker switch, momentary	108.00
39043B	Emergency pull station, blue with red pull	298.00
39043Y	Emergency pull station, yellow with red pull	335.00

Door Position Sensors (SPDT)

Item	Description	List \$
DPS11	Adjustable ball type SPDT, 5 amp	119.00
DPS112	Adjustable ball type 2 SPDT, 5 amp	179.00
MC4	Recessed magnetic	75.00
MC4M	Recessed magnetic mounted on plate	230.00
MC7	Biased high security recessed magnetic	179.00

Passive Infrared Egress Control

Item	Description	List \$
MS1RV1	Motion sensor (Requires PS1 RMT)	598.00
PS1RMT	Remote control for motion sensor	102.00
MD31DOW	Motion sensor with time delay — off white	598.00
MD31DB	Motion sensor with time delay — black	598.00

Monitor Strikes

Item	Description	List \$
MS12	Cylindrical latch monitor, 2-3/4" SPDT	329.00
MS12D	Cylindrical latch monitor, 2-3/4" DPDT	420.00
MS14	Cylindrical latch monitor, 4-7/8" SPDT	329.00
MS14D	Cylindrical latch monitor, 4-7/8" DPDT	420.00
MS16	Mortise lock latch monitor SPDT	329.00
MS16D	Mortise lock latch monitor DPDT	420.00
MS18	Mortise lock dead bolt monitor SPDT	329.00
MS18D	Mortise lock dead bolt monitor DPDT	450.00
MS20	Mortise lock latch and bolt monitor SPDT	420.00
MS20D	Mortise lock latch and bolt monitor DPDT	560.00

ED900 Series
Ordering Guide

Low Energy Swing Door Operator

Power Door Operator

Model

900

Companion (Not Powered)

CMP

Function

Mount/Arm

T

T275

J8

J12

Options

PC

CB

Series

ED

Application

Pair of Doors 2 ED900s

SW

SW

FWS

FW2

FWPRS

FWPR3

689

600

689

690

691

693

695

696

Custom

Designer

Remote Key switch (628 finish) less cylinder

Primed

Aluminum

Statuary Bronze

Dull Bronze

Black

Dark Duranodic Bronze


Gold

Custom Painted Finish

Designer Painted Finish


SW

Standard Width 27"; Single Door




FWS

Seamless Full Width Cover, Single Door, From 29" (737 mm) to 48" (1219 mm)




FW2

Full Width Cover, 2-Pieces, Includes 27" SW Cover and extension cover up to 21" (533 mm).




FWPRS

Seamless Full Width Cover for Pair of Doors, From 56" (1422 mm) to 96" (2438 mm)



FWPR3

Full Width Pair of Doors, includes two 27" Standard Width Covers, and extension cover to fill remaining opening, up to 35" (889 mm).



Painted

Finish

ED900 Series Low Energy Operators

Single Door Applications

Model	Arm	Mounting	List Add Painted \$
ED900	T	Pull-side, regular mount, track arm, 0"–1" reveal	9,225.00
ED900	T275	Pull-side, regular mount, track arm, 1"–2-3/4" reveal	9,475.00
ED900	J8	Push-side, top jamb mount, 0"–8" reveal, mechanical arm stop	9,225.00
ED900	J12	Push-side, top jamb mount, 8"–12" reveal, mechanical arm stop	9,475.00
Covers			
SW		Standard width cover, 27", included with ED900	N/C
FWS		Full width cover for single door (door widths from 29"–48"), double mode switch and cable included.	432.00
FW2		A 27" standard cover, with field cut cover and mounting plate, (door width up to 48"), seam concealer, double mode switch and cable included.	432.00

Pair of Door Applications (Includes two ED900 Operators)

Model	Arm	Mounting	List Add Painted \$
ED900PR	T	Two ED900 operators, pull-side mount with track arms, 0"–1" reveal for pairs of doors	18,445.00
ED900PR	T275	Two ED900 operators, pull-side mount with track arms, 1"–2-3/4" reveal, for pairs of doors	18,960.00
ED900PR	J8	Two ED900 operators, push-side, top jamb mount arms, 0"–8" reveal, for pairs of doors	18,445.00
ED900PR	J12	Two ED900 operators, push-side, top jamb mount arms, 8"–12" reveal, for pairs of doors	18,960.00
ED900PRCMP	T	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 0"–1" reveal for pairs of doors	14,565.00
ED900PRCMP	T275	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 1"–2-3/4" reveal for pairs of doors	14,565.00
ED900PRCMP	J8	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 0"–8" reveal for pairs of doors	14,565.00
ED900PRCMP	J12	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 8"–12" reveal for pairs of doors	14,565.00
Covers			
SW		Two standard width covers, 27", for two ED900 operators	N/C
FWPRS		Seamless full width cover for pair of doors (door widths from 56"–96"), includes center mounting plate, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.	857.00
FWPR3		Two 27" standard covers with field cut cover and mounting plate (door widths from 56"–96"), with seam concealers, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.	857.00

NOTE: ED900 T, J8, J12 and ED900PR T, J8, J12 models include all axle extension 5/16" (9mm), 3/4" (20mm), 1-1/8" (30mm), and 2-3/8" (60mm).

Options

Item	Description	List Add \$
Special Finishes		
Custom Color	Custom painted finish selected from dormakaba RAL color pal book. For details, see dormakaba Finishes Cross Reference, page viii.	
	Per operator, set-up charge (Net)	105.00
	Per operator, list add	100.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each, 2" x 2" color chip samples required. For details, see dormakaba Finishes Cross Reference, page viii.	
	Per operator, non-refundable development/set-up charge (Net)	402.00
	Per operator, list add	125.00
Electrical Connection Options		
CB	Conduit box (only)	109.00
PC	Power cord (includes conduit box and power cord)	205.00

Accessories


Item	Description	List \$
Hard Wired Switches and Accessories		
WS1	Wall Switch — 6" square	471.00
WS 1 LOGO	Wall switch — with wheelchair logo only, 6" square	471.00
WS 1 SQ4	Wall switch, 4-1/2" square	523.00
WS 1 RND4	Wall switch, 4-1/2" round	523.00
WSTLS	Wall switch, touch-less sensor (available in white, gray, black)	802.00
FS 1	Frame switch, 1-3/4" x 4-1/2"	321.00
FS 1 LOGO	Frame switch with wheelchair logo only, 1-3/4" x 4-1/2"	321.00
UMB	Universal mounting box, for surface mounting WS-1, where no junction box is supplied	208.00
UMBFR	Universal mounting box flush mount ring, dress ring for WS-1	138.00
UMBRFT	Universal mounting box only, for 6" square WS/RFT 1 type switches (includes circuit board)	480.00

Item	Description	List \$
RF Switches and Accessories		
WSRFT 1	Wall switch — RF 300 MHz, 6" square	772.00
WSRFT 1 LOGO	Wall switch — RF 300 MHz, 6" square, with wheelchair logo only	772.00
WSRFT 1 433	Wall switch — RF 433 MHz, 6" square	755.00
WSRFT 1 433 SQ4	Wall switch — RF 433 MHz, 4-1/2" square	755.00
WSRFT 1 433 RND4	Wall switch — RF 433 MHz, 4-1/2" round	755.00
RFR	RF receiver, 300 MHz, 12 or 24 AC/DC (can be powered from ED900)	531.00
RFR 433	RF receiver, 433 MHz, 12 or 24 VAC/DC, 24AC (can be powered from ED900)	378.00
HHRFT 1 433	Hand held transmitter, 433 MHz	231.00
HHRFT 2 433	Hand held dual transmitter, 433 MHz	317.00
HHRFT 4 433	Hand held four button transmitter, 433 MHz	397.00
KCRFT 2 433	Key chain dual transmitter, 433 MHz	208.00
Miscellaneous Accessories		
SP1	Axle adaptor, zero extension	113.00
SP2	Axle adaptor, 3/4" (20mm) extension	113.00
SP3	Axle adaptor, 1-1/8" (30mm) extension	113.00
SP6	Axle adaptor, 2-3/8" (60mm) extension	131.00
SCRPK, ED900 Track	ED900 track arm, screwpack	24.00
970	Angle bracket	429.00
SCRPK900970	ED900 970 bracket, screwpack	24.00
930	Drop plate for arm shoe	114.00
SCRPK900930	930 drop plate, screwpack	24.00
BSTP25	Bumper/stop (1/4" thick plate)	119.00
BSTP50	Bumper/stop (1/2" thick plate)	119.00
BSTPSHM25	Bumper/stop shim, 1/4" thick	119.00
BSTPSHM50	Bumper/stop shim, 1/2" thick	119.00
BUMPER BLK	Bumper only	44.00
HEXKEY T	Hex key, 5mm, T-handle	33.00
DECAL ED900	Decal, ED900 door set	80.00
PRCONKIT96	Pair connection kit up to 96" opening width	301.00
TERMCONBD	Terminal Connection Board	135.00
T	Pull side track mount arm, 0"–1" reveal	439.00
T275	Pull side deep reveal track mount arm, 1"–2-3/4" reveal	681.00
J8	Push side top jamb mount arm, 0"–8" reveal	439.00
J12	Push side top jamb deep reveal mount arm, 8"–12" reveal	681.00
CAPSCOV5	Plastic endcaps/pinion cover	42.00

NOTE: Safety and motion sensors available for use with the ED900. Please contact customer service for ordering support.

NEW! ED20LE EasyAssist

The dormakaba ED20LE EasyAssist is a compact, low energy operator designed specifically for interior doors in light-to-medium-duty settings, offering effortless automation. It can be transom or door leaf mounted, making it an ideal solution for new installs and upgrading existing doors.



Door Leaf, Clear anodized

ED20LE	Description	Finish	List \$
08121420	Single Operator, Door Leaf Mount	CL - Clear anodized	2,355.00
08121421	Single Operator, Door Leaf Mount	DB - Dark bronze anodized	2,355.00
08123750	Single Operator, Transom Mount	CL - Clear anodized	2,355.00
08123751	Single Operator, Transom Mount	DB - Dark bronze anodized	2,355.00

Accessories

Item	Description	Finish	List \$
08123720	Conversion plate, door mount, LCN 4040XP, push side, right hand / left hand reversed	AL - Aluminum	196.00
08123721	Conversion plate, door mount, LCN 4040XP, push side, right hand / left hand reversed	DB - Dark bronze anodized	196.00
08123726	Conversion plate, door mount, LCN 4040XP, pull side, right hand / left hand reversed	AL - Aluminum	196.00
08123727	Conversion plate, door mount, LCN 4040XP, pull side, right hand / left hand reversed	DB - Dark bronze anodized	196.00
08123732	Conversion plate, door mount, LCN 4040XP, push side, left hand / right hand reversed	AL - Aluminum	196.00
08123733	Conversion plate, door mount, LCN 4040XP, push side, left hand / right hand reversed	DB - Dark bronze anodized	196.00
08123734	Conversion plate, door mount, LCN 4040XP, pull side, left hand / right hand reversed	AL - Aluminum	196.00
08123735	Conversion plate, door mount, LCN 4040XP, pull side, left hand / right hand reversed	DB - Dark bronze anodized	196.00
08123722	Conversion plate, door mount, Norton 7500, push side	AL - Aluminum	196.00
08123723	Conversion plate, door mount, Norton 7500, push side	DB - Dark bronze anodized	196.00
08123728	Conversion plate, door mount, Norton 7500, pull side	AL - Aluminum	196.00
08123729	Conversion plate, door mount, Norton 7500, pull side	DB - Dark bronze anodized	196.00
08123724	Conversion plate, door mount, Sargent 281, push side	AL - Aluminum	196.00
08123725	Conversion plate, door mount, Sargent 281, push side	DB - Dark bronze anodized	196.00
08123730	Conversion plate, door mount, Sargent 281, pull side	AL - Aluminum	196.00
08123731	Conversion plate, door mount, Sargent 281, pull side	DB - Dark bronze anodized	196.00

ED50LE

The ED50LE low energy swing door operator is easy to install and is the perfect solution for touch-free access applications, offering a true manual door closer experience.

This medium-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series), or other "knowing act" device. The ED50LE combines advanced automatic power assist, minimal push forces (as low as ANSI size 1) and reliable closing. Outswing or inswing doors can be adapted for touch-free access with push or pull arms suited to a wide variety of door usage options.

Item	Description	Finish	List \$
ED50LE			
7266003	34" Single Operator, PULL ARM	CL - Clear anodized	5,592.00
7266004	34" Single Operator, PULL ARM	DB - Dark bronze anodized	5,592.00
7266005	34" Single Operator, PUSH ARM	CL - Clear anodized	5,592.00
7266006	34" Single Operator, PUSH ARM	DB - Dark bronze anodized	5,592.00

**ED100LE**

The ED100LE low energy swing door operator is the perfect solution for touch free access applications, a versatile operator ideal for ADA-compliant applications.

This medium or heavy-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series) or other "knowing act" device. The ED100LE combines advanced power assist, reliable closing, and special firmware capabilities to help manage the combination of wind and building pressure. With a multitude of adjustable features, you have the flexibility to fine tune the operator to meet opening requirements.

Item	Description	Finish	List \$
ED100LE			
7265853	34" Single Operator, PULL ARM	CL - Clear anodized	9,756.00
7265854	34" Single Operator, PULL ARM	DB - Dark bronze anodized	9,756.00
7265855	34" Single Operator, PUSH ARM	CL - Clear anodized	9,756.00
7265856	34" Single Operator, PUSH ARM	DB - Dark bronze anodized	9,756.00



Surface Closers

Product Guide (1 of 2)

SURFACE MOUNTED CLOSERS	Full Cover	Slimline Cover	No Cover
Grade 1 — Cam Action Fully Adjustable (Power) Size	TS93	—	—
Grade 1 — Heavy Duty Fully Adjustable (Power) Size	8900	—	—
	STA8900	—	—
Grade 1 — Fully Adjustable (Power) Size	8600 × FC/FMC/ FCSL	8600 × COV	—
	STA8600 × FC/FMC/ FCSL	STA8600 × COV	—
Grade 1 — Adjustable (Power) Size	7400 × FC/FCSL	7400 × COV	7400
	STA7400 × FC/FCSL	STA7400 × COV	STA7400

Surface Closers

Product Guide (2 of 2)


☐ No	A156.4 Grade1	UL10C	Advanced Cam and Roller Design	Rack and Pinion Design	Stainless	Plated or Decorative Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
TS93	Yes	Yes	Yes	☐	☐	Yes	Yes	Yes	Yes	☐
8900	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes	☐
STA8900	Yes	Yes	☐	Yes	Yes	Yes	Yes	Yes	Yes	☐
8600	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes	☐
STA8600	Yes	Yes	☐	Yes	Yes	Yes	Yes	Yes	Yes	☐
7400	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes	☐
GSR	Yes	Yes	Yes	☐	☐	Yes	Yes	Yes	Yes	☐

* 689 and 695 only.

TS93 Series

Ordering Guide

Arm Type									
171°–180° Pocket Mount left handed —	TPKT180L								
171°–180° Pocket Mount right handed —	TPKT180R								
120°–170° Pocket Mount left handed —	TPKT170L								
120°–170° Pocket Mount right handed —	TPKT170R								
90°–119° Pocket Mount —	TPKT119								
90° Pocket Mount —	TPKT90								
Track hold open, pull side door mounted heavy-duty spring cushion	STH								
Track hold open, push side soffit mounted	PTH								
Track hold open, pull side frame mounted	TH								
Track, push side soffit mounted heavy-duty spring cushion	SPT								
Track, pull side frame mounted heavy-duty spring cushion	ST								
Track, push side soffit mounted	PT								
Track, pull side frame mounted	T								
				Fastener Pack					
				SN3	— Sex Nuts for 1-3/8" Door				
				SN4	— Sex Nuts for 1-3/4" Door				
						PNT	— Special Sprayed Finish (must specify)		
						696	— Gold		
						695	— Dark Duranodic Bronze		
						693	— Black		
						691	— Dull Bronze		
						690	— Statuary Bronze		
						689	— Aluminum		
						600	— Primed		
TS93		15	T		SN3		689		
TS93		15	— Size 1–5		Cushion Stop — CS*		605	— Bright Brass	
Model		56	— Size 5–6		Options		630	— Satin Stainless	
Spring Size				Architectural		Finish			



* Available for use with T, TH, PT, PTH arms only.

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to TS93 Series product brochure for details.

Body	Arm	Mounting	Painted Finish \$	605/630 \$
Slide Track Non-Hold Open				
TS9315, TS9356	T	Door mounted (pull side)	863.00	1,428.00
	PT	Soffit mounted (push side)	863.00	1,428.00
Slide Track Hold Open				
TS9315, TS9356	TH	Door mounted (pull side)	906.00	1,471.00
	PTH	Soffit mounted (push side)	906.00	1,471.00
Slide Track Non-Hold Open w/Spring Cushion				
TS9315, TS9356	ST	Door mounted w/ stop (pull side)	1,243.00	1,873.00
	SPT	Soffit mounted w/ stop (push side)	1,243.00	1,873.00
Slide Track Hold Open w/Spring Cushion				
TS9315, TS9356	STH	Frame mounted w/ stop (pull side)	1,286.00	1,919.00

NOTE: S-track (stop) units ordered in 630 finish are furnished as a combination of 619 and 630 finish components.

Body	Arm	Mounting	Painted Finish \$
90° Slide Track/Pocket Pivot Applications			
TS9356	TPKT90	90° track application less pocket pivots	926.00
		For nonfire-rated applications, order (3 ea.) plated finish 75520 pocket pivots, separately	
		For 3-hour fire-rated applications, order (3 ea.) plated finish 75523 pocket pivots, separately	
90°–180° Slide Track/Pocket Pivot Applications			
TS9356	TPKT119	90° to 119°, offset pivots or hinges, closer on door, track in pocket. Order EM504 electromagnet separately.	1,115.00
	TPKT170	120° to 170°, closer on wall in pocket, track on door, left handed. Order EM504 electromagnet separately.	1,180.00
	TPKT180L	171° to 180°, closer on wall in pocket, track on door, left handed. Order EM504 electromagnet separately	1,238.00
	TPKT180R	171° to 180°, closer on wall in pocket, track on door, right handed. Order EM504 electromagnet separately.	1,238.00

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
CS	Cushion stop/bumper to help slow door in normal opening cycle (for T, TH, PT, PTH arms only)	59.00
SN4	(4) each 10-32 aluminum sex nuts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN3 pack)	Deduct 5.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	178.00
	per closer, list add	54.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/ setup charge (Net)	443.00
	per closer, list add	54.00

NOTES:

- Painted finish price includes full metal cover with plastic end caps.
- Specify closer and arm designation and finish when ordering
- TS93 packaged (2) units per master carton.
- SN3 sex nuts and (DA) delayed action is standard with all TS93 closers.

Other Accessories

[illegible]

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open				
8916, 8956	AF89P	PA, REG & TJ for reveals to 4" (flat)	734.00	1,227.00
	AF89	REG or TJ for reveals to 4" (flat)	720.00	1,132.00
	AF8MJ	REG with mortise jamb bracket (flat)	760.00	—
	RRA	REG, rigid regular mount arm (flat)	809.00	—
Bumper or Spring Cushion				
8916, 8956	DS	Heavy-duty door saver cushion parallel arm	816.00	1,313.00
	DST	w/thumb turn hold open	882.00	1,376.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	1,025.00	1,650.00
	SDST	w/thumb turn hold open	1,095.00	1,720.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	1,011.00	1,473.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	1,082.00	1,675.00
Heavy Duty PA				
8916, 8956	SPA	Super parallel arm	763.00	1,253.00
	SPAT	w/thumb turn hold open	831.00	1,313.00
	SPAS6	Super parallel arm w/ drop spacer	825.00	—
Hold Open				
8916, 8956	FHP	Friction PA, REG & TJ for reveals to 4"	787.00	—
	FH	REG or TJ for reveals to 4"	773.00	—
	PHP	Plunger PA & TJ for reveals 1-1/4" to 3-1/4"	905.00	1,394.00
	PH	REG or TJ for reveals 0" to 1-1/4"	897.00	1,297.00

* Available in 630 finish only and not intended for corrosive environments.

NOTE: Standard arm configuration is indicated in **bold**.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Slide Track				
8916, 8956	T	Door mounted (pull side)	782.00	1,253.00
	JT	Frame mounted (pull side)	782.00	1,253.00
	FT	Flush transom mounted (push side)	782.00	1,253.00
	PT	Soffit mounted (push side)	782.00	1,253.00
	TDE	Frame mounted double egress frame (pull side), specify hand	870.00	1,344.00
Track Hold Open				
8916, 8956	TH	Door mounted (pull side)	817.00	1,293.00
	PTH	Soffit mounted (push side)	817.00	1,293.00
Pocket Applications				
8956	TPKT90	Track application, 90 degree pocket door	782.00	1,253.00
8907	AFPKT90	Double lever flat form arm, 90 degree pocket door	782.00	1,273.00
	AFPKT180	Double lever flat form arm, 180 degree pocket door	782.00	1,332.00

Options

Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	55.00
FCSL	Full plastic slotted cover (low ceiling conditions)	N/C
FMC	Full metal cover (handed for TJ or T [FMCL/FMCR])	13.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	175.00
SN2	(4) each 1/4-20 aluminum sex nuts for 1-3/8" thick door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
DPK89	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK89	18.00
TPK89	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK89	18.00
TX89	All exposed fasteners to be Torx security fasteners (n/a with track applications)	44.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions 8916 or 8956 (select one). SPA, FMC.	840.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions. 8907, SPA, FMC.	880.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	161.00
	per closer, list add	46.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	401.00
	per closer, list add	52.00

NOTES:

- All painted components w/plated line item will be painted complementary finish.
Example: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- Painted finish price includes full plastic cover.
- Plated finish price includes optional full metal cover.
- Specify closer and arm designation, hand (when required), finish, and options when ordering.
All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- FMC is only cover available in plated finishes.
- Sex nuts for 1-3/4" door (SN1) furnished standard with all 8900 and included in price. Specify (SN2) for 1-3/8" door.

Accessories

Item	Description	List \$
BP89	Backplate for top jamb with frame < 2-7/8" wide	52.00
DP89	Drop plate for PA where top rail is < 5-3/4"	52.00
AB89	Angle bracket for closer with full plastic cover	90.00
PFT	Parallel flush transom bracket	42.00
PD	Parallel drop bracket, non-hold open arms (AF89 only)	53.00
MJ  	Mortised jamb bracket, non-hold open arms (AF89 only)	38.00
BS	Blade stop spacer (P89, PHB, and PD)	38.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	43.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	43.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	75.00

  When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ for 8600 or 8900 Series closers.

8600 Series
Ordering Guide

Spring Size				Cover				Arm Fastener Pack		Fastener Pack	
Adjustable 1-6								Less Sex Nuts		AWS	
				Slim Cover				LSN		TX86	
				Full Plastic				SNB2		SNTPK	
				Full Plastic Slotted				SNB1		TPK86	
				Full Metal Cover						SNDPK	
										DPK86	
										COMBO	

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open				
8616	AF86P	PA, REG and TJ for reveals to 4" (flat)	594.00	1,156.00
	AF86	REG or TJ for reveals to 4" (flat)	569.00	1,033.00
	AF8MJ	REG with mortise jamb bracket (flat)	604.00	—
	ARP	PA, REG and TJ for reveals to 4" (round)	574.00	1,097.00
	ARNP	Narrow profile, REG or TJ for reveals to 4" (round)	550.00	996.00
	ARNPP	Narrow profile, PA, REG, TJ (round)	569.00	1,088.00
	AR	REG or TJ for reveals to 4" (round)	550.00	996.00
	AO8P	PA, REG and TJ secured elbow for reveals to 4" (round)	574.00	—
	AO8	REG or TJ secured elbow for reveals to 4" (round)	567.00	—
Bumper or Spring Cushion				
8616	DS	Heavy-duty door saver cushion parallel arm	693.00	1,230.00
	DST	w/ thumb turn hold open	774.00	1,304.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	908.00	1,603.00
	SDST	w/ thumb turn hold open	987.00	1,682.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	895.00	1,390.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	1,022.00	1,626.00
Heavy Duty PA				
8616	SPA	Super parallel arm	622.00	1,176.00
	SPAT	w/ thumb turn hold open	701.00	1,255.00
	SPAS6	Super parallel arm w/ drop spacer	620.00	—
Hold Open				
8616	FHP	Friction PA, REG and TJ for reveals to 4"	665.00	—
	FH	REG or TJ for reveals to 4"	634.00	—
	PHP	Plunger PA and TJ for reveals 1-1/2" to 3-1/2"	782.00	1,325.00
	PH	REG or TJ for reveals 0" to 1-1/2"	773.00	1,241.00
Slide Track				
8616	T	Door mounted (pull side)	643.00	1,160.00
	JT	Frame mounted (pull side)	643.00	1,160.00
	FT	Flush transom mounted (push side)	643.00	1,160.00
	PT	Soffit mounted (push side)	643.00	1,160.00
	TDE	Frame mounted double egress frame (pull side), specify hand	739.00	1,257.00

* Available in 630 finish only and not intended for corrosive environments.

* FMC is the only cover available in 630 finish

NOTE: Standard arm configuration is indicated in **bold**

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Track Hold Open				
8616	TH	Door mounted (pull side)	683.00	1,174.00
	PTH	Soffit mounted (push side)	683.00	1,174.00

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	60.00
LCOV	Less slim plastic cover, Deduct	Deduct 15.00
FC	Full plastic cover	15.00
FCSL	Full plastic slotted cover (low ceiling conditions)	15.00
FMC	Full metal cover (handed for TJ or JT [FMCL/FMCR])	22.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	191.00
SNB2	(4) each 1/4-20 aluminum sex nuts and bolts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
AWS	All wood screws	17.00
DPK86	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK86	20.00
TPK86	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK86,	20.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	49.00

Item	Description	List Add/Deduct \$
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	179.00
	per closer, list add	52.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	448.00
	per closer, list add	58.00

NOTES:

- All painted components w/plated line item will be painted complementary finish.
Example: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- Painted finish price includes slim plastic cover.
- Plated finish price includes optional full metal cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- FMC is only cover available in plated finishes.
- All 8600 closers standard with SNB1.
- T, TH, FT, FTH include backplate standard.
- 8600 Series closer prepared standard to accept COV, FC, FCSL, or FMC.

Accessories

Item	Description	List \$
BP86	Backplate for closer with slim cover	57.00
BP86FC	Backplate for closer with full cover	57.00
BP86T	Backplate for slide track closer with slim cover	57.00
BP86TFC	Backplate for slide track closer with full cover	57.00
BP86FTFC	Backplate for flush transom slide track closer w/wo/cover or full cover	57.00
DP86	Drop plate for closer with slim cover	57.00
DP86FC	Drop plate for closer with full cover	57.00
BP86C	Backplate for conversion of 7600 Series to 8600 Series	57.00
AB86	Angle bracket for closer with slim cover	99.00
PFT	Parallel flush transom bracket	47.00
PD	Parallel drop bracket, non-hold open arms (AF86, AR, AO8 only)	59.00
MJ 	Mortised jamb bracket, non-hold open arms (AF86 only)	42.00
BS	Blade stop spacer (P86, PHB, and PD)	42.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	48.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	48.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	85.00

 When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm.
Specify AF8MJ for 8600 or 8900 Series closers.

7400 Series
Ordering Guide

				Cover						Accessory Plates		Other Accessories	
				Slim Cover —	COV					Drop Plate —	DPXX	ABXX	— Angle Bracket
				Full Plastic —	FC					Back Plate —	BPXX	XXHD	— Heavy Duty Bracket
				Full Plastic Slotted —	FCSL							PD	— PA Drop Bracket
				No Cover —								BS	— Blade Stop Spacer
												BSHD	— Blade Stop Heavy Duty
Series	7400	14	36	Delay —	DA								
Spring Size		Adjustable 1–4		Adjustable 3–6									

Body	Arm	Mounting	Painted Finish \$
Non-Hold Open			
7414, 7436	ARP	PA, REG & TJ for reveals to 4" (round)	384.00
	AR	REG or TJ for reveals to 4" (round)	368.00
	AO8P	PA, REG & TJ secured elbow for reveals to 4" (round)	387.00
	AO8	REG or TJ secured elbow for reveals to 4" (round)	368.00
Bumper or Spring Cushion			
7414, 7436	DS	Heavy-duty door saver cushion parallel arm	497.00
	DST	w/thumb turn hold open	574.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	726.00
	SDST	w/thumb turn hold open	799.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	712.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	831.00
Heavy Duty PA			
7436	SPA	Super parallel arm	442.00
	SPAT	w/thumb turn hold open	516.00
Friction Hold Open			
7414, 7436	FHP	PA, REG & TJ for reveals to 4"	482.00
	FH	REG or TJ for reveals to 4"	457.00
Slide Track			
7436	T	Door mounted (pull side)	455.00
	JT	Frame mounted (pull side)	455.00
	FT	Flush transom mounted (push side)	455.00
	PT	Soffit mounted (push side)	455.00
	TDE	Frame mounted double egress frame (pull side), specify hand	546.00
Track Hold Open			
7436	TH	Door mounted (pull side)	503.00
	PTH	Soffit mounted (push side)	503.00

NOTE: Standard arm configuration is indicated in **bold**.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
DA	Adjustable delayed action (suffix to model number)	58.00
COV	Slim plastic cover	34.00
FC	Full plastic cover	40.00
FCSL	Full plastic slotted cover (low ceiling conditions)	40.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	15.00
SNB2	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	15.00
AWS	All wood screws	17.00
DPK86	All fasteners to be self-drilling fasteners (In lieu of combo screws)	N/C
CMBDPK	Standard and DPK86 fasteners	21.00
TPK86	All fasteners to be self-tapping fasteners (In lieu of combo screws)	N/C
CMBTPK	Standard and TPK86 fasteners	21.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	48.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	173.00
	per closer, list add	50.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	432.00
	per closer, list add	56.00

NOTES:

- Standard price does not include cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All dead stop, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- T, TH, FT, FTH include backplate standard.
- 7400 closers are not furnished to accept FC or FCSL unless specified at time of order.
- Sex nuts and bolts standard with cushion or dead stop arms and included in list price.

Accessories

Item	Description	List \$
BP74	Backplate for 7400	55.00
BP74T	Backplate for 7400 slide track closer without cover	55.00
BP640C	Back plate to retrofit 9 1/16" hole spacing with 7400. Examples: dormakaba 640, Norton 1600 or Yale 50.	12.00
BP86	Backplate for closer with slim cover	55.00
BP86T	Backplate for 7400 slide track closer with slim cover	55.00
BP86FC	Backplate for closer with full cover	55.00
DP74	Drop plate for 7400	55.00
DP86	Drop plate for closer with slim cover	55.00
DP86FC	Drop plate for closer with full cover	55.00
AB74	Angle bracket for 7400 without cover	96.00
AB86	Angle bracket for 7400 with slim cover	96.00
PFT	Parallel flush transom bracket	45.00
PD	Parallel drop bracket, non-hold open arms (AR, AO8 only)	57.00
BS	Blade stop spacer (P86, PHB, and PD)	40.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	47.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	47.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	82.00

STA Series
Ordering Guide

Model
Stainless-All exposed components are corrosion resistant

STA

Spring Size
Adjustable 5-6 (8956)
Adjustable 1-6 (8916/8616)

56
16

Arm Type
Round Form Non-Hold Open Stainless, Tri-Pack
Delay
Round Form Non-Hold Open Stainless, Reg./TJ 0"-4" Reveal

ARP
DA
AR

Fastener Pack
SN2 - Sex Nuts 1-3/8"
SN1 - Sex Nuts 1-3/4"

SN2
SN1

STA	86	16		ARP		SN1	689
8600 —	86	Full Metal Stainless Cover —		FMC		630	Satin Stainless Finish with Stainless Base Material
8900 —	89	Full Plastic Slotted Cover —		FCSL		600	Primed
		Full Plastic Cover —		FC		689	Aluminum
		Slim Plastic Cover —		COV**		690	Dark (Statuary) Bronze
						691	Light (Dull) Bronze
						693	Black
						695	Dark (Duranodic) Bronze
						696	Satin Brass (Gold)


Series

Cover

Architectural

Painted

Finish



NOTE: Because STA is specified in the beginning of the model description, it does not need to be specified at the component level.

Example: **STA8616 ARP FC SN1 689**

* Delay Action is a standard feature for spring size 1-6 version and not available for 5-6 version
** Slim plastic cover only available for 8600 series

Body	Arm	Mounting	Painted Finish \$	630 \$
STA 8900				
STA 8916/8956	ARP	PA, REG & TJ for reveals to 4" (painted price w/FC)	1,324.00	1,889.00
	AR	REG or TJ for reveals to 4" (painted price w/FC)	1,235.00	1,752.00
STA 8600				
STA 8616	ARP	PA, REG & TJ for reveals to 4" (painted price w/COV)	1,266.00	1,985.00
	AR	REG or TJ for reveals to 4" (painted price w/COV)	1,164.00	1,835.00

Options

(List Price 'add' when ordered with complete closer)

Item	Model	Description	List Add/Deduct \$
DA	8000	Adjustable delayed action (suffix to model number) (Only for 8616 and 8916)	55.00
LSN	8000	Less sex nuts (less SN1 pack)	Deduct 5.00
SN2	8000	(4) each 1/4-20 aluminum sex nuts for 1-3/8" door	N/C
LCOV	8600	Less slim plastic cover for 8600	Deduct 11.00
FC or FCSL	8600	Full plastic cover for 8600(FC standard w/8900)	14.00
FCSL	8900	Full plastic slotted cover for 8900	N/C
FMC	8600/8900	Full metal cover for 8600 and 8900	17.00
Custom Color		Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
		per order, setup charge (Net)	161.00
		per closer, list add	46.00
Designer Color		Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
		per order, non-refundable development/setup charge (Net)	401.00
		per closer, list add	52.00

NOTES:

- Architectural finish price (630) includes optional full stainless metal cover.
- Specify closer and arm designation and finish when ordering.
- All STA Series closers are packaged (6) units per master.
- STA full metal cover (FMC) is the only cover available in architectural finish 630.
- STA closers are supplied standard with SN1. Specify LSN for less SN1 deduct.
- STA 8900 standard with FC, 8600 standard with COV.

GSR Series

Ordering Guide

Series

TS93, Size 5-6 — TS9356

TS93, Size 1-5 — TS9315

Fastener Pack

Sex Nuts for 1-3/8" Door — SN4

Sex Nuts for 1-3/4" Door — SN3

Accessories

GSREXTKIT — Extended Center Cover, Over 98" Door

MK398 — Carry Bar, Over 42" Door (GSR/T variants only)

MK397 — Carry Bar, Up to 42" Door (GSR/T variants only)

TS9315

GSR/T

SN3

689

Coordinator/Closer, Pull Side, —

GSR/T

1A

Electric Hold Open Active Door Only (GSR/T only)

605

Bright Brass

Coordinator/Closer, Pull Side w/ Hold Open

GSR/T EMF

1I

Electric Hold Open Inactive Door Only (GSR/T only)

630

Satin Stainless*

Coordinator/Closer, Push Side —

GSR/PT

2

Electric Hold Open for Both GSR/T and GSR/PT

600

Primed

Coordinator/Closer, Push Side w/ Hold Open

GSR/PT EMF

689

Aluminum

Model

Hold Open Type

Architectural

690

Statuary Bronze

Plated

691

Dull Bronze

Painted

693

Black

695

Dark Duranodic Bronze

696

Gold

PNT

Special Sprayed Finish (must specify)

Finish

MK397 Carry Bar — Recommended for use with the GSR/T for doors up to 3' 6" to ensure that the active door is opened far enough for the inactive door to close. See Carry Bar Instructions for installation.

MK398 Carry Bar — Required and standard with the GSR/PT and GSR/PT EMF units. Recommended for use with GSR/T for doors 3' 6" and wider to ensure that the active door is opened far enough for the inactive door to close. See Carry Bar Instructions for installation.

* Stainless steel base material with Satin Finish

NOTES:

• All combinations and options are not available for all models.

• Please refer to EMR/EMF Series Product Brochure for details.

• EMR/EMF accepts 24 VAC/DC.

• Transformer must be purchased if power source is 120 VAC.

Body	Arm	Mounting	Painted Finish \$	605/630
TS93 Coordinators				
TS9315, TS9356	GSR/T	Door closer/coordinator system only (pull side)	2,333.00	3,856.00
TS9315, TS9356	GSR/PT	Door closer/coordinator system only (push side)	3,116.00	5,193.00
	GSR/T EMF/1A	Electromagnetic holder/release device (active door) closer/coordinator system (pull)	3,399.00	4,768.00
	GSR/T EMF/1I	Electromagnetic holder/release device (inactive door) with door closer/coordinator system (pull)	3,399.00	4,768.00
	GSR/T EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (pull)	4,364.00	5,728.00
	GSR/PT EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (push)	5,750.00	7,644.00

NOTE: Standard GSR is packaged for installation on openings 53" to 98" wide. For narrower or wider openings, contact the factory. Opening size is derived from measuring centerline of hinge on one door to centerline of hinge on second door.

Options

(List Price 'add' when ordered with complete closer)


Item	Description	Painted Finish \$	605/630
SN4	(4) each 10-32 sex nuts for 1-3/8" door	N/C	—
LSN	Less sex nuts (less SN3 pack)	Deduct 3.00	—
MK397	Carry bar — up to 3' 6" wide doors (included with GSR/PT variants option for GRS/PT variants)	74.00	146.00
MK398	Carry bar — 3' 6" and wider doors (included with GSR/PT variants option for GRS/PT variants)	78.00	171.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	186.00	—
	per closer, list add	52.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	460.00	—
	per closer, list add	60.00	—

NOTES:

- Specify body and arm designation, centerline to centerline of hinge or hanging means (indicate type), hand of active door, and finish, when ordering.
- Closer cover and/or track main arm only are electroplated when specified. Frame unit cover and closer cover caps are furnished primed or in complementing color.

8900/8600/7400

Closer Bodies



Item	Description	Painted Finish \$
MOD, 8916 FCXX	Closer body × full plastic cover and mounting screws	562.00
MOD, 8916 FCSL	Closer body × slotted full plastic cover and mounting screws	562.00
MOD, 8916 FMC	Closer body × full metal cover and mounting screws	570.00
MOD, 8916DA FC	Delay closer body × full plastic cover and mounting screws	619.00
MOD, 8916DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	619.00
MOD, 8916DA FMC	Delay closer body × full metal cover and mounting screws	627.00
MOD, 8956 FC	Closer body × full plastic cover and mounting screws	562.00
MOD, 8956 FCSL	Closer body × slotted full plastic cover and mounting screws	562.00
MOD, 8956 FMC	Closer body × full metal cover and mounting screws	570.00
MOD, 8956DA FC	Delay closer body × full plastic cover and mounting screws	619.00
MOD, 8956DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	619.00
MOD, 8956DA FMC	Delay closer body × full metal cover and mounting screws	627.00
MOD, 8616 COV	Closer body × slim plastic cover and mounting screws	419.00
MOD, 8616 FC	Closer body × full plastic cover and mounting screws	429.00
MOD, 8616 FCSL	Closer body × slotted full plastic cover and mounting screws	429.00
MOD, 8616 FMC	Closer body × full metal cover and mounting screws	433.00
MOD, 8616DA COV	Delay closer body × slim plastic cover and mounting screws	481.00
MOD, 8616DA FC	Delay closer body × full plastic cover and mounting screws	493.00
MOD, 8616DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	493.00
MOD, 8616 DA FMC	Delay closer body × full metal cover and mounting screws	501.00
MOD, 7414	Closer body and mounting screws	241.00
MOD, 7414 COV	Closer body × slim plastic cover and mounting screws	270.00
MOD, 7414 FC	Closer body × full plastic cover and mounting screws	279.00
MOD, 7414 FCSL	Closer body × slotted full plastic cover and mounting screws	279.00
MOD, 7414DA	Delay closer body and mounting screws	300.00
MOD, 7414DA COV	Delay closer body × slim plastic cover and mounting screws	329.00
MOD, 7414DA FC	Delay closer body × full plastic cover and mounting screws	340.00
MOD, 7414DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	340.00
MOD, 7436	Closer body and mounting screws	241.00
MOD, 7436 COV	Closer body × slim plastic cover and mounting screws	270.00
MOD, 7436 FC	Closer body × full plastic cover and mounting screws	279.00
MOD, 7436 FCSL	Closer body × slotted full plastic cover and mounting screws	279.00
MOD, 7436DA	Delay closer body and mounting screws	300.00
MOD, 7436DA COV	Delay closer body × slim plastic cover and mounting screws	329.00
MOD, 7436DA FC	Delay closer body × full plastic cover and mounting screws	340.00
MOD, 7436DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	340.00

Arms (All arms include "all" mounting screws and installation instructions)

Item	Description	Painted Finish \$
MOD, AF89P (8900 only)	Arm, flat tri-pack NHO w/P89 bracket	167.00
MOD, AF89 (8900 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	155.00
MOD, AF86P (8600 only)	Arm, flat tri-pack NHO w/P86 bracket	177.00
MOD, AF86 (8600 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	165.00
MOD, ARP (8600/7400)	Arm, round tri-pack NHO w/P86 bracket	157.00
MOD, AR (8600/7400)	Arm, round NHO Reg./TJ 0" to 4" reveal	141.00
MOD, AO8P (8600/7400)	Arm, round secure tri-pack NHO w/P86 bracket	170.00
MOD, AO8 (8600/7400)	Arm, round secure Reg./TJ 0" to 4" reveal	159.00
MOD, DS	Arm, heavy-duty door saver cushion parallel	246.00
MOD, DST	Arm, heavy-duty door saver cushion parallel with thumb turn hold open	314.00
MOD, SDS	Arm, extra heavy-duty door saver spring cushion parallel	447.00
MOD, SDST	Arm, extra heavy-duty door saver spring cushion parallel with thumb turn hold open	516.00
MOD, FHP	Arm, friction hold open w/PHB bracket (0" to 4" reveal)	221.00
MOD, FH	Arm, friction hold open Reg./TJ 0" to 4" reveal	205.00
MOD, IS	Arm, heavy-duty cushion, Reg./TJ 0" to 3-1/2" reveal	438.00
MOD, SIS	Arm, extra heavy-duty spring cushion	546.00
MOD, PHP	Arm, plunger hold open w/ P89 bracket 1-1/2" to 3-1/2"	333.00
MOD, PH	Arm, plunger hold open Reg. 0" to 1-1/2" reveal	326.00
MOD, SPA	Arm, parallel heavy duty (Super Parallel Arm)	196.00
MOD, SPAT	Arm, parallel heavy duty thumb turn hold open (Super Parallel Arm)	262.00
MOD, T	Arm, track (T, JT and FT)	213.00
MOD, TH	Arm, track hold open (TH, JTH and FTH)	248.00
MOD, TDE	Arm, track double egress	296.00

NOTES:

- MOD, 8600 Series includes SNB1 standard. Deduct \$7.00 list when ordering MOD, 8600 Series less SNB1.
- Modular packaging is designed to save you, our valued stocking distributor up to 15% on your inventory dollars. Instead of stocking all door closer requirements in complete units in various arm types, dormakaba produces a packaging option to allow a mixed stock of closer body combinations and arm types in separate packaging that easily combine later in the stocking distributor warehouse.
- Determine the arm type required to be packaged with a particular closer body, place the closer body package inside the arm pack, mark the appropriate check list on the carton label and deliver the product. It's that simple.
- dormakaba recommends that the 80% usage items such as 8916 AF89P FC SN1 689 and 8616 AF86P COV 689 be packaged complete and the remainder of inventory be packaged in modular packaged items. This allows the 20% mixed variations to be handled with much less inventory. Arm mix inventory can be cut in half since the majority of arms can be used with the 8900, 8600, or 7400 Series closer.

Fire/Life Safety

Product Guide (1 of 2)

FIRE/LIFE SAFETY CLOSER/HOLDERS	Surface Mount	Floor-Mount	Wall-Mount
Closer/Holder Only	TS93 EMF	—	
	8900 EMF	—	
	8600 EMF	—	
Closer/Holder with Integral Smoke Detector	TS93 EMR	—	
	8900 EMR	—	
	8600 EMR	—	
	1800 Series	—	
Electromagnetic Door Holders	—	EM501	EM504
	—	EM502	EM505
	—	—	EM508
	—	—	EM509

Fire/Life Safety

Product Guide (2 of 2)

☐ No	A156.15	UL10C	Includes Smoke Detector	No Smoke Detector	Advanced Cam & Roller Design	Rack & Pinion Design	Plated Finishes	Custom Painted Finishes	Adjustable Power
TS93 EMF	Yes	Yes	☐	Yes	Yes	☐	Yes	Yes	Yes
8900 EMF	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes
8600 EMF	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes
TS93 EMR	Yes	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes
8900 EMR	Yes	Yes	Yes	☐	☐	Yes	Yes	Yes	Yes
8600 EMR	Yes	Yes	Yes	☐	☐	Yes	Yes	Yes	Yes
1800 SD	Yes	Yes	Yes	☐	☐	Yes	Yes	Yes	Yes
1800	Yes	Yes	☐	Yes	☐	Yes	Yes	Yes	Yes

EMR/EMF Series
Ordering Guide

Series

TS93

89

86

Double Egress Pull Side Track

Push Side Track

Pull Side Track

Arm

TDE

PT

T

Hand

RH

LH

Specify for Right Handed Units (TDE only)

Specify for Left Handed Units (TDE only)

Options

BYP

TRANSF

EXP

Bypass Switch

120 VAC to 24 VAC External Transformer

Preparation for Exposed Wiring Connection

Finish

PNT

696

695

693

691

690

689

600

Special Sprayed Finish (must specify)

Gold

Dark Duranodic Bronze

Black

Dull Bronze

Statuary Bronze

Aluminum

Primed

89

16

EMR

T

FC

695

Size 1-5 (TS9315)

15

EMR

Detected

Size 1-6 (8900)

16

EMF

Non-Detected

Size 5-6 (TS9356, 8900, or 8600)

56

Spring Size

COV

FC


FMC

8600

8900 or 8600

8600 or 8600

Cover Options



- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to EMR/EMF Series product brochure for details.

EMR Series (with Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromagnetic Slide Track Holder/Closing Device with Detector – 24 VAC/DC			
TS9315, TS9356	EMR/T	Frame mounted (pull side)	3,362.00
	EMR/PT	Soffit mounted (push side)	3,362.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	3,459.00
Heavy-Duty Electromagnetic Slide Track Holder/Closing Device with Detector – 24 VAC/DC			
8916, 8956	EMR/T	Frame mounted (pull side)	3,314.00
	EMR/PT	Soffit mounted (push side)	3,314.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	3,413.00
Electromagnetic Slide Track Holder/Closing Device with Detector – 24 VAC/DC			
8656	EMR/T	Frame mounted (pull side)	3,099.00
	EMR/PT	Soffit mounted (push side)	3,099.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	3,191.00

EMF Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromagnetic Slide Track Holder/Closing Device – 24 VAC/DC. Transformer required if power source is 120 VAC.			
TS9315, TS9356	EMF/T	Frame mounted, (pull side)	1,502.00
	EMF/PT	Soffit mounted (push side)	1,502.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1,599.00
Heavy-Duty Electromagnetic Slide Track Holder/Closing Device – 24 VAC/DC. Transformer required if power source is 120 VAC.			
8916, 8956	EMF/T	Frame mounted, (pull side)	1,452.00
	EMF/PT	Soffit mounted (push side)	1,452.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1,548.00
Electromagnetic Slide Track Holder/Closing Device – 24 VAC/DC. Transformer required if power source is 120 VAC.			
8656	EMF/T	Frame mounted (pull side)	1,239.00
	EMF/PT	Soffit mounted (push side)	1,239.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1,336.00

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
FC	Full plastic closer body cover, 8600	15.00
FMC	Full metal closer body cover (Handed), used w/8900	15.00
FMC	Full metal closer body cover (Handed), used w/8600	21.00
BYP	Concealed switch to bypass hold open function	89.00
TRANSF	120 VAC to 24 VAC transformer (installed separately)	99.00
EXP	Exposed wiring preparation	44.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	177.00
	per closer, list add	51.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	442.00
	per closer, list add	57.00

NOTES:

- Specify body and arm designation, voltage, hand (when required), and finish when ordering.
- EMF/EMR powered from 120 VAC power source requires optional "external" 120 VAC to 24 VAC transformer (TRANSF).
- MF Series unit must be ordered 24 V when used as a companion to an EMR Series unit.

Accessories

Item	Series	Applicable Description	List \$
COV	8600	Slim plastic closer body cover	34.00
FC	8900/8600	Full plastic closer body cover	41.00
FMC	8900/8600	Full metal closer body cover (specify hand)	50.00
SN1	8900	(4) each 1/4-20 sex nuts for 1-3/4" door	14.00
SN3	TS93	(4) each 10-32 sex nuts for 1-3/4" door	14.00
SNB1	8600	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	16.00
SD2	EMR	Replacement detector module	763.00
RFR	All	Radio frequency receiver for wireless release of hold open 272	493.00
HHRFT1	All	Hand held transmitter for wireless release of hold open	248.00
TRANSF	All	120 VAC to 24 VAC Transformer (External)	99.00
SCRPKEMRDET	EMR	Standoff for SD-2 Detector Replacement (EMR)	11.00

1800 Series
Ordering Guide

Series

18

18

16

H

J

RH

SD

689

Size 1-6
(AR or J Options Only)

16

H

Hold Open

24 V AC/DC
Less Transformer
(Deduct)

24V

BYP

Bypass Switch

Size 5-6
(T Options Only)

56

SF

Swing Free

Includes
Transformer in Unit

120V

EXP

Preparation for
Exposed Wiring Connection

Spring Size

Arm

Options

Arm

Hand

Finish

Push Side Top Jamb
Mount, 0"-4" Reveal

AR

RH

Specify for
Right Handed Units

PNT

Special Sprayed Finish
(must specify)

Push Side Top Jamb
Mount, 4"-8" Reveal

J

LH

Specify for
Left Handed Units

696

Gold

Pull Side Track Mount

T

695

Dark Duranodic Bronze

693

Black

691

Dull Bronze

690

Statuary Bronze


689

Aluminum

600

Primed

Electrical Specifications



- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to 1800 Series product brochure for details.

1800 SD Series (with Detector)

Body	Arm	Mounting	Painted Finish \$
Electromagnetic Holder/Closing Device with Integral Smoke Detector – 24 VAC/DC and 120 VAC			
1856	HT SD	Frame mounted slide track (pull side)	3,920.00
1816	HJ SD	Frame mounted top jamb (push side)	3,920.00
Electromagnetic Swing Free/Closing Device with Integral Smoke Detector – 24 VAC/DC and 120 VAC			
1856	SFT SD	Frame mounted slide track (pull side)	3,999.00
1816	SFJ SD	Frame mounted top jamb (push side)	3,999.00

1800 Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Electromagnetic Holder/Closing Device – 24VAC/DC and 120VAC			
1856	HT	Frame mounted slide track (pull side)	1,983.00
1816	HJ	Frame mounted top jamb (push side)	1,983.00
Electromagnetic Swing Free/Closing Device – 24VAC/DC and 120VAC			
1856	SFT	Frame mounted slide track (pull side)	2,060.00
1816	SFJ	Frame mounted top jamb (push side)	2,060.00

NOTES:

- Specify body, arm, hand, and finish for all units.
- Specify if less than 2" frame face for (T) track mounted units. Specify **<2"** (no additional charge).
- Specify **DROP** for top jamb drop applications (no additional charge if noted at time of order).
- 1800 Series can be used as a companion to the 1800 SD Series, bypass 120 VAC transformer when making wiring connections or order less transformer for deduct.

Options

(List Price 'add' when ordered with complete closer)


Item	Description	List Add/Deduct \$
LTRANSF	1800 Less 120 VAC transformer (deduct)	Deduct 31.00
<2"	T mount <2" frame face	N/C
DROP	Top jamb drop applications (configure at factory)	N/C
BYP	Concealed switch to bypass hold open function	90.00
EXP	Exposed wiring preparation	45.00
AR	Complete arm for top jamb 0"-4" reveal	Deduct 3.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	180.00
	per closer, list add	53.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	449.00
	per closer, list add	58.00

Accessories

Item	Applicable Description	List \$
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	14.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	16.00
EXPKIT	Exposed wiring bracket	58.00
SFKIT	Swing free kit	78.00
SOL1800	1800 replacement solenoid 24 VAC/DC	523.00
SD2	Replacement detector module	773.00
RFR	Radio frequency receiver for wireless release of hold open	501.00
HHRFT1	Hand held transmitter for wireless release of hold open	251.00
CAMDRIVE	Replacement Hold Open Cam/Cam Drive	36.00
TRANSF	120 VAC to 24 VAC Transformer	100.00

EM SERIES
Ordering Guide

Options (Packaged Separately)				
2-5/8" Catch Plate –		CP LONG		
2" Catch Plate –		CP SHORT		
8-3/8" to 12" Adjustable Extension –		ER 12		
6-3/8" to 8" Adjustable Extension –		ER 7		
2" Extension –		ER 2.0	Finish	
1-1/2" Extension –		ER 1.5		696 – Satin Brass Painted
				695 – Dark Duranodic Bronze Powder Coated
			689 – Aluminum Powder Coated	
Series	EM	504	24120	689
Single Floor –	501	24120	– Dual Voltage 24 VDC, 120 VAC	
Double Floor –	502	Electrical Specification		
Semi-Flush, Long Catch –	504			
Semi-Flush, Short Catch –	505			
Surface –	508			
Completely Flush –	509			
Application				



- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to EM Series product brochure for details.

Body	Mounting	689/695 Finish \$	696 Finish \$
Electromagnetic Floor Mounted Holder – 24 VDC, 24 VAC, or 120 VAC			
EM 501-24120	Floor mount, single unit	1,198.00	1,276.00
EM 502-24120	Floor mount, double unit	1,495.00	1,569.00
Electromagnetic Wall Mounted Holder – 24 VDC, 24 VAC, or 120 VAC			
EM 504-24120	Semi-flush mount, (recessed) long catch plate	647.00	721.00
EM 505-24120	Semi-flush mount, (recessed) short catch plate	647.00	721.00
EM 508-24120	Surface mount	683.00	784.00
EM 509-24120*	Completely flush mount	683.00	784.00

* The EM509 is shipped with a 630 faceplate when ordered in 689 finish.

Options

Item	Description	689 Finish \$
ER1.5	1-1/2" extension rod	109.00
ER2.0	2" extension rod	118.00
ER7	6-3/8" – 8" adjustable extension rod	135.00
ER12	8-3/8" – 12" adjustable extension rod	149.00

Accessories

Item	Description	689/695 Finish \$	696 Finish \$
CPSHORT	2" projection catch plate (door portion)	154.00	177.00
CPLONG	2-5/8" projection catch plate (door portion)	176.00	200.00
EMDPPK**	Door plate pack, (plate, bracket and fasteners)	59.00	—
EMSCRPK**	Universal fastener pack for all EM models	40.00	—
EMSURFPK**	Surface mount box and fastener pack for EM 509	137.00	—
EMFACEPLTPK**	Brackets and fastener pack for all EM face plates	39.00	—

** Available in 689 finish only.

Concealed Door Closers

Product Guide (1 of 2)

CONCEALED DOOR CLOSERS	CONCEALED IN THE FLOOR	CONCEALED IN THE FRAME	CONCEALED IN THE DOOR
Grade 1 Heavy-Duty Sized (Power) per Application	BTS80	—	—
Grade 1 Heavy-Duty Sized (Power) per Application Hold Open	BTS80 EMB	—	—
Grade 1 Commercial Adjustable (Power) Size	BTS75V	ITS96	ITS96
Commercial Sized (Power) per Application	—	RTS88	—


Concealed Door Closers

Product Guide (2 of 2)

☐ No	A156.4 Grade 1	A156.4 Grade 3	UL10C UBC 7-2	Advanced Cam & Roller Design	Plated Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
BTS75V	Yes	☐	Yes	Yes	Yes	Yes	Yes	Yes	☐
BTS80	Yes	☐	Yes	Yes	Yes	Yes	Yes	☐	Yes
BTS80 EMB	Yes	☐	Yes	Yes	Yes	Yes	Yes	☐	Yes
ITS96	☐	Yes	Yes	Yes	Yes	Yes	Yes	Yes	☐
RTS88	☐	☐	☐	Yes	Yes	Yes	Yes	☐	Yes

BTS80 SERIES

Ordering Guide



Spindle		Optional Accessories	
1-1/2" Pre-Loaded Spindle —	80030	E80624	— Through Wire CH Top Pivot (4 wire)
1-5/16" Pre-Loaded Spindle —	80025	E80622	— Through Wire CH Top Pivot (2 wire)
1-1/8" Pre-Loaded Spindle —	80020	8062	— CH Top Pivot
7/8" Pre-Loaded Spindle —	80015	75200	— Through Wire Intermediate Pivot for 3/4" Offset
3/4" Pre-Loaded Spindle —	80010	15233	— 3 h Intermediate Pivot for 1-1/2" Offset
1/2" Pre-Loaded Spindle —	80005	15222	— 20 min Intermediate Pivot for 1-1/2" Offset
5/16" Pre-Loaded Spindle —	80003	15220	— Through Wire Intermediate Pivot for 1-1/2" Offset
2-5/16" Spindle —	74050	75243	— 3 h Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
2-1/16" Spindle —	74045	75242	— 20 min Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
1-7/8" Spindle —	74040	75240	— Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
1-11/16" Spindle —	74035	75233	— 3 h Intermediate Pivot for 3/4" Offset
1-1/2" Spindle —	74030	75222	— 20 min Intermediate Pivot for 3/4" Offset
1-5/16" Spindle —	74025	75220	— Intermediate Pivot for 3/4" Offset
1-1/8" Spindle —	74020	SC2	— Sealing Compound
7/8" Spindle —	74015	TP80 CH	— Terrazzo Pan CH and 1-1/2" Offset
13/16" Spindle —	74012	TP80	— Terrazzo Pan for 3/4" Offset
3/4" Spindle —	74010		
5/8" Spindle —	74007		
1/2" Spindle —	74005		
5/16" Spindle —	74003		

Series	Hand	Specify for	Deducts
BTS80	LH	Left Handed Units	LBX — Less Cement Box
	RH	Right Handed Units	LFP — Less Floor Plate
			LTP — Less Top Pivot

Series	Door	Spindle	Hand	Fastener Packs	Finish
BTS80	D	74010	RH	AMS	626

Package	Spring Size	Fastener Packs	Finish
A — CH Double Acting, Aluminum Door and Frame	3 — Size 3, Light Opening Force, No Backcheck	AMS — All Metal Screws	600 — Primed
B — CH Double Acting, Wood or Steel Door and Frame	4 — Size 4, No Need to Specify	W2 — All Wood Screws	689 — Aluminum
C — 1-1/2" Offset, Handed	5 — Size 5, for use w/Fire Pkgs, No Delay, No Hold Open	W1 — 1/2 Wood Screws	690 — Statuary Bronze
C-E — 1-1/2" Offset, 20 min Rated Handed	6 — Size 6, Strong	AMSAWS — All Metal Screws All Wood Screws	691 — Dull Bronze
C-F — 1-1/2" Offset, 3 h Rated Handed			693 — Black
D — CH Single Acting, Aluminum Door and Frame	F — 3/4" Offset, Handed		695 — Dark Duranodic Bronze
E — CH Single Acting, Wood or Steel Door and Frame	G — 3/4" Offset, 20 min Rated Handed		696 — Gold
F — Independent Hung, Non-Handed	H — 3/4" Offset, 3 h Rated Handed		PNT — Special Sprayed Finish (must specify)
G — Independent Hung, Up to 3 h Rated, Non-Handed			605 — Bright Brass
H — 3/4" Offset Lead Lined, Handed*			606 — Satin Brass
I — 3/4" Offset Lead Lined, 20 min Rated Handed*			611 — Bright Bronze
L — 3/4" Offset Lead Lined, 3 h Rated Handed*			612 — Satin Bronze
L-E — Independent Hung On Pocket Pivots, Non-Handed			613 — Oxidized Satin Oil Rubbed
L-F — Independent Hung On Pocket Pivots, Up to 3 h Rated, Non-Handed			618 — Bright Nickel
P — Independent Hung On Pocket Pivots, Up to 3 h Rated, Non-Handed			619 — Satin Nickel
PF — Independent Hung On Pocket Pivots, Up to 3 h Rated, Non-Handed			625 — Bright Chrome
			626 — Satin Chrome

*** "L" Package Door Thickness Note:**
The standard door thickness is 1-3/4", and is the default unless otherwise specified.

Other alternative sizes are { -2, -2-1/4, -2-1/2, -3 }

Examples: L-E-2-1/2....75242-2-1/2

Example above 20 min. lead lined package for 2-1/2" thick door.

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to BTS80 Series product brochure for details.
- When replacing standard package hardware with optional hardware, adjust list price accordingly.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double Acting, Aluminum Door and Frame (Non-Handed)			
BTS80A	Complete package BTS80-4, 74010, 7410, 7422, 8062	—	2,535.00
BTS80/A LFP	Complete package, less floor plate	—	Deduct 153.00
Center Hung, Double Acting, Wood or Steel Door and Frame (Non-Handed)			
BTS80B	Complete package BTS80-4, 74010, 7410, 7421, 8062	—	2,485.00
BTS80/B LFP	Complete package, less floor plate	—	Deduct 153.00
1-1/2" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80C	Complete package BTS80-4, 74010, 7410, 15323, 15120	—	3,089.00
BTS80C LFP	Complete package, less floor plate	—	Deduct 153.00
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80CE	Complete package BTS80 F-5, 74010, 7410, 15323, 15122	3,187.00	3,187.00
BTS80CE LFP	Complete package, less floor plate		Deduct 153.00
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80CF	Complete package BTS80 F-5, 74010, 7410, 15323, 15133	3,236.00	3,738.00
BTS80CF LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80D	Complete package BTS80-4, 74010, 7410, 75323, 75120	—	2,628.00
BTS80D LFP	Complete package, less floor plate	—	Deduct 153.00
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80E	Complete Package BTS80 F-5, 74010, 7410, 75323, 75122	2,701.00	2,701.00
BTS80E LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80F	Complete package BTS80 F-5, 74010, 7410, 75323, 75133	2,769.00	3,137.00
BTS80F LFP	Complete package, less floor plate		Deduct 153.00
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS80G	Complete package BTS80-4, 80010, 7410, 7422, 8062	—	2,535.00
BTS80G LFP	Complete package, less floor plate		Deduct 153.00
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS80H	Complete package BTS80-4, 80010, 7410, 7421, 8062	—	2,485.00
BTS80H LFP	Complete package, less floor plate		Deduct 153.00

NOTE: See BTS80 Accessories for intermediate pivots and individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Independent Hung, on Hinges, etc. (Non-Handed)			
BTS80I	Complete package BTS80-4, 74003, 7410, 7451N-A**	2,486.00	2,681.00
BTS80I LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, 3 Hour Rated Steel, 1-1/2 hour Rated Wood Fire Doors Hung on Hinges, etc. (Specify Hand)			
BTS80IF	Complete package BTS80 F-5, 74003, 7410, 7451N	2,529.00	2,900.00
BTS80IF LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Wood or Steel Lead Lined Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80L	Complete package BTS80-4, 74010, 7410, 75343, 75140	—	3,317.00
BTS80L LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80LE	Complete package BTS80 F-5, 74010, 7410, 75343, 75142	3,396.00	3,396.00
BTS80LE LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80LF	Complete package BTS80 F-5, 74010, 7410, 75343, 75143	3,478.00	3,740.00
BTS80LF LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, on Pocket Pivots (Non-Handed)			
BTS80P	Complete package (priced w/ 3 pivots) BTS80-4, 74003, 7410, 7451N-A, 75520	4,623.00	5,243.00
BTS80P LFP	Complete package, less floor plate (priced w/ 3 pivots)		Deduct 153.00
Independent Hung, 3 Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Doors Hung on Pocket Pivots (Specify Hand)			
BTS80PF	Complete package (priced w/ 3 pivots) BTS80 F-5, 74003, 7410, 7451N, 75523	4,810.00	5,613.00
BTS80PF LFP	Complete package, less floor plate (priced w/ 3 pivots)		Deduct 153.00

* Floor closer is painted black only. Cement case is galvanized steel.
 Spindle is available in zinc plated finish only.
 Center hung bottom arms are available in zinc plated finish only (7421/7422).
 Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
 See BTS80 Accessories for intermediate pivots. See BTS Accessories for individual component list prices.
 See **Options** for Less **Cement Box**.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
3	ANSI size 3, light opening force, non-fire rated doors (previously BFE)	N/C	—
6	ANSI size 6, spring for up to 4'0" exterior or 4'6" interior non-fire rated doors (previously Sz 3)	N/C	—
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	16.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	—
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	40.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	40.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	40.00	—
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (handed)	—	862.00
TP80CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	—	784.00
SC2	Sealing compound	119.00	—
LBX	Less cement box	Deduct 26.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	99.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	438.00	—
	per closer, list add	114.00	—

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle (specify hand)	N/C	—
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle (specify hand)	40.00	—

▲ Terrazo pans are available stainless steel only.

Accessories

Pivots


Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	473.00	473.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	506.00	506.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	531.00	1,023.00
75240	Full mortise intermediate pivot — 1-3/4" lead lined doors	711.00	711.00
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	750.00	750.00
75243	Full mortise intermediate pivot — 3 hour rated, 1-3/4" lead-lined doors	771.00	1,489.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	711.00	711.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	771.00	771.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	789.00	1,379.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	877.00	877.00
E80622	Through-wire center hung top pivot (2 wire)	961.00	961.00
E80624	Through-wire center hung top pivot (4 wire)	961.00	961.00

** All intermediate pivots are handed.

NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price for the component removed.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$92.00 list to the package price. Example, specify: BTS80L-3 for a 3" thick door.
- Lead-lined packages are designed for doors with lead in center of door thickness.
- Package price for P or PF packages includes 3 pocket pivots.

BTS80 EMB Series
Ordering Guide



- 1/2" Pre-Loaded Spindle —
5/16" Pre-Loaded Spindle —
2-5/16" Spindle —
2-1/16" Spindle —
1-7/8" Spindle —
1-11/16" Spindle —
1-1/2" Spindle —
1-5/16" Spindle —
1-1/8" Spindle —
7/8" Spindle —
13/16" Spindle —
3/4" Spindle —
5/8" Spindle —
1/2" Spindle —
5/16" Spindle —

Spindle

80030	— 1-1/2" Pre-Loaded Spindle
80025	— 1-5/16" Pre-Loaded Spindle
80020	— 1-1/8" Pre-Loaded Spindle
80015	— 7/8" Pre-Loaded Spindle
80010	— 3/4" Pre-Loaded Spindle
80005	
80003	
74050	
74045	
74040	
74035	
74030	
74025	
74020	
74015	
74012	
74010	
74007	
74005	
74003	

Hand

LH	— Specify for Left Handed Units
RH	— Specify for Right Handed Units

Optional Accessories

E80624	— Through Wire CH Top Pivot (4 wire)
E80622	— Through Wire CH Top Pivot (2 wire)
8062	— CH Top Pivot
75200	— Through Wire Intermediate Pivot for 3/4" Offset
15233	— 3 h Intermediate Pivot for 1-1/2" Offset
15222	— 20 min Intermediate Pivot for 1-1/2" Offset
15220	— Intermediate Pivot for 1-1/2" Offset
75243	— 3 h Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
75242	— 20 min Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
75240	— Intermediate Pivot for Lead Lined 3/4" Offset (see note*)
75233	— 3 h Intermediate Pivot for 3/4" Offset
75222	— 20 min Intermediate Pivot for 3/4" Offset
75220	— Intermediate Pivot for 3/4" Offset
SC2	— Sealing Compound
TP80 CH	— Terrazzo Pan CH and 1-1/2" Offset
TP80	— Terrazzo Pan for 3/4" Offset

Deducts

LFP	— Less Floor Plate
LTP	— Less Top Pivot

BTS80EMB	D	5	74010	RH	AMS		626	
----------	---	---	-------	----	-----	--	-----	--

- 1-1/2" Offset, Handed — C
1-1/2" Offset, 20 min Rated Handed — C-E
1-1/2" Offset, 3 h Rated Handed — C-F
3/4" Offset, Handed — D
3/4" Offset, 20 min Rated Handed — E
3/4" Offset, 3 h Rated Handed — F
CH Single Acting, Aluminum Door and Frame — G
CH Single Acting, Wood or Steel Door and Frame — H
Independent Hung, Non-Handed — I
Independent Hung, Up to 3 h Rated, Non-Handed — IF
3/4" Offset Lead Lined, Handed* — L
3/4" Offset Lead Lined, 20 min Rated Handed* — L-E
3/4" Offset Lead Lined, 3 h Rated Handed* — L-F

Package

5 — ANSI Size 5
Spring Size

AMS	— All Metal Screws
W2	— All Wood Screws
W1	— 1/2 Wood Screws
AMSAWS	— All Metal Screws All Wood Screws

Fastener Packs

600	— Primed
689	— Aluminum
690	— Statuary Bronze
691	— Dull Bronze
693	— Black
695	— Dark Duranodic Bronze
696	— Gold
PNT	— Special Sprayed Finish (must specify)

Painted

Bright Brass —	605
Satin Brass —	606
Bright Bronze —	611
Satin Bronze —	612
Oxidized Satin —	613
Oil Rubbed —	613
Bright Nickel —	618
Satin Nickel —	619
Bright Chrome —	625
Satin Chrome —	626

Plated

Finish

* "L" Package Door Thickness Note:
The standard door thickness is 1-3/4", and is the default unless otherwise specified.

Other alternative sizes are { -2
-2-1/4
-2-1/2
-3

Examples: L-E-2-1/2....75242-2-1/2
Example above 20 min. lead lined package for 2-1/2" thick door.

- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to BTS80 EMB Series product brochure for details.

Package	Description	Painted Finish \$	Plated Finish \$
1-1/2" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80 EMBC	Complete package 80 EMB-5, 74010, 7410, 15323, 15120	—	5,931.00
BTS80 EMBC LFP	Complete package, less floor plate	—	Deduct 153.00
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBCE	Complete package 80 EMB-5, 74010, 7410, 15323, 15122	5,993.00	5,993.00
BTS80 EMBCE LFP	Complete package, less floor plate		Deduct 153.00
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBCF	Complete package 80 EMB-5, 74010, 7410, 15323, 15133	6,043.00	6,545.00
BTS80 EMBCF LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)			
BTS80 EMBD	Complete package 80 EMB-5, 74010, 7410, 75323, 75120	—	5,469.00
BTS80 EMBD LFP	Complete package, less floor plate	—	Deduct 153.00
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBE	Complete package 80 EMB-5, 74010, 7410, 75323, 75122	5,505.00	5,505.00
BTS80 EMBE LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS80 EMBF	Complete package 80 EMB-5, 74010, 7410, 75323, 75133	5,575.00	5,889.00
BTS80 EMBF LFP	Complete package, less floor plate		Deduct 153.00
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS80 EMBG	Complete package 80 EMB-5, 80010, 7410, 7422, 8062	—	5,378.00
BTS80 EMBG LFP	Complete package, less floor plate	—	Deduct 153.00
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS80 EMBH	Complete package 80 EMB-5, 80010, 7410, 7421, 8062	—	5,330.00
BTS80 EMBH LFP	Complete package, less floor plate	—	Deduct 153.00
Independent Hung, on Hinges, etc. (Specify Hand)			
BTS80 EMBI	Complete package 80 EMB-5, 74003, 7410, 7451N-A	5,331.00	5,527.00
BTS80 EMBI LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, 3 Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Door Hung on Hinges, etc. (Specify Hand)			
BTS80 EMBIF	Complete package 80 EMB-5, 74003, 7410, 7451N**	5,331.00	5,707.00
BTS80 EMBIF LFP	Complete package, less floor plate		Deduct 153.00

NOTE: See BTS80 EMB Accessories for intermediate pivots. See BTS Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
3/4" Offset, Single Acting, Lead Lined, Wood, or Steel Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL	Complete package 80 EMB-5, 74010, 7410, 75343, 75140	—	6,163.00
BTS80 EMBL LFP	Complete package, less floor plate	—	Deduct 153.00
3/4" Offset, Single Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL-E	Complete package 80 EMB-5, 74010, 7410, 75343, 75142	6,199.00	6,199.00
BTS80 EMBLE LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/4" thick door (Specify Hand)			
BTS80 EMBL-F	Complete package 80 EMB-5, 74010, 7410, 75343, 75143	6,283.00	6,546.00
BTS80 EMBLF LFP	Complete package, less floor plate		Deduct 153.00

* Floor closer is painted black only. Cement case is galvanized steel.
Spindle is available in zinc plated finish only.
Center hung bottom arms are available in zinc plated finish only (7421/7422).
Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
See BTS80 EMB Accessories for intermediate pivots. See BTS Accessories for individual component list prices.
See Options for Less Cement Box.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	16.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	N/C
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	40.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	40.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	40.00	—
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB - 3/4" offset (handed)	—	862.00
TP80 CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB - Center hung or 1-1/2" offset	—	784.00
SC2	Sealing compound	119.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	99.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	438.00	—
	per closer, list add	114.00	—

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle	N/C	—
	(specify hand)		
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle	40.00	—
	(specify hand)		

▲ Terrazo pans are available stainless steel only.

Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	473.00	473.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	506.00	506.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	531.00	1,023.00
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	711.00	711.00
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	750.00	750.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	711.00	711.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	771.00	771.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	789.00	1,379.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	877.00	877.00
E80622	Through-wire center hung top pivot (2 wire)	961.00	961.00
E80624	Through-wire center hung top pivot (4 wire)	961.00	961.00

** All intermediate pivots are handed.

Miscellaneous

Item	Description	List \$
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (Handed)	862.00
TP80CH	Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	784.00
SC2	Sealing compound	119.00


▲ Terrazo pans are available stainless steel only.

NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price for the component removed.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$92.00 list to the package price. Example, specify: BTS80/L-3 for a 3" door.

BTS75V SERIES

Ordering Guide



1-1/2" Pre-Loaded Spindle — 80030

1-5/16" Pre-Loaded Spindle — 80025

1-1/8" Pre-Loaded Spindle — 80020

7/8" Pre-Loaded Spindle — 80015

3/4" Pre-Loaded Spindle — 80010

1/2" Pre-Loaded Spindle — 80005

5/16" Pre-Loaded Spindle — 80003

2-5/16" Spindle — 74050

2-1/16" Spindle — 74045

1-7/8" Spindle — 74040

1-11/16" Spindle — 74035

1-1/2" Spindle — 74030

1-5/16" Spindle — 74025

1-1/8" Spindle — 74020

74015 — 7/8" Spindle

74012 — 13/16" Spindle

74010 — 3/4" Spindle

74007 — 5/8" Spindle

74005 — 1/2" Spindle

74003 — 5/16" Spindle

150° Hold Open (BF Not Available) — 105

90° Hold Open — 90

Non-Hold Open — NHO

Series

BTS75V

Optional Accessories

(multiple options can be ordered)

E80624 — Through Wire CH Top Pivot (4 wire)

E80622 — Through Wire CH Top Pivot (2 wire)

8062 — CH Top Pivot

75200 — Through Wire Intermediate Pivot for 3/4" Offset

15233 — 3h Intermediate Pivot for 1-1/2" Offset

15222 — 20 min Intermediate Pivot for 1-1/2" Offset

15220 — Through Wire Intermediate Pivot for 1-1/2" Offset

75233 — 3 h Intermediate Pivot for 3/4" Offset

75222 — 20 min Intermediate Pivot for 3/4" Offset

75220 — Intermediate Pivot for 3/4" Offset

SC2 — Sealing Compound

TP75 CH — Terrazo Pan CH and 1-1/2" Offset

TP75 — Terrazo Pan for 3/4" Offset

Deducts

LBX — Less Cement Box

LFP — Less Floor Plate

LTP — Less Top Pivot

BTS75V

D

NHO

74010

RH

AMS

626

CH Double Acting, Aluminum Door and Frame

CH Double Acting, Wood or Steel Door and Frame

1-1/2" Offset, Handed

1-1/2" Offset, 20 min Rated Handed

1-1/2" Offset, 3 h Rated Handed

A

B

C

C-E

C-F

D

E

F

G

H

I

IF

P

PF

Std.

BF

Spring Size

Hand

Fastener Packs

Painted

Plated

Finish

600

689

690

691

693

695

696

PNT

605

606

611

612

613

618

619

625

626

— No Need to Specify Size 1-4, No Delay

— Size 1-4, No Backcheck

— 3/4" Offset, Handed

— 3/4" Offset, 20 min Rated Handed

— 3/4" Offset, 3 h Rated Handed

— CH Single Acting, Aluminum Door and Frame

— CH Single Acting, Wood or Steel Door and Frame

— Independent Hung, Non-Handed

— Independent Hung, Up to 3 h Rated, Non-Handed

— Independent Hung On Pocket Pivots, Non-Handed

— Independent Hung On Pocket Pivots, Up to 3 h Rated, Non-Handed

— All Metal Screws

— All Wood Screws

— 1/2 Wood Screws

— All Metal Screws All Wood Screws

— Primed

— Aluminum

— Statuary Bronze

— Dull Bronze

— Black

— Dark Duranodic Bronze

— Gold

— Special Sprayed Finish (must specify)

— Bright Brass

— Satin Brass

— Bright Bronze

— Satin Bronze

— Oxidized Satin Oil Rubbed

— Bright Nickel

— Satin Nickel

— Bright Chrome

— Satin Chrome

Specify for Left Handed Units

Specify for Right Handed Units

— 7/8" Spindle

— 13/16" Spindle

— 3/4" Spindle

— 5/8" Spindle

— 1/2" Spindle

— 5/16" Spindle

— Less Cement Box

— Less Floor Plate

— Less Top Pivot

NOTES:

- All combinations of features and options are not available for all models.
- Please refer to BTS75V Series product brochure for details.

230

Architectural Hardware Canada Price List - PL35

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double Acting, Aluminum Door and Frame (Non-Handed)			
BTS75VA	Complete package BTS75V NHO, 74010, 7510, 7422, 8062	—	2,386.00
BTS75VA LFP	Complete package, less floor plate	—	Deduct 153.00
Center Hung, Double Acting, Wood or Steel Door and Frame (Non-handed)			
BTS75VB	Complete Package BTS75V NHO, 74010, 7510, 7421, 8062	—	2,335.00
BTS75VB LFP	Complete package, less floor plate	—	Deduct 153.00
1-1/2" Offset, Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
BTS75VC	Complete package BTS75V NHO, 74010, 7510, 15323, 15120	—	2,936.00
BTS75VC LFP	Complete package, less floor plate	—	Deduct 153.00
1-1/2" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS75VCE	Complete package BTS75V NHO, 74010, 7510, 15323, 15122	2,995.00	2,995.00
BTS75VCE LFP	Complete package, less floor plate		Deduct 153.00
1-1/2" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS75VCF	Complete package BTS75V NHO, 74010, 7510, 15323, 15133	3,042.00	3,545.00
BTS75VCF LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
BTS75VD	Complete Package BTS75V NHO, 74010, 7510, 75323, 75120	—	2,474.00
BTS75VD LFP	Complete package, less floor plate	—	Deduct 153.00
3/4" Offset, Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
BTS75VE	Complete package BTS75V NHO, 74010, 7510, 75323, 75122	2,510.00	2,510.00
BTS75VE LFP	Complete package, less floor plate		Deduct 153.00
3/4" Offset, Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
BTS75VF	Complete package BTS75V NHO, 74010, 7510, 75323, 75133	2,577.00	2,893.00
BTS75VF LFP	Complete package, less floor plate		Deduct 153.00
Center Hung, Single Acting, Aluminum Door and Frame (Specify Hand)			
BTS75VG	Complete package BTS75V NHO, 80010, 7510, 7422, 8062	—	2,386.00
BTS75VG LFP	Complete package, less floor plate	—	Deduct 153.00
Center Hung, Single Acting, Wood or Steel Door and Frame (Specify Hand)			
BTS75VH	Complete package BTS75V NHO, 80010, 7510, 7421, 8062	—	2,335.00
BTS75VH LFP	Complete package, less floor plate	—	Deduct 153.00

NOTES:

- See BTS75V Accessories for intermediate pivots. See BTS Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Independent Hung, on Hinges, etc. (Non-Handed)			
BTS75VI	Complete package	2,337.00	2,529.00
	BTS75V NHO, 74003, 7510, 7451N-A**		
BTS75VI LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, 3 Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on Hinges, etc. (Non-Handed)			
BTS75VIF	Complete package	2,337.00	2,709.00
	BTS75V NHO, 74003, 7510, 7451N		
BTS75VIF LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, on Pocket Pivots (Non-Handed)			
BTS 75VP	Complete package (priced w/ 3 pivots)	4,468.00	5,090.00
	BTS75V NHO, 74003, 7510, 7451N-A, 75520		
BTS75VP LFP	Complete package, less floor plate		Deduct 153.00
Independent Hung, 3 Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on Pocket Pivots (Specify Hand)			
BTS75VPF	Complete package (priced w/ 3 pivots)	4,584.00	5,420.00
	BTS75V NHO, 74003, 7510, 7451N, 75523		
BTS75VPF LFP	Complete package, less floor plate		Deduct 153.00

* Floor closer is painted black only. Cement case is galvanized steel.
 Spindle is available in zinc plated finish only.
 Center hung bottom arms are available in zinc plated finish only (7421/7422).
 Floor plate is only available in plated finishes.

** Bottom arm for painted finish would be 7451N.
 See BTS Accessories for individual component list prices.
 See Options for Less Cement Box.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
90	90° hold open	96.00	—
105	105° hold open	96.00	—
BF, BF 90	Barrier free for non-fire doors only	N/C	—
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	10.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	—
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	40.00	—
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	40.00	—
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	40.00	—
TP75	▲ Terrazo pan for BTS 75V — 3/4" offset (Handed)	—	821.00
TP75SCH	▲ Terrazo pan for BTS 75V — Center hung or 1-1/2" offset	—	749.00
SC2	Sealing compound	119.00	—
LBX	Less cement box	Deduct 26.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	99.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	438.00	—
	per closer, list add	114.00	—

▲ Terrazo pans are available stainless steel only.

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2", or 3/4" clearance spindle (specify hand)	N/C	—
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16", or 1-1/2" clearance spindle (specify hand)	40.00	—

Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset Hung Intermediate Pivots**			
75220	Full mortise standard intermediate pivot	473.00	473.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	506.00	506.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	531.00	1,023.00
1-1/2" Offset Hung Intermediate Pivots**			
15220	Full mortise standard intermediate pivot	711.00	711.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	771.00	771.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	789.00	1,379.00
Power Transfer Pivots			
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	877.00	877.00
E80622	Through-wire center hung top pivot (2 wire)	961.00	961.00
E80624	Through-wire center hung top pivot (4 wire)	961.00	961.00

** All intermediate pivots are handed.

NOTES:

- Only packages with an "E" or "F" designation in the package description are available in painted finishes.
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the removed component.
- Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Package price for P or PF packages includes 3 pocket pivots.
- When BTS75D Package is ordered through Select Service, the BF closer is supplied as the default, unless specified otherwise.

ITS96 Series
Ordering Guide

Application

Inverted
(closer in frame) — INV

Standard —

Mounting Kit Options

Steel Frame
Mounting Kit — BRKTMD

Wood Frame
Mount Kit — BRKTWD

ITS96

Size 1–3 — 13

Size 2–5 — 25

NHO

HO — Hold Open

NHO — Non-Hold Open

Spring Size

Hold Open

Painted Finish

PNT — Special Sprayed Finish (must specify)

696 — Gold

695 — Dark Duranodic Bronze

693 — Black

691 — Dull Bronze

690 — Statuary Bronze

689 — Aluminum

600 — Primed

605 — Bright Brass

606 — Satin Brass

611 — Bright Bronze

612 — Satin Bronze

613 — Oxidized Satin Oil Rubbed Bronze


618 — Bright Nickel

619 — Satin Nickel

625 — Bright Chrome

626 — Satin Chrome

Plated Finish



NOTES:

- All combinations of features and options are not available for all models.
- Please refer to ITS96 Series product brochure for details.

Body	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open			
ITS9613	Concealed in door (size 1–3)	802.00	995.00
ITS9625	Concealed in door (size 2–5)	957.00	1,193.00
Hold Open			
ITS9613 HO	Concealed in door w/hold open (size 1–3)	913.00	1,102.00
ITS9625 HO	Concealed in door w/hold open (size 2–5)	1,067.00	1,299.00

Options


(List Price 'add' when ordered with complete closer)


Item	Description	Painted Add \$	Plated Add \$
INV	Inverted ITS96 (closer in header)	33.00	58.00
BRKT ITS WOOD	Wood frame mounting kit	50.00	—
BRKT ITS METAL	Steel frame mounting kit	50.00	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	50.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	438.00	—
	per closer, list add	45.00	—

NOTES:

- Standard configuration is painted arm with track channel to match (shown in bold); closer and closer mounting plate are one finish only.
- Plated finish price includes arm plated and track sprayed with complementary finish.
- Minimum door thickness for ITS9625 is 2" when concealed in the door.
For 1-3/4" thick doors, install ITS9625 in the header (i.e. ITS9625 INV).

RTS88 Series
Ordering Guide



										Adds or Deducts	
										LBA	Less Bottom Arm
										LTA	Less Top Arm
										LBP	Less Bottom Pivot
										5MM	W/ 5mm Extended Spindle
										LMC	Less Mounting Channel
										8563	Cover Plate for Aluminum Frame Application

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung Side Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS01	Complete package RTS88, 8831, 8572	967.00	—
RTS01 × 8563	Complete package, including 8563 frame cover plate	1,086.00	—
Center Hung Side Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS02	Complete package RTS88, 8831, 8570	1,007.00	—
RTS02 × 8563	Complete package, including 8563 frame cover plate	1,120.00	—
Center Hung Side Load, Double or Single Acting, Steel Door and Frame (Non-Handed)			
RTS03	Complete package RTS88, 8831, 7471K, 7421, 8575, 8532**	1,391.00	1,552.00
RTS03 LMC	Complete package, less mounting channel	1,296.00	1,455.00
Center Hung Side Load, Double or Single Acting, Wood Door and Steel Frame (Non-Handed)			
RTS04	Complete package RTS88, 8832, 7471K, 7421, 8575, 8532**, W1	1,525.00	1,684.00
RTS04 LMC	Complete package, less mounting channel	1,429.00	1,588.00
Center Hung Side Load, Double or Single Acting, Wood Door and Frame (Non-Handed)			
RTS05	Complete package RTS88, 8832, 7471K, 7421, 8561, W2	1,429.00	1,593.00
Center Hung Side Load, Double or Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS06	Complete package RTS88, 8832, 7471K, 7421, W1	1,311.00	1,471.00
RTS06 × 8563	Complete package, including 8563 frame cover plate	1,429.00	1,588.00
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS07	Complete package RTS88, 8835, 8857	1,162.00	—
RTS07 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS08	Complete package RTS88, 8835, 8853	987.00	—
RTS08 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS09	Complete package RTS88, 8835, 8855	987.00	—
RTS09 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS10	Complete package RTS88, 8835, 8852	987.00	—
RTS10 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—

NOTES:

- See RTS88 Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS11	Complete package RTS88, 8836, 8857	987.00	—
RTS11 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS12	Complete package RTS88, 8836, 8853	987.00	—
RTS12 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS13	Complete package RTS88, 8836, 8855	987.00	—
RTS13 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS14	Complete package RTS88, 8836, 8852	987.00	—
RTS14 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS15	Complete package RTS88, 8838, 8857	987.00	—
RTS15 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS16	Complete package RTS88, 8838, 8853	987.00	—
RTS16 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS17	Complete package RTS88, 8838, 8855	987.00	—
RTS17 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS18	Complete package RTS88, 8838, 8852	987.00	—
RTS18 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS19	Complete package RTS88, 8837, 8857	987.00	—
RTS19 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS20	Complete package RTS88, 8837, 8853	987.00	—
RTS20 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—

NOTE: See RTS88 Accessories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS21	Complete package RTS88, 8837, 8855	987.00	—
RTS21 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Center Hung End Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS22	Complete package RTS88, 8837, 8852	987.00	—
RTS22 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Hinge Hung, Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS25	Complete package RTS88, 8812	987.00	—
RTS25 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
3/4" Offset Pivot Hung, Single Acting, Aluminum Door and Frame (Non-Handed)			
RTS26	Complete package RTS88, 8812	987.00	—
RTS26 × 8563	Complete package, including 8563 frame cover plate	1,101.00	—
Hinge or 3/4" Offset Pivot Hung, Single Acting, Steel Door and Frame (Non-Handed)			
RTS27	Complete package RTS88, 8812, 8575, 8532**	1,162.00	1,320.00
RTS27 LMC	Complete package, less mounting channel	1,065.00	1,224.00
Hinge or 3/4" offset Pivot Hung, Single Acting, Wood Door and Steel Frame (Non-Handed)			
RTS28	Complete package RTS88, 8812, 8575, 8532**, W1	1,165.00	1,327.00
RTS28 LMC	Complete package, less mounting channel	1,065.00	1,224.00
Hinge or 3/4" Offset Pivot Hung, Single Acting, Wood Door and Frame (Non-Handed)			
RTS29	Complete package RTS88, 8812, 8561, W2	1,071.00	1,236.00
Hinge Hung, Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS30	Complete package RTS88, 8812, W1	953.00	—
RTS30 × 8563	Complete package, including 8563 frame cover plate	1,068.00	—
3/4" Offset Pivot Hung, Single Acting, Wood Door and Aluminum Frame (Non-Handed)			
RTS31	Complete package RTS88, 8812, W1	953.00	—
RTS31 × 8563	Complete package, including 8563 frame cover plate	1,068.00	—

NOTES:

- See RTS88 Accessories for individual component list prices.
- RTS closer body is always painted aluminum.
- Bottom arm and closer arm are always zinc plated finish.
Frame mounting channel is always unfinished.
8563 cover plate is available painted only.

** No. 8532 steel header mounting channel is specifically designed to install the RTS closer into open-throat steel header sections.
Typical practice would be to install the mounting channel in the header prior to shipment to the job site.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	16.00
105° NHO Sz 3, 4, BFI, BFE	Closer with 105° bumper without hold open	N/C	—
105° HO Sz 3, 4, BFI, BFE	Closer with 105° bumper and 105° hold open	N/C	—
90° NHO Sz 2, 3, or 4	Closer with 90° bumper without hold open	N/C	—
90° HO Sz 2, 3 or 4	Closer with 90° bumper and 90° hold open	N/C	—
5 mm EXT	3/16" (5 mm) extended spindle (integral part of pinion)	N/C	—
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	99.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" x 3" color chip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	438.00	—
	per closer, list add	114.00	—


NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- RTS packages furnished standard with 105° NHO, size 3 closer.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Auxiliary limiting stop required for all RTS88 installations, especially those doors experiencing unusual conditions, e.g. excessive wind pressure or abuse.

Accessories

Item	Description	List \$
8836S	Closer arm, 7/8" top rail glass door shoe (zinc plated finish only)	299.00
8511	Slide arm, (8812) cover/applied stop (specify hand and finish)	413.00
8521E	Add-on 1-5/16" spindle extension (finish not required)	97.00
8532	Steel header closer mounting channel (finish not required)	97.00
8820J	Conversion bracket kit to replace Jackson OH closer with RTS88 (Finish not required)	34.00

LM Series, Heavy-Duty
Ordering Guide



Series		Hand		Fastener Packs		Spindle Extensions		Deducts	
Center Pivot	CP	Specify for Right Handed Units	RH	All Metal Screws	AMSAWS	50mm	50 mm Extended Spindle	LCP	Less Cover Plate
Offset Pivot	OP	Specify for Left Handed Units	LH	All Wood Screws	W1	45mm	45 mm Extended Spindle	LA	Less Arm
				1/2 Wood Screws	W2	40mm	40 mm Extended Spindle	LBP	Less Bottom Pivot
				All Wood Screws	AMS	35mm	35 mm Extended Spindle	LTP	Less Top Pivot
				All Metal Screws		30mm	30 mm Extended Spindle		
						25mm	25 mm Extended Spindle		
						20mm	20 mm Extended Spindle		
						15mm	15 mm Extended Spindle		
						10mm	10 mm Extended Spindle		
						5mm	5 mm Extended Spindle		
OP		440		RH		AMS		626	
Up to 440 lb, CH Aluminum	A440			Intermediate Pivot for 3/4" Offset		75220	605	Bright Brass	
Up to 440 lb, CH or 3/4" Offset	440			20 min Intermediate Pivot for 3/4" Offset		75222	606	Satin Brass	
Up to 440 lb, 20 min Fire Door, 3/4" Offset	440E			3 h Intermediate Pivot for 3/4" Offset		75233	611	Bright Bronze	
Up to 350 lb, Jamb Mount, 3/4" Offset	J350			Intermediate Pivot for Lead Lined 3/4" Offset (see note*)		75240	612	Satin Bronze	
Up to 440 lb, Lead Lined 3/4" Offset (see note*)	L440			20 min Intermediate Pivot for Lead Lined 3/4" Offset (see note*)		75242	613	Oxidized Satin Oil Rubbed Bronze	
Up to 440 lb, 20 min Fire Door, Lead Lined 3/4" Offset (see note*)	L440E			3 h Intermediate Pivot for Lead Lined 3/4" Offset (see note*)		75243	618	Bright Nickel	
Up to 440 lb, 3 h Fire Door, Lead Lined 3/4" Offset (see note*)	L440F			Intermediate Pivot for 1-1/2" Offset		15220	619	Satin Nickel	
Up to 200 lb, 1-1/2" Offset	15200			20 min Intermediate Pivot for 1-1/2" Offset		15222	625	Bright Chrome	
Up to 200 lb, 20 min Fire Door, 1-1/2" Offset	15200E			3 h Intermediate Pivot for 3/4" Offset		15233	626	Satin Chrome	
Package				Through Wire Intermediate Pivot for 3/4" Offset		75200	600	Primed	
				Through Wire CH Top Pivot (2 wire)		E80622	689	Aluminum	
				Through Wire CH Top Pivot (4 wire)		E80624	690	Statuary Bronze	
							691	Dull Bronze	
							693	Black	
							695	Dark Duranodic Bronze	
							696	Gold	
							PNT	Special Sprayed Finish (must specify)	
								Finish	
								Plated	
								Painted	

*** "L" Package Door Thickness Note:**
The standard door thickness is 1-3/4", and is the default unless otherwise specified.

Other alternative sizes are { -2, -2-1/4, -2-1/2, -3 }

Examples: L-E-2-1/2....75242-2-1/2

Example above 20 min. lead lined package for 2-1/2" thick door.

- NOTES:
- All combinations of features and options are not available for all models.
 - Please refer to LM Heavy-Duty Series product brochure for details.

Packages for Doors Weighing up to 440 lb

Center Hung Packages

Package	Description	Painted Finish \$	Plated Finish \$
Double or Single Acting, Aluminum Door and Frame (Non-handed)			
CPA440	Complete package 7471K, 7422, 8062	610.00	610.00
Double or Single Acting, Wood or Steel Door and Frame (Non-handed)			
CP440	Complete package 7471K, 7421, 8062	559.00	559.00

NOTE: Bottom arms are available in zinc plated finish only.

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP440	Complete package 7471K, 75323, 75120	698.00	698.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP440E	Complete package 7471K, 75323, 75122	734.00	734.00
Single Acting, Wood or Steel Door and Frame (Specify Hand)			
OPJ350	Complete package 75320, 75120	958.00	958.00
Single Acting, Lead-Lined Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440	Complete package 7471K, 75343, 75140	1,389.00	1,389.00
Single Acting, Lead-Lined, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440E	Complete package 7471K, 75343, 75142	1,430.00	1,430.00
Single Acting, Lead-Lined, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL440F	Complete package 7471K, 75343, 75143	1,512.00	1,437.00

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP15200	Complete package 7471K, 15323, 15120	1,160.00	1,160.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP15200E	Complete package 7471K, 15323, 15122	1,220.00	1,220.00

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Finish \$	Plated Finish \$
AMS	All metal screws	N/C	—
AMSAWS	All wood screws, all metal screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	16.00
EXT	Extended spindles available in 5 mm increments from 5 mm–50 mm in height (specify height)	69.00	—

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	206.00	206.00
E80622	Through-wire center hung top pivot (2 wire) fire door	961.00	961.00
E80624	Through-wire center hung top pivot (4 wire)	961.00	961.00

3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	473.00	473.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	506.00	506.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	531.00	1,023.00
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	711.00	711.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	750.00	750.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	771.00	1,489.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	877.00	877.00

** All intermediate pivots are handed.

1/2" Offset Hung Intermediate Pivots**


Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	711.00	711.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	771.00	771.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	789.00	1,379.00


** All intermediate pivots are handed.

NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$92.00 list to the package price. Example: OPL800 - 2-1/2. Others available are 2", 2-1/4", and 3".
- Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.
- All pivots furnished with all machine screws standard (AMS).

LM Series, Extra Heavy-Duty
Ordering Guide



																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Packages for Doors Weighing 440 lb.

Center Hung Packages

Package	Description	Painted Finish \$	Plated Finish \$
Double or Single Acting, Wood or Steel Door and Frame (Non-handed)			
CP660	Complete package 7471HD/74005, 7421, 8062	1,352.00	1,352.00

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OPH750	Complete package 7471HD/74005, 75323, 75120	1,495.00	1,495.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OPH750E	Complete package 7471HD/74005, 75323, 75122	1,530.00	1,530.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OPH750F	Complete package 7471HD/74005, 75323, 75133	1,597.00	1,912.00
Single Acting, Lead-Lined Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800	Complete package 7471HD/74005, 75343, 75140	2,187.00	2,187.00
Single Acting, Lead-Lined, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800E	Complete package 7471HD/74005, 75343, 75142	2,224.00	2,224.00
Single Acting, Lead-Lined, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)			
OPL800F	Complete package 7471HD/74005, 75343, 75143	2,305.00	2,568.00

1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Steel, or Aluminum Door and Frame (Specify Hand)			
OP15500	Complete package 7471HD/74005, 15323, 15120	1,957.00	1,957.00
Single Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)			
OP15500E	Complete package 7471HD/74005, 15323, 15122	2,017.00	2,017.00
Single Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)			
OP15500F	Complete package 7471HD/74005, 15323, 15133	2,067.00	2,567.00

NOTES:

- See LM Extra-Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.
- Center hung bottom arms are available in zinc plated finish only.
- 7471HD floor bearings not available in painted finish. 7471HD is plated to match when ordering with painted finishes.
- See LM Extra Heavy-Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

Options

(List Price 'add' when ordered with complete set)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	—
AMSAWS	All metal screws, all wood screws	18.00	27.00
W1	Half wood screws	12.00	13.00
W2	All wood screws	14.00	16.00
74003	9/16" clearance spindle (when used w/7471HD)	N/C	—
74007	7/8" clearance spindle (when used w/7471HD)	N/C	—
74010	1" clearance spindle (when used w/7471HD)	N/C	—
74012	1-1/16" clearance spindle (when used w/7471HD)	40.00	—
74015	1-1/8" clearance spindle (when used w/7471HD)	40.00	—
74020	1-3/8" clearance spindle (when used w/7471HD)	40.00	—
74025	1-9/16" clearance spindle (when used w/7471HD)	40.00	—
74030	1-3/4" clearance spindle (when used w/7471HD)	40.00	—

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	206.00	206.00
E80622	Through-wire center hung top pivot (2 wire) fire door	961.00	961.00
E80624	Through-wire center hung top pivot (4 wire)	961.00	961.00

3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	473.00	473.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	506.00	506.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	531.00	1,023.00
75240	Full mortise intermediate pivot — 1-3/4" lead lined doors	711.00	711.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	750.00	750.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	771.00	1,489.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	877.00	877.00

** All intermediate pivots are handed.

1-1/2" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	711.00	857.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	771.00	771.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	789.00	1,379.00

** All intermediate pivots are handed.

90° Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	713.00	857.00
75523	3 hour rated pocket pivot	752.00	907.00

NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$92.00 list to the package price. Example: OPL800 - 2-1/2. Others available are 2", 2-1/4", and 3".
- Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.
- All pivots furnished with all machine screws standard (AMS).

900/700 Series
Ordering Guide

Heavy Duty Surface –

Heavy Duty Concealed –

Standard Surface –

Standard Concealed –

90

91

70

71

Series

Push Side Mounting Bracket Used w/RTS – Center Hung

Pull Side Mounting Bracket

Optional Brackets
(Use with RTS Closers)

900RTSCH

7090

90

2

S

626

1

2

3

S

H

F

Function

– Stop Only

– Stop/Hold

– Friction Stop (700 only)

Door Size

Refer to 700/900 Series Brochure; varies by Model and Mount.

Painted Finish

PNT

696

695

693

691

690

689

600

605

606

611

612

613

618

619

625

626

– Special Sprayed Finish (must specify)

– Gold

– Dark Duranodic Bronze

– Black

– Dull Bronze

– Statuary Bronze

– Aluminum

– Primed

– Bright Brass

– Satin Brass

– Bright Bronze

– Satin Bronze

– Oxidized Satin Oil Rubbed Bronze


– Bright Nickel

– Satin Nickel

– Bright Chrome

– Satin Chrome

Plated Finish



NOTES:

- All combinations of features and options are not available for all models.
- Please refer to 700/900 Series product brochure for details.

252

Architectural Hardware Canada Price List - PL35

700 Series

Standard Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
701S	Stop only	205.00	398.00
702S	Stop only	205.00	398.00
703S	Stop only	205.00	398.00
701F	Friction stop	205.00	398.00
702F	Friction stop	205.00	398.00
703F	Friction stop	205.00	398.00
701H	Stop/hold	205.00	398.00
702H	Stop/hold	205.00	398.00
703H	Stop/hold	205.00	398.00

Standard Duty Concealed

Item	Description	Painted Finish \$	Plated Finish \$
711S	Stop only	197.00	359.00
712S	Stop only	197.00	359.00
713S	Stop only	197.00	359.00
711F	Friction stop	197.00	359.00
712F	Friction stop	197.00	359.00
713F	Friction stop	197.00	359.00
711H	Stop/hold	197.00	359.00
712H	Stop/hold	197.00	359.00
713H	Stop/hold	197.00	359.00

900 Series

Heavy Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
901S	Stop only	397.00	680.00
902S	Stop only	397.00	680.00
903S	Stop only	397.00	680.00
901H	Stop/hold	397.00	680.00
902H	Stop/hold	397.00	680.00
903H	Stop/hold	397.00	680.00

Heavy Duty Concealed

Item	Description	Painted Finish \$	Plated Finish \$
911S	Stop only	491.00	635.00
912S	Stop only	491.00	635.00
913S	Stop only	491.00	635.00
911H	Stop/hold	491.00	635.00
912H	Stop/hold	491.00	635.00
913H	Stop/hold	491.00	635.00

Options

(List Price 'add')

Item	Description	Painted Finish \$	Plated Finish \$
7090	Pull side mounting bracket (900/700)	87.00	180.00
900RTSCH	Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body.	87.00	180.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	176.00	—
	per closer, list add	50.00	—
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" x 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	439.00	—
	per closer, list add	57.00	—

NOTE: Standard screw pack includes wood and machine screws for the soffit bracket, and sex nuts for the door, as required.

Pull Finishes Cross Reference

	dormakaba GMBH Finish #	Closest BHMA Equivalent
Anodized Aluminum Parts		
Clear	101	628
Similar to Stainless Steel	107	670
Dark Bronze	108	710
Black	109	711
Aluminum Color	114	718
Brass		
Polished Brass without Lacquer	503	—
Satin Brass without Lacquer	599	728
Steel or Stainless Steel		
Satin Stainless Steel	700	630
Polished Stainless Steel	701	629
Bronze		
Satin Bronze without Lacquer	600	612
Polished Bronze without Lacquer	601	611
Custom Finish*	999	—

*All Custom Finishes will incur a \$200 net setup fee per purchase order, per color.

TG 138 Ladder Pulls
Ordering Guide

Function

Locking — **L**

Non-Locking — **NL**

Door Thickness

134 — Wood Door Screw Pack

TG 138

Model

Back-To-Back — **B2B**

Single Sided — **SNG**

Pull Type

49" Length — **49**

60" Length — **60**

72" Length — **72**

84" Length — **84**

XX" (Specify) Length — **Custom**

(L) Length

SNUT — Sex Nut, up to 3-5/16"

BLIND — 1-3/4" wood door, not through door

B2B80 — Back-to-back up to 3-5/16" thick door

B2B44 — Back-to-back 1-3/4" wood

Screwpack Options

700 — Satin Stainless

701 — Custom Polished finish

999 — Custom Paint or Powder

Finish

C6

Cylinder Type

T — Temporary SFIC

J — SFIC (Less Core)

C — 7-Pin SFIC (With Core)

C6 — 6-Pin SFIC (With Core)

L — Less Cylinder

D — Conventional Cylinder

R — Schlage LFIC (Less Core)

THB — Thumbturn Single Pull Handle

Keying Options Field

XXXX

Keying Options Field

TG 138

Model

Back-To-Back — **B2B**

Single Sided — **SNG**

Pull Type

49" Length — **49**

60" Length — **60**

72" Length — **72**

84" Length — **84**

XX" (Specify) Length — **Custom**

(L) Length

SNUT — Sex Nut, up to 3-5/16"

BLIND — 1-3/4" wood door, not through door

B2B80 — Back-to-back up to 3-5/16" thick door

B2B44 — Back-to-back 1-3/4" wood

Screwpack Options

700 — Satin Stainless

701 — Custom Polished finish

999 — Custom Paint or Powder

Finish

C6

Cylinder Type

T — Temporary SFIC

J — SFIC (Less Core)

C — 7-Pin SFIC (With Core)

C6 — 6-Pin SFIC (With Core)

L — Less Cylinder

D — Conventional Cylinder

R — Schlage LFIC (Less Core)

THB — Thumbturn Single Pull Handle

Keying Options Field




XXXX

Keying Options Field

256

Architectural Hardware Canada Price List - PL35

TG 138 Locking and Non-Locking Ladder Pulls

Locking Ladder Pull Configurations Single and Back-To-Back Locking and Non-Locking Pulls					Standard Finish \$	Custom Finish \$	
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back Locking Ladder Pull with T Small Format Interchangeable Core (SFIC) Cylinder, BA Core MKD (KD)					3	SO	SO
	926.933	Set	3F	L B2B STD 84" 700	2,420.00	3,122.00	—
	926.932	Set	3F	L B2B STD 72" 700	2,359.00	3,043.00	—
	926.936	Set	3F	L B2B STD 60" 700	2,304.00	2,973.00	—
	926.930	Set	2F	L B2B STD 49" 700	2,213.00	2,853.00	—
Single Sided Locking Ladder Pull with T Cylinder (SFIC), BA Core MKD (KD), or Thumb-Turn (TT)							
	926.934	Ea.	2F	L SNG STD 49" CYL 700	1,261.00	1,617.00	—
	926.935	Ea.	2F	L SNG STD 49" TT 700	1,261.00	1,617.00	—
				NOTE: Cylinder or Thumb-Turn are Top Mounted			
Back-to-Back Non-Locking Ladder Pull					3	SO	SO
	926.923	2 Ea.	3F	NL B2B STD 84" 700	1,027.00	1,334.00	1,355.00
	926.922	2 Ea.	3F	NL B2B STD 72" 700	973.00	1,260.00	1,300.00
	926.924	2 Ea.	3F	NL B2B STD 60" 700	910.00	1,182.00	1,239.00
	926.920	2 Ea.	2F	NL B2B STD 49" 700	817.00	1,062.00	1,147.00
				NOTE: Specify 2 Ea. for a back-to-back set,			
Single Sided Non-Locking Ladder Pull							
	926.923	Ea.	3F	NL SNG STD 84" 700	597.00	774.00	794.00
	926.922	Ea.	3F	NL SNG STD 72" 700	565.00	733.00	761.00
	926.924	Ea.	3F	NL SNG STD 60" 700	530.00	688.00	730.00
	926.920	Ea.	2F	NL SNG STD 49" 700	474.00	617.00	673.00
				NOTE: Customer must specify Fixing Pack and adjust List Price accordingly for Non-Locking Single Ladder Pulls and all door panel thicknesses greater than 1/2".			






NOTES:

- Default fastener pack addresses 3/8"–3/4" thick glass, except locking ladder pulls, 3/8"–5/8". 3/4" glass for locking pulls requires special 926.911 locking assembly at List \$212.
- Default cylinder for TG 138 L pulls uses SFIC C Cylinder BA Core.
- Other cylinder and keying options available, see **Cylinder Types, Keying Options & Keyways**.
- 999 Finish is Custom Paint and Powder only, not available on locking pulls.

SO Special Fabricated/Finish or Special Order; lead time up to 9 weeks.

3 Standard or Non-Standard Fabricated; lead time up to 3 business days.

TG 138 Locking and Non-Locking Ladder Pulls Accessories

Mounting	Ref. #	Description	Door Thickness	List \$
	926.937	Strike, Dustproof, Standard 1-1/8" (29 mm)		65.00
	926.890	Locking Post Mounting Pack, Back-to-back, (Non-Locking Post Fasteners not included)	1-3/4" (44 mm)	337.00
	926.909	Mounting Pack, Back-to-back Non-Locking Post	1-3/8" (34 mm) – 1-3/4" (44 mm)	93.00
	926.910	Mounting Pack, SNG Blind, 3 each in pack (Will not project through door)	min. 1-3/4" (44 mm)	45.00
	926.908	Mounting Pack, Single Non-Locking x Sex Nut	3/4" (19 mm) – 3-1/8" (80 mm)	97.00
	926.939	Washer Pack	—	27.00

NOTE: Default cylinder for Locking Ladder pulls uses SFIC T cylinder with temporary construction core in 626 Satin.
Other cylinder and keying options available, see next page.

 Special Fabricated/Finish or Special Order; lead time up to 9 weeks.

TG 138 Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	Deduct \$
L		Lock less cylinder and cylinder ring	Deduct 75.00
Interchangeable Core Cylinders			
C		SFIC — Housing with combined SFIC construction core installed at the factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Ⓢ Keys sold separately	N/C
	MKD	Master keyed, Keyed Different (Keyed different to a random combination) or Keyed Alike; BA Core with 1 control key and 2 change keys; Up to 20 days additional lead time for Keyed Alike.	N/C
T		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — Ⓢ Keys sold separately	Deduct 5.00
J		SFIC — Housing with disposable plastic SFIC plug	Deduct 45.00
R		Schlage LFIC - Housing less core	Deduct 37.00
Conventional Cylinders (non-interchangeable core)			
D		Conventional cylinder	Deduct 45.00
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	Deduct 45.00
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	Deduct 45.00
	NSK	Keyed alike (or Keyed to Order - KTO) sets of 3 or more; SC keyway with 2 keys	Deduct 33.00
	1-Bit SC	Operated by 1-bit key (sold separately); SC, SE keyway with 2 key blanks	Deduct 45.00
	0-Bit D-100	Operated by 0-bit key (sold separately); D100 keyway — Ⓢ Keys sold separately	Deduct 45.00
	0-Bit	Operated by a key blank; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA, YG keyways with 2 keys	Deduct 33.00
	MKD	Master keyed; SC, SE, or D100 keyway — Ⓢ Keys sold separately	Deduct 29.00
	CMK	Construction master keyed single cylinder locks — Ⓢ Keys sold separately	Deduct 27.00

Ladder Pulls will be supplied with SFIC C cylinder, Option BA MKD (KD).

Ⓢ Denotes keys must be ordered separately.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut Key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	13.00
45401	SFIC Cut Key — Change key, master key, or control key; SKC keyways — D100 etc.	18.00
45404	CONV/LFIC Cut Key — 1-Bit key for operating 1-bit cylinders — SC, SE keyways	10.00

NOTES:

- Distribution of SKC keys (listed as D100) is restricted. Call customer service for SKC policies.
- See Keys and Key Blanks section for complete list.

TG 9387 Ladder Pulls

Ordering Guide





		Door Thickness		SNG Mounting Type	
		134	— Wood Door Screw Pack	ROSE	— Screw-on-Rose
				BLIND	— Concealed
S-TG 9387	SNG	134	18	BLIND	700
S-TG 9387	Single Sided — SNG	12" Length — 12	dormakaba 700/ BHMA 630 — 700		
Model	Back-To-Back — B2B	18" Length — 18			
Pull Type		36" Length — 36			
		42" Length — 42			
		60" Length — 60			
		(L) Length			
				Finish	

Stock TG 9387 Standard Size Non-Locking Ladder Pulls, with Straight Fixing Posts


Stock Pull Handles for Commercial Doors						Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description		700
Back-to-Back 1-1/4" (32 mm) Diameter						3
	B2B.905.370	Set	3F	L = 60"	CTC = 37-1/2"	408.00
	B2B.905.371	Set	2F	L = 42"	CTC = 26-1/4"	281.00
	B2B.905.372	Set	2F	L = 36"	CTC = 22-1/2"	255.00
	B2B.905.373	Set	2F	L = 18"	CTC = 11-1/4"	205.00
	B2B.905.374	Set	2F	L = 12"	CTC = 7-1/2"	194.00
Single Sided 1-1/4" (32 mm) Diameter						3
	SNG.905.370	Ea.	3F	L = 60"	CTC = 37-1/2"	208.00
	SNG.905.371	Ea.	2F	L = 42"	CTC = 26-1/4"	145.00
	SNG.905.372	Ea.	2F	L = 36"	CTC = 22-1/2"	131.00
	SNG.905.373	Ea.	2F	L = 18"	CTC = 11-1/4"	105.00
	SNG.905.374	Ea.	2F	L = 12"	CTC = 7-1/2"	99.00
						List \$
POWDER	All Custom powder coated orders will include a net charge per purchase order.					332.00

NOTES:

- Prefix Ref. # with (SNG) single or (B2B) back-to-back. Specify part number, pull height, door material, and door thickness. For single pull on wood door, specify roses or blind fasteners.
- Inserts and mounting hardware included in stock pull TG 9387, list price as shown.
- Mounting hardware also available as multi-pack service packs and priced separately following pulls.

Model Accessories	Ref. #	U/M	Description	List \$
	905.390	Set	Service inserts, reduces post thread from 8 mm–6 mm, used for every mounting post. Bulk pack of 6. Used as service item.	15.00
	905.388	Set	Service mounting pack with finished mounting ROSE used for SNG WOOD mount 1-3/8"–2" (40 mm–51 mm). Bulk pack of 6. Used as service item.	58.00
	905.386	Set	Service mounting pack used for BACK-TO-BACK WOOD mount 1-3/8"–2" (40 mm–51 mm). Bulk pack of 6. Used as service item.	33.00
	905.389	Set	Service mounting pack with BLIND (concealed) fasteners. Used for SNG WOOD mount ≥ 1-3/8" (40 mm). Bulk pack of 6. Used as service item.	33.00

øG	1-1/4" (32)				
øS	1" (25)				
H	3-3/8" (85)				
3 fixings required	60" (1,524)				
(CTC) Center-to-Center	37-1/2" (953)	26-1/4" (667)	22-1/2" (571)	11-1/4" (286)	7-1/2" (191)
L (Length)	60" (1,524)	42" (1,067)	36" (914)	18" (457)	12" (305)



TG 9387 Custom Size Non-Locking Ladder Pulls, with Straight Fixing Posts


Pull Handles for Commercial Doors					Standard Finish \$		Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.568	Ea.	3F	L = 94-1/2" through 110-3/16"	1,799.00	1,976.00	2,456.00
	905.567	Ea.	3F	L = 74-13/16" through 94-7/16"	1,556.00	1,712.00	2,214.00
	905.566	Ea.	2F	L = 59-1/16" through 74-3/4"	1,316.00	1,445.00	1,973.00
	905.565	Ea.	2F	L = 43-5/16" through 59"	1,074.00	1,180.00	1,564.00
	905.564	Ea.	2F	L = 27-9/16" through 43-1/4"	833.00	914.00	1,324.00
	905.563	Ea.	2F	L = 11-13/16" through 27-1/2"	588.00	649.00	1,081.00
Single Sided 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.368	Ea.	3F	L = 94-1/2" through 110-3/16"	1,064.00	1,170.00	1,394.00
	905.367	Ea.	3F	L = 74-13/16" through 94-7/16"	933.00	1,027.00	1,261.00
	905.366	Ea.	2F	L = 59-1/16" through 74-3/4"	801.00	880.00	1,130.00
	905.365	Ea.	2F	L = 43-5/16" through 59"	670.00	738.00	916.00
	905.364	Ea.	2F	L = 27-9/16" through 43-1/4"	539.00	593.00	784.00
	905.363	Ea.	2F	L = 11-13/16" through 27-1/2"	407.00	444.00	652.00
Back-to-Back 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.527	Ea.	3F	L = 94-1/2" through 110-3/16"	1,564.00	1,721.00	2,222.00
	905.526	Ea.	3F	L = 74-13/16" through 94-7/16"	1,394.00	1,533.00	2,051.00
	905.525	Ea.	3F	L = 59-1/16" through 74-3/4"	1,220.00	1,342.00	1,879.00
	905.524	Ea.	2F	L = 43-5/16" through 59"	1,048.00	1,153.00	1,540.00
	905.523	Ea.	2F	L = 27-9/16" through 43-1/4"	875.00	961.00	1,370.00
	905.522	Ea.	2F	L = 11-13/16" through 27-1/2"	703.00	773.00	1,196.00
Single Sided 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.327	Ea.	3F	L = 94-1/2" through 110-3/16"	1,016.00	1,118.00	1,346.00
	905.326	Ea.	3F	L = 74-13/16" through 94-7/16"	906.00	997.00	1,235.00
	905.325	Ea.	3F	L = 59-1/16" through 74-3/4"	797.00	875.00	1,125.00
	905.324	Ea.	2F	L = 43-5/16" through 59"	686.00	755.00	933.00
	905.323	Ea.	2F	L = 27-9/16" through 43-1/4"	575.00	633.00	822.00
	905.322	Ea.	2F	L = 11-13/16" through 27-1/2"	466.00	511.00	712.00
							Net Add \$
POWDER All Custom powder coated orders will include a net charge per purchase order.					332.00		

NOTE: Specify door thickness to acquire appropriate mounting screwpack.

øG	1" (25)	1-1/4" (32)
øS	11/16" (18)	1" (25)
H	2-15/16" (75)	3-3/8" (85)
3 fixings required	59-1/16" (1,500)	59-1/16" (1,500)




NOTES:

- When required, 3rd fixing post is centered on L dimension unless otherwise requested. Center distance can be specifically tailored to your requirements.
- Specify door thickness and desired screwpack.
- Top and bottom post location is preset at factory unless specified custom by customer.



(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.





MANET Non-Locking Ladder Pulls, with straight fixing posts and MANET clamping disks

Pull Handles for Commercial Doors, Back-to-Back (B2B) or Single Sided					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Back-to-Back					①	SO
	821.276	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	1,001.00	1,914.00
	821.273	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	835.00	1,759.00
	821.270	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	669.00	1,188.00
	821.267	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	489.00	981.00
					Net Add \$	
POWDER All Custom powder coated orders will include a net charge per purchase order.					332.00	

NOTES:

- Specify door thickness and either wood or glass door material.
- Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.

- ① Non-Fabricated item, ships in 1 business day.
- SO Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

Pull Handles for Commercial Doors					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Single Sided					(S0)	(S0)
	821.243	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	783.00	1,112.00
	821.242	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	635.00	966.00
	821.241	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	442.00	690.00
	821.240	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	363.00	611.00
					Net Add \$	
POWDER					All Custom powder coated orders will include a net charge per purchase order.	
					332.00	

NOTES:

- Specify door thickness and either wood or glass door material.
- Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.

(S0) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

TG 9335 Decorative Pulls, Straight Pull with Mitered Corners/Posts





Pull Handles for Commercial Doors					Standard Finish \$		Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.545	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1,652.00	1,816.00	2,310.00
	905.544	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1,421.00	1,562.00	2,078.00
	905.543	Ea.	3F	CTC = 59-1/16" through 74-3/4"	1,190.00	1,309.00	1,850.00
	905.542	Ea.	2F	CTC = 43-5/16" through 59"	960.00	1,057.00	1,455.00
	905.541	Ea.	2F	CTC = 27-9/16" through 43-1/4"	732.00	802.00	1,224.00
	905.540	Ea.	2F	CTC = 7-7/8" through 27-1/2"	500.00	550.00	995.00
Single Sided 1-1/4" (32 mm) Diameter					(SO)	(SO)	(SO)
	905.345	Ea.	3F	CTC = 94-1/2" through 110-3/16"	993.00	1,091.00	1,321.00
	905.344	Ea.	3F	CTC = 74-13/16" through 94-7/16"	864.00	953.00	1,195.00
	905.343	Ea.	3F	CTC = 59-1/16" through 74-3/4"	739.00	814.00	1,067.00
	905.342	Ea.	2F	CTC = 43-5/16" through 59"	612.00	673.00	860.00
	905.341	Ea.	2F	CTC = 27-9/16" through 43-1/4"	488.00	532.00	733.00
	905.340	Ea.	2F	CTC = 7-7/8" through 27-1/2"	361.00	398.00	610.00
Back-to-Back 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.506	Ea.	3F	CTC = 94-1/2" through 110-3/16"	2,083.00	2,293.00	2,741.00
	905.505	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1,843.00	2,030.00	2,502.00
	905.504	Ea.	3F	CTC = 59-1/16" through 74-3/4"	1,604.00	1,767.00	2,264.00
	905.503	Ea.	2F	CTC = 43-5/16" through 59"	1,370.00	1,506.00	1,862.00
	905.502	Ea.	2F	CTC = 27-9/16" through 43-1/4"	1,130.00	1,243.00	1,622.00
	905.501	Ea.	2F	CTC = 8-1/4" through 27-1/2"	893.00	981.00	1,385.00
Single Sided 1" (25 mm) Diameter					(SO)	(SO)	(SO)
	905.306	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1,224.00	1,346.00	1,552.00
	905.305	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1,091.00	1,199.00	1,418.00
	905.304	Ea.	3F	CTC = 59-1/16" through 74-3/4"	957.00	1,053.00	1,288.00
	905.303	Ea.	2F	CTC = 43-5/16" through 59"	823.00	906.00	1,071.00
	905.302	Ea.	2F	CTC = 27-9/16" through 43-1/4"	691.00	760.00	938.00
	905.301	Ea.	2F	CTC = 8-1/4" through 27-1/2"	558.00	614.00	803.00
							Net Add \$
POWDER All Custom powder coated orders will include a net charge per purchase order.							332.00

NOTES:

- When required, 3rd fixing post is centered on **CTC** dimension unless otherwise requested.
- CTC=Center to center of mounting posts.
- Specify door thickness and desired screwpack. See following page for options.


(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

TG Decorative Pulls

Pull Handles for Commercial Doors				Standard Finish \$		Custom Finish \$
Model	Ref. #	U/M	Description	700	701	999
TG 9830 Bowed Pull, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)
	905.530	Set	Back-to-Back	984.00	1,083.00	1,316.00
	905.330	Ea.	Single Sided	607.00	666.00	853.00
TG 9304 Curved Pull, Radius Standoff, 1-1/4" (32 mm) Diameter, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)
	905.569	Set	Back-to-Back	500.00	550.00	830.00
	905.369	Ea.	Single Sided	328.00	360.00	574.00
			Ø 1-1/4" (32 mm)			
			R 1-3/4" (44 mm)			
			R1 6-7/8" (175 mm)			
			B 8-11/16" (220 mm)			
			H 3-3/8" (85 mm)			
			CTC 13-3/4" (350 mm)			
TG 9306 Curved Pull, Sharp/Straight Standoff, 1-9/16" (40 mm) Diameter, 13-3/4" (349 mm) Center-to-Center				(SO)	(SO)	(SO)
	905.611	Set	Back-to-Back	1,104.00	1,215.00	1,432.00
	905.411	Ea.	Single Sided	663.00	731.00	910.00
			ØGØS 1-9/16" (40 mm)			
			R 6-7/8" (175 mm)			
			B 8-3/16" (205 mm)			
			H 3-15/16" (100 mm)			
			M 1" (24 mm)			
NOTE: Specify door thickness and desired screwpack.						
Fixings for TG Handles to Glass Doors 1-3/8" (35 mm)–3-15/16" (100 mm) Thick				700/701		999
				(SO)	(SO)	
	905.901	Ea.	Back-to-Back – M6	44.00	47.00	
	905.903	Ea.	Back-to-Back – M8	44.00	47.00	
	905.907	Ea.	Single Sided – M6	74.00	78.00	
	905.906	Ea.	Single Sided – M8	74.00	78.00	
Rose Options for TG Pulls						
	905.971	Ea.	1-9/16" (40 mm) Rose – M6	20.00	24.00	
	905.972	Ea.	1-3/4" (44 mm) Rose – M8	20.00	24.00	
Net Add \$						
POWDER All Custom powder coated orders will include a net charge per purchase order.				332.00		

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.





ARCOS Decorative Pulls

Pulls for Commercial Doors					Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	114	999
ARCOS 15-11/16" (398 mm) Length					(SO)	(SO)
	826.500	Set	2F	13-3/4" (350 mm) Center-to-Center	562.00	893.00
ARCOS 32-1/16" (824 mm) Length					(SO)	(SO)
	826.510	Set	2F	29-1/2" (750 mm) Center-to-Center	663.00	1,321.00
BEYOND, Specify Door Thickness					(SO)	(SO)
	830.3	Set	2F	17-3/4" (450 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1,345.00	1,673.00
	830.305	Set	2F	23-5/8" (600 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1,559.00	1,886.00
	830.31	Set	2F	35-7/16" (900 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1,859.00	2,517.00
						Net Add \$
POWDER	All Custom powder coated orders will include a net charge per purchase order.					332.00

NOTE: Specify door thickness and either wood or glass door material.

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

Solid and Tubular Pull Handles for Commercial doors

				Finishes \$						
Model	Ref. #	U/M	Description	101	108	109	503/599	600/601	700	701
Solid and Tubular, Back-to-Back, 10" and 12" (Center-to-Center) Handles				(1)	(1)	(SO)	(SO)	(SO)	(1)	(SO)
	926.001	Set	10" (254 mm) Solid	99.00	104.00	104.00	—	413.00	221.00	221.00
	926.601	Set	10" (254 mm) Tubular	—	—	—	178.00	—	118.00	118.00
	926.004	Set	12" (305 mm) Solid	104.00	113.00	113.00	299.00	743.00	246.00	246.00
	926.604	Set	12" (305 mm) Tubular	—	—	—	188.00	—	125.00	125.00
Solid and Tubular, Single Sided, 10" and 12" (Center-to-Center) Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.012	Ea.	10" (254 mm) Solid	60.00	70.00	70.00	—	—	—	—
	926.612	Ea.	10" (254 mm) Tubular	—	—	—	—	—	76.00	76.00
	926.016	Ea.	12" (305 mm) Solid	77.00	84.00	84.00	—	—	—	—
	926.616	Ea.	12" (305 mm) Tubular	—	—	—	—	—	84.00	84.00
Solid and Tubular, Back-to-Back Offset, 10" and 12" (Center-to-Center) Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.622	Set	10" (254 mm) Tubular	—	—	—	—	—	149.00	149.00
	926.009	Set	12" (305 mm) Solid	118.00	131.00	131.00	—	—	—	—
	926.609	Set	12" (305 mm) Tubular	—	—	—	238.00	—	160.00	160.00
Solid and Tubular, Back-to-Back, 10" and 12" (Center-to-Center) x 27-3/4" Handles				(SO)	(SO)	(SO)	(SO)	(SO)	(SO)	(SO)
	926.002	Set	10" x 27-3/4" (254 x 705 mm) Solid	135.00	151.00	151.00	—	—	—	—
	926.602	Set	10" x 27-3/4" (254 x 705 mm) Tubular	—	—	—	—	—	191.00	191.00
	926.005	Set	12" x 27-3/4" (305 x 705 mm) Solid	131.00	146.00	146.00	—	—	410.00	410.00
	926.605	Set	12" x 27-3/4" (305 x 705 mm) Tubular	—	—	—	255.00	—	204.00	204.00

NOTES:

- Tubular handles include a 1-1/4" (32 mm) washer.
- Specify door thickness and either wood or glass door material.
- Call Customer Service for wood door thickness 1-3/8"-2-1/2" fastener information and ordering guidance.

(1) Non-Fabricated item, 2-day lead time.

(SO) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.



Door
Hardware



Electronic
Access & Data



Mechanical
Key Systems



Lodging
Systems



Entrance
Systems



Safe
Locks



Service

Our Sustainability Commitment

We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations.

PL35 08-26

dormakaba Canada
105 Marcel-Laurin Blvd
Montreal, QC H4N 2M3

T: 1 888 539 7226

dormakaba.us



dormakaba.us