



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: SKIN TWIN FEATHERWEIGHT FOUNDATION-DEEP 650
Product Code: N/A
Batch/Lot: (L)L2001-1346
MQL Accession: 221202-0164

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.015 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.001 ppm
Lead	MQLTM-0278 By ICP-MS	N/A	0.035 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.001 ppm)
Antimony	MQLTM-0278 By ICP-MS	N/A	0.152 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.
MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CHEEKY CLEAN CREAM BLUSH-ROSEBUD
Product Code: N/A
Batch/Lot: BC1285B
MQL Accession: 221202-0169

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.025 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.001 ppm
Lead	MQLTM-0278 By ICP-MS	N/A	0.071 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	0.002 ppm
Antimony	MQLTM-0278 By ICP-MS	N/A	0.184 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing

3125 N. Damon Way • Burbank, California 91505

(818) 845-0070 • Fax: (818) 845-0030

E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: THINK BIG ALL-IN-ONE MASCARA

Product Code: N/A

Batch/Lot: 2251

MQL Accession: 221202-0171

PO#: 4500008316

Sample Description: FINISHED GOOD

Rush: N/A

Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.009 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.003 ppm)
Lead	MQLTM-0278 By ICP-MS	N/A	0.013 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	0.001 ppm
Antimony	MQLTM-0278 By ICP-MS	N/A	0.144 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.

Form# 03B.2 Analytical / Chemical Certificate of Analysis, Revised 07-05-2016 DCR2016-0062



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: LID GLOW CREAM SHADOW- EMBER
Product Code: N/A
Batch/Lot: L2264
MQL Accession: 221202-0173

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.030 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.003 ppm
Lead	MQLTM-0278 By ICP-MS	N/A	0.479 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	0.002 ppm
Antimony	MQLTM-0278 By ICP-MS	N/A	0.127 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.
MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: BRILLIANT BROW- SOFT BLACK
Product Code: N/A
Batch/Lot: (L)L2101-6
MQL Accession: 221202-0175

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.016 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.006 ppm
Lead	MQLTM-0278 By ICP-MS	N/A	0.013 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.001 ppm)
Antimony	MQLTM-0278 By ICP-MS	N/A	0.099 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.
MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: BEYOND GLOSS- QUARTZ SHIMMER
Product Code: N/A
Batch/Lot: CM2301A
MQL Accession: 221202-0176

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	Not Detected (MLD 0.003 ppm)
Cadmium	MQLTM-0278 By ICP-MS	N/A	Not Detected (MLD 0.003 ppm)
Lead	MQLTM-0278 By ICP-MS	N/A	0.016 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	0.004 ppm
Antimony	MQLTM-0278 By ICP-MS	N/A	0.210 ppm *

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.
MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Beauty Counter
Address: 1733 Ocean Avenue, Suite 400
Santa Monica, CA 90404

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: SHEER GENIUS CONDITIONING LIPSTICK - TWIG
Product Code: N/A
Batch/Lot: CM2181A
ML Accession: 221202-0180

PO#: 4500008316
Sample Description: FINISHED GOOD
Rush: N/A
Received Date: 12/02/22

Test Requested:	Test Method:	Specification:	Results:
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.026 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.003 ppm)
Lead	MQLTM-0278 By ICP-MS	N/A	0.026 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.001 ppm)
Antimony	MQLTM-0278 By ICP-MS	N/A	0.144 ppm*

Prepared By:

Liana Blkhoian/Document Control Specialist

JUN 29 2023

06/29/23

Reviewed By:

Esme Arellano/Quality Assurance Assistant II

JUN 29 2023

06/29/23

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.

Form# 03B.2 Analytical / Chemical Certificate of Analysis, Revised 07-05-2016 DCR2016-0062