



	Features	Advantages
INPUTS	Aerial (nadir & oblique) and terrestrial imagery	Process images taken from any angle from any aerial or terrestrial, manned or unmanned platform
	Any camera (compact, SLR, multispectral, GoPro) in .jpg or .tiff)	Use images acquired with any camera, from small to large frames, from consumer-grade to highly specialized cameras
	Multi-camera support for the same project	Create a project using images from different cameras and process them together
FEATURES	Timeline	Display and archive all datasets that belong to the same project
	Map view dashboard	Display the geographic location of the datasets and sites
	2D/3D Design overlay tool	Overlay designs to 2D maps and 3D models as well as plans to the orthomosaic and compare as-built vs as-designed to spot errors and track progress. Supported file formats: .dxf, .pdf, .png, .jpg
	2D/3D Comparison tool	Compare different days side-by-side using split or double screen in both 2D and 3D view
	AutoGCPs	Automatic marking of Ground Control Points (GCPs) targets to improve the absolute accuracy of projects
	Pix4D Autotags	Automatic GCPs and tie points detection with Pix4D Autotags. Exclusively available for projects uploaded from PIX4Dcatch
	Template selection	Optimize processing and generation of outputs by using different processing templates depending on the required outputs
	Output coordinate system selection	Process projects in coordinate system by choice to guarantee optimal workflows
	Distance and area measurements	Measure distances and areas for accurate planning. Save as annotations to make the measurements permanent
	Volume measurements	Measure volumes based on the DSM for accurate site surveys
	Volume comparison	Compare volume changes over time based on the DSM
	Elevation profile	Generate elevation profiles based on the DSM. The elevation information of each point is displayed
	Annotations	Adding different type of annotations (markers, inspections, lines, areas, circles or polygons) helps convey more valuable and actionable information. Annotations can be imported and exported in different file formats such as: .csv, .GeoJSON, Shapefiles, .dxf.
	Virtual Inspector	Virtually inspect any area of interest on the 3D model and on all the original images used for the reconstruction. Zoom in specific images, pin and comment the images with detailed information or actions to take. Save inspections as annotations
	Multispectral processing and NDVI display	Generate NDVI maps automatically to better analyse your multispectral dataset. The histogram of the index is displayed by default
	Share	Improve collaboration and reporting by sharing annotations, measurements, elevation profiles, volumes, and projects with team and stakeholders
	Import existing results	Import orthomosaics and DSM in .geotiff, point cloud in .las and .laz, and 3D mesh in .obj file formats
	Import BIM models	Import IFC file formats and visualize them in 3D
	Annotations Report	Generate a comprehensive PDF report containing all your annotations (measurements, points, volumes and inspections) for easy sharing and documentation. The report can be generated in any of the supported software languages.
OUTPUTS	2D output results	Nadir orthomosaics in GeoTiff output format
		2D vector in .geojson, .csv and .shp output format
	2.5D output results	DSM or DEM in GeoTiff output format
		3D point cloud in .laz output format
		3D textured mesh in .fbx and .obj output format
	3D output results	3D Gaussian Splat in .ply output format. Exclusively available for projects uploaded from PIX4Dcatch
		GCPs report in .pdf format
PDF output results	Quality report in .pdf format	
	Annotations report in .pdf format	

3RD PARTY INTEGRATIONS

Trimble Connect



Export files of your choice to the Trimble Connect platform

SUPPORT

Personal email



License holders can contact support by email

Community



Everyone can write on the Community

MULTILINGUAL

Available languages



English, Spanish, Italian, Japanese, Korean, French, Portuguese (Brazil), Thai, German
