



REVISION HISTORY		
REV.	DESCRIPTION	DATE
01	PRELIMINARY RELEASE PER EL0180	2021-01-19

## SPECIFICATIONS


- CERTIFICATIONS: ECE R10; SAE J595 (MAR 2014) (SEE CHART); CA Title 13 (SEE CHART); ; Reg 65 Cert (SEE CHART);  
Note: Unique components, accessories, and hardware kits are not typically included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.
- FLASH MODE: SINGLE : 75 ± 5 FLASHES PER MINUTE  
DOUBLE : 75 ± 5 FLASHES PER MINUTE  
QUAD : 75 ± 5 FLASHES PER MINUTE
- VOLTAGE (NOMINAL): 12-24 VDC
- VOLTAGE (EXTREME): 10-30 VDC
- CURRENT (PEAK): SEE CHART (@ 12 VDC NOMINAL)
- POWER (MAXIMUM): SEE CHART (@ 12 VDC NOMINAL)
- TEMPERATURE RANGE: -40°F (-40°C) TO 149°F (65°C)
- CONNECTION: CIG PLUG W/ON-OFF SWITCH
- MOUNTING: ADHESIVE, SUCTION CUP OR 2 SCREWS
- BASE MATERIAL: POLYCARBONATE
- LENS MATERIAL: POLYCARBONATE
- PRODUCT WEIGHT: 1.7 LBS (0.77 Kg)




FRONT VIEW, WITHOUT SHROUD




TOP VIEW, WITHOUT SHROUD



FRONT VIEW, WITH SHROUD



TOP VIEW, WITH SHROUD



TOP VIEW, WITH SHROUD AND SUCTION CUPS

FGS. PRODUCT CHART						
FGS. NO.	COLOR	CURRENT (PEAK) A	POWER (MAX) W	SAE J595	CA T13	R65
CD5051VDL2-AW	AMB/WHT	1.7	21.1	CLASS 1; AMB, WHT	CLASS B; AMB	CLASS 1; AMB
CD5051VDL2-BW	BLU/WHT	1.6	20.7	CLASS 1; BLU, WHT	CLASS B; BLU	CLASS 1; BLU
CD5051VDL2-RW	RED/WHT	1.6	21.0	CLASS 1; RED, WHT	CLASS B; RED	CLASS 1; RED
CD5051VDL2-RWBW	RED/WHT/BLU/WHT	1.6	20.0	CLASS 1; WHT	-	-


### NOTES:

- 142" CIGARETTE PLUG CABLE NOT SHOWN FOR CLARITY
- ROHS COMPLIANT
- DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

MOUNTING DISCLAIMER  
MOUNTING MEASUREMENT IS FOR REFERENCE ONLY.  
MEASURE BEFORE DRILLING.

### DISCLAIMER

DIMENSIONS, ILLUSTRATIONS, SPECIFICATIONS AND CERTIFICATIONS CONTAINED IN THIS DOCUMENT ARE TYPICAL OF THE ACTUAL PRODUCT AND ARE SUBJECT TO CHANGE. ECCO ENGINEERING DOES NOT MAINTAIN FORMAL DESIGN CONTROL OF THIS PRODUCT.

SCALE 1:2.75		APPROVALS	DATE	 www.code3esg.com Americas (314) 426-2700   Europe +44 (0)113 239 1111   Asia Pacific +61 (0)7 32937900 <b>DIRECTIONAL, VISOR, DECK, DASH, 2 LIGHTS</b>
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED:01		DrAnnie Braithwaite	2021-01-19	
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:		CHECKED		
MILLIMETERS DECIMALS XX ± 1.0mm XX.X ± 0.5mm		MECH. ENG.		
INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02		ELEC. ENG.		
ANGLES ± 0.5°		TEST ENG.		
FRACTIONS ± 1/64		SALES		
THIRD ANGLE PROJECTION				CUSTOMER PART NO. <b>SEE CHART</b>
		Electronically Controlled Use Latest Copy	SHEET 1 OF 1	Project: EL0180
SIZE: B		DWG. NO. CD5051VDL2-XX		REV. 01
		Date Created: 2021-01-19		

PROPRIETARY AND CONFIDENTIAL INFORMATION

THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES ("CODE3") AND IS ISSUED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN MAY NOT BE USED, COPIED, REPRODUCED OR OTHERWISE DISCLOSED IN PART OR IN WHOLE TO THIRD PARTIES OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR CODE3 WRITTEN CONSENT. CODE3 RESERVES ALL PATENT, COPYRIGHT, TRADEMARK AND OTHER PROPRIETARY RIGHTS TO THIS DOCUMENT, INCLUDING ALL DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THEREOF. THIS DRAWING IS SUBJECT TO RECALL BY CODE3 AT ANY TIME, AND YOUR POSSESSION AND/OR USE CONSTITUTES ACCEPTANCE OF THESE TERMS. ©2021 ELECTRONIC CONTROLS COMPANY