

CHILDREN'S ZYRTEC®: CONSISTENTLY POWERFUL RELIEF FOR YOUR KIDS' ALLERGIES*



Children's ZYRTEC® Allergy Syrup*†



Use products only as directed.

Age	Dose
6+ years	5 mL or 10 mL once daily depending on severity of symptoms. Do not take more than 10 mL in 24 hours.
2 to under 6 years	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours.Do not give more than 5 mL in 24 hours.
Under 2 years	Ask a doctor.
Consumers with liver or kidney disease	Ask a doctor.
Adults 65 years and over	5 mL once daily. Do not take more than 5 mL in 24 hours.

Children's ZYRTEC® **Dissolve Tabs***



Use product only as directed.

Age	Dose
6+ years	One-10 mg tablet once daily; do not take more than one-10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
Under 6 years	Ask a doctor.
Consumers with liver or kidney disease	Ask a doctor.
Adults 65 years and over	Ask a doctor.



Wipe away particles as small as pollen and other impurities!

ZYRTEC® Soothing Non-Medicated Face Wipes

- Instantly remove particles as small as pollen, dust, and dirt
- Formulated with micellar water
- Gentle, oil-free, alcohol-free
- Convenient, on-the-go packaging



THE BRAND MOMS TURN TO FIRST*



*When they first treat their children's upper respiratory allergies.

AGE	DOSE
6-11 years	Take 5 to 10 mL every 4 to 6 hours or as directed by a doctor. Do not take more than 6 doses in 24 hours.
2-5 years	Do not use unless directed by a doctor.
Under 2 years	Do not use.

AGE	DOSE
12+ years	Take 10 mL every 4 hours. Do not take more than 6 doses in 24 hours.
6-11 years	Take 5 mL every 4 hours. Do not take more than 6 doses in 24 hours.
4-5 years	Do not use unless directed by a doctor.
Under 4 years	Do not use.

AGE	DOSE
12+ years	2 to 4 chewable tablets (25 mg to 50 mg) every 4 to 6 hours or as directed by a doctor.
	Do not take more than 6 doses in 24 hours.
6-11 years	l to 2 chewable tablets (12.5 mg to 25 mg) every 4 to 6 hours or as directed by a doctor.
	Do not take more than 6 doses in 24 hours.
2-5 years	Do not use unless directed by a doctor.
Under 2 years	Do not use.



Children's **BENADRYL**® Allergy Liquid[‡]

Use products only as directed.



Children's **BENADRYL**® **Allergy Plus** Congestion^{†‡}

Use product only as directed.



Children's **BENADRYL®** Chewables[†]

Use product only as directed.



Help your child find relief from most outdoor itches with BENADRYL® Extra Strength Itch Stopping Cream. For additional information on allergy management, talk to your pediatrician.

†Relieves runny nose, sneezing, itchy, watery eyes, itching of the nose or throat.

‡Use only with dosing cup provided with product.

mL = milliliter