

# Pediatric Dosing Chart

Dosage for children from your healthcare professional



**DO NOT** use any other dosing device.

Use products **ONLY** as directed. Always read and follow the label on all SUDAFED® products.

## Children's SUDAFED® Nasal Decongestant

Available in: **Grape**





AGE	under 4 yrs	4 to 5 yrs	6 to 11 yrs
DOSE	Do not use	5 mL 	10 mL 

Dose every 4 to 6 hours.  
DO NOT give more than 4 doses in 24 hours.

## Children's SUDAFED® PE Nasal Decongestant

Available in: **Berry**






AGE	under 4 yrs	4 to 5 yrs	6 to 11 yrs
DOSE	Do not use	5 mL 	10 mL 

Dose every 4 hours.  
DO NOT give more than 6 doses in 24 hours.

## Children's SUDAFED® PE Cold + Cough

Available in: **Grape**



AGE	under 4 yrs	4 to 5 yrs	6 to 11 yrs
DOSE	Do not use	5 mL 	10 mL 

Dose every 4 hours.  
DO NOT give more than 6 doses in 24 hours.

Today's date: \_\_\_\_\_

This dosing recommendation from your healthcare professional will expire in 14 DAYS.

**ACTIVE INGREDIENTS:** Pseudoephedrine HCL (Children's SUDAFED® Nasal Decongestant,) Phenylephrine HCL (Children's SUDAFED® PE Nasal Decongestant,) Phenylephrine HCL and Dextromethorphan (Children's SUDAFED® PE Cold + Cough.)

© Johnson & Johnson Consumer Inc. 2024