

Children's Immunisations Schedule¹

8 Weeks / 2 months	How is it given?	Possible Side effects ²
6-in-1(DTaP/IPV/Hib/ HepB) vaccine – 1 st dose	Injection	• Pain, redness and/or swelling at the injection site • Fever • Irritability • Tiredness • Decreased appetite • Vomiting and/or diarrhoea
MenB vaccine – 1 st dose	Injection	• Fever • Pain, swelling or redness at the injection site • Irritability or tiredness • Decreased appetite • Diarrhoea
Rotavirus vaccine – 1 st dose	Oral Administration	• Diarrhoea • Irritability
12 Weeks/3 months		
6-in-1(DTaP/IPV/Hib/ HepB) vaccine – 2 nd dose	Injection	As shown above for 6-in-1 vaccine.
MenB vaccine – 2 nd dose	Injection	As shown above for Men B vaccine.
Rotavirus vaccine – 2 nd dose	Oral administration	As shown above for Rotavirus vaccine.
16 Weeks/4 Months		
Pneumococcal vaccine – 1 st dose	Injection	• Pain, redness and/ or swelling at the injection site • High temperature • Decreased appetite • Irritability • Tiredness
6-in-1(DTaP/IPV/Hib/ HepB) vaccine – 3 rd dose	Injection	As shown above for 6-in-1 vaccine.
12 months /1 Year		
Children born before 1st July 2024 <ul style="list-style-type: none"> • Pneumococcal – 2nd dose • MMR (Measles, Mumps and Rubella) – 1st dose • MenB – 3rd dose • Hib/MenC (if Hib/MenC exhausted give DTaP/Hib/IPV/ HepB) 		Children born on or after 1st July 2024 <ul style="list-style-type: none"> • Pneumococcal – 2nd dose • MMR (Measles, Mumps and Rubella) – 1st dose • MenB – 3rd dose
18 months (No appointment for children born before 1 st July 2024. See below for children born on or after 1 st July 2024.)		
6-in-1(DTaP/IPV/Hib/ HepB) vaccine – 4 th dose	Injection	As shown above for 6-in-1 vaccine.
MMR vaccine (Measles, Mumps and Rubella) – 2 nd dose	Injection	As shown above for MMR vaccine.
2-15 years²		
Children's flu vaccine (every year until children finish Year 11 of secondary school)	Nasal Spray or Injection (if spray unsuitable)	Nasal Spray: • Blocked or runny nose • Headache • Tiredness • Decreased appetite Vaccine injection: • Pain or soreness at site of injection • Aching body • Slightly raised temperature
3 years and 4 months		
Children born before 1st July 2024 <ul style="list-style-type: none"> • 4-in-1 (DTaP/IPV) – pre-school booster – 1st dose • MMR vaccine (Measles, Mumps and Rubella) – 2nd dose 		Children born on or after 1st July 2024 <ul style="list-style-type: none"> • 4-in-1 (DTaP/IPV) – pre-school booster – 1st dose

References

1. Routine childhood immunisations from 1 July 2025 (babies born from 1 July 2024). UK Health Security Agency. https://assets.publishing.service.gov.uk/media/68386e3c210698b3364e8685/UKHSA_13284_Routine_Childhood_imms_schedule_from_1July2025_born_from_1July24_.pdf (accessed August 2025)
2. NHS vaccinations and when to have them. NHS. <https://www.nhs.uk/vaccinations/nhs-vaccinations-and-when-to-have-them/> (accessed August 2025). For more information on possible side effects please visit: <https://www.nhs.uk/vaccinations/>



Scan for
Product Information



UK-CAL-2025-211943 Date of preparation: August 2025