

normet

NORMET.COM

TAMPUR RBG
ROCK BOLT GROUT

for securing rock and anchor bolts, even for overhead installations

TamPur RBG produces a non-sag resin that can be used for all types of soft rock bolts that require early tensioning/loading along with full rock bolt encapsulation. TamPur RBG is available in varying grades to suit both an automated or manual injection process and to allow for local ambient and rock formation temperature.

INCREASED SAFETY
Ensures early safety for operator, especially when working in fractured ground

IMPROVE PRODUCTIVITY
With early re-entry time due to fast strength development

APPLICABLE TO FRACTURED GROUND
Can be used where capsules & cement fails or struggle

APPLICABLE EVEN WITH WATERFLOW ISSUES
Can be used even if water is present

ENVIRONMENTALLY FRIENDLY
Overall cleaner process than cement

"TOGETHER WE ARE PROVIDING SAFETY UNDERGROUND



NORMET HAS THE COMPLETE PACKAGE

The extensive knowledge and experience of Normet helps to identify the problems. Together with our comprehensive portfolio of injection resins and our in-depth knowledge of the technology, application and associated equipment, we can provide technical solutions to solve your problems and meet the project demands. Our goal is to ensure that your project is handled in the safest and most productive way possible.

TAMPUR RBG
ROCK BOLT GROUT

APPLICATIONS

> Ideally suited for securing rock and anchor bolts in overhead installations
> Designed for both automated and manual application

KEY PROPERTIES

> Two component, non-sag urea silicate resin
> Excellent gelling characteristics
> Exceptionally high early strength gain
> Controlled gel times and fast cure rates
> Fire resistant
> High stability, even in aggressive environments
> Chemically resistant and durable

"EARLY SAFETY DUE TO FAST STRENGTH DEVELOPMENT

AVAILABLE IN VARYING GRADES

SLOW
Slow reaction is required
Designed to be used in hot ambient temperatures

STANDARD
Normal reaction is sufficient

FAST
Fast reaction is required
Early tensioning of bolt is required
Designed to be used in cold ambient temperatues or whenever very early strength is required.

NORMET UREA SILICATE RESINS RANGE:







TamPur 116T and TamPur RBG are solid resins used fundamentally as a glue in rock formation or securing rock bolts.
TamPur 117 is a high expansive system used for filling voids.

normet

NORMET.COM