

DOC074945.0 - 12.10.2023



Hydraulic Breakers S-Range



Normet reserves the right to change this specification without further notice

Pictures may include options and additional equipment.

Normet Oy Ahmolantie 6 FI-74510 IISALMI, FINLAND

www.normet.com

1/11

Tel +358 (0) 17 83 241 info@normet.com



DOC074945.0 - 12.10.2023

INTRODUCTION

Normet Xrock Breakers are made for professional use for excavators from 4 ton up to 120 ton. Breakers can be used on all common applications and tailored for special applications such as underwater jobs and extreme, hot applications. A diverse selection of breakers with small weight differences between 335 kg and 7250 kg ensure perfect match on every carrier.

S-RANGE

S-range is the most compact range, consisting of two breakers designed to be used in crushing plants, and urban and infrastructure works such as demolition and roadside breaking. Their working weights are 335 kg and 450 kg, meant for excavators from 4 ton up to 10 ton. Both S-range breakers have a wide selection of tools available. They are vibration and noise dampened, and they have membrane type accumulator, and durable polyurethane buffers as a standard. For special applications we offer optional hot and underwater kits.

normet xrock®



Normet reserves the right to change this specification without further notice

Pictures may include options and additional equipment.

2/11

TECHNICAL SPECIFICATION

HYDRAULIC BREAKERS

XB5	
Impact rate	450-1000 bpm
Tool diameter	70 mm
Noise level	125 dB
XB6	
Impact rate	500-1050 bpm

Impact rate	500-1050 bpm
Tool diameter	75 mm
Noise level	127 dB

Pressure hoseLeft side


Right side

HYDRAULIC SYSTEM

l/min
) bar
) bar
) bar

XB6	
Oil flow	45-100 l/min
Operating pressure	110-120 bar
Relief pressure	180 bar
Back pressure max.	10 bar

HOSES



orme

DOC074945.0 - 12.10.2023

- 1 Breaker port
- 2 Breaker port to hose head (nipple size)
- 3 Head of hose (breaker side)
- 4 Hose
- 5 Head of hose (excavator side)
- 6 Head of hose (breaker side)

IN HOSES	Models	
	XB5	ХВ6
Breaker Port	3/4"	1"
Nipple (Breaker)	3/4" - 1/2"	1" - 3/4"
Hose Head (Breaker)	1/2"	3/4"
Hose size	3/4"	3/4"
Hose Type	R2	R2
Length (cm)	190	190
Hose Head (Excavator)	*	*

OUT HOSES	Models	
	XB5	XB6
Breaker Port	3/4"	1"
Nipple (Breaker)	3/4" - 1/2"	1" - 3/4"
Hose Head (Breaker)	1/2"	3/4"
Hose size	3/4"	3/4"
Hose Type	R2	R2
Length (cm)	190	190
Hose Head (Excavator)	*	*

*) The measurement depends on the excavator model

3/11

Pictures may include options and additional equipment.



DOC074945.0 - 12.10.2023

TECHNICAL DOCUMENTATION

Standard documents:

- Instruction manuals, hard copy 1 pcs:
 - English
 - Russian
 - One of destination EU languages
- Spare parts manuals, hard copy 1 pcs:
 - English

PDF manuals on USB-stick 1 pcs, includes instruction and spare parts manuals

Additional documentation:

- Extra hard copies of manuals
- Extra PDF manuals
- LinkOne WebView electronic manuals
- Other than standard language manuals
- Dimensional (G.A.) drawings

ACCESSORIES



DOC074945.0 - 12.10.2023

MAIN ACCESSORIES

Underwater use kitHot application kit

PROCESS PRODUCTIVITY


• Automatic lubrication system

Normet reserves the right to change this specification without further notice



DIMENSIONS

SIDE VIEW XB5




Normet reserves the right to change this specification without further notice

6/11



SIDE VIEW XB6




Normet reserves the right to change this specification without further notice

7/11



TOP VIEW XB5




Normet reserves the right to change this specification without further notice

Pictures may include options and additional equipment.



TOP VIEW XB6



OPERATING WEIGHT

XB5 weight335 kgExcavator weight4000-8000 kgXB6 weight450 kgExcavator weight5000-10000 kg

SERVICES



DOC074945.0 - 12.10.2023

NORMET SERVICES

Our services cover the whole life cycle of your equipment. They include start-up and commissioning, genuine spare parts, upgrades & modifications, and remanufacturing, as well as rental and leasing offerings, and field services. We also offer improvement services such as operator training and process audits.

SPARE PARTS

Genuine parts from Normet Services ensure that you always have the highest quality parts available to keep your equipment up and running. Depending on your needs, we can offer everything from individual parts to complete parts contracts, and our professionals around the world have the experience to ensure that you have the parts you need when you need them.

Initial spare part packages:

Normet Xrock products have service kits available for comissioning, 2-year and 4-year operation and most critical parts.

UPGRADES AND MODIFICATIONS

Our Upgrades and Modifications services are designed to ensure the economical, efficient and purposeful performance of your equipment over its entire life cycle. A service provided by a reliable OEM like Normet ensures the safety and performance of your equipment. Normet Upgrades and Modifications save you both time and money, while delivering the high quality you expect from us.

SERVICE CONTRACTS


With a service agreement, Normet manages your fleet with guaranteed availability and agreed costs, giving you transparency for your life cycle costs, annual operational budget and fleet uptime. This lets you focus on your core operations. Each service agreement is built and customized to meet the individual customer's needs from our portfolio of services. Depending on the level of service agreement you need, you can choose anything from basic technical support for an individual machine all the way up to services for your entire fleet, as well as process performance. The service levels we offer are:

- Parts Availability
- Fleet Support
- Fleet Availability
- Process Performance

The content of a service level can be tailored to meet your particular requirements.

TRAINING SERVICE

Our Training Services are available for you and your operators throughout the equipment lifecycle and they include:



Normet reserves the right to change this specification without further notice

Pictures may include options and additional equipment.

START-UP AND COMMISSIONING



DOC074945.0 - 12.10.2023

1. OPERATOR TRAINING

	Start-up training	Commissioning
1.1 Classroom training		
General introduction and operation of machine	Basic	No classroom training in- cluded in commissioning
Safety instructions	Basic	
Use of manuals	Basic	
Technical introduction of equipment	Basic	
Hands-on service and pre-operation checks	Basic	
Controls and driving (starting, driving, stopping, parking)	Basic	
1.2 Practical training		
Pre-operation checks	Basic	Introduction
Driving, starting, stopping, parking	Basic	Introduction
Preparing the machine for specific operation conditions	Basic	Not covered
Operation	Basic	Introduction
Washing the machine	Basic	Introduction
Troubleshooting	Basic	Basic

2. MAINTENANCE AND REPAIR TRAINING		
General operation of machines	Basic	Introduction
Symbols of drawings and codes	Basic	Not covered
Understanding hydraulic and electric schematics	Basic	Introduction
Control systems	Basic	Introduction
Function of main components (depending on equipment)	Basic	Introduction
Locations of components in the machine	Basic	Not covered
Periodical maintenance	Basic	Introduction
Troubleshooting	Basic	Not covered
Use of manuals	Basic	Introduction
Connection of hydraulic and electrical equipment	Basic	Not covered

FI-74510 IISALMI, FINLAND

Normet Oy

Ahmolantie 6