



Dulux UltraAir Ceiling White

Dulux UltraAir Ceiling White is a low emission low odour water based paint. This product is also certified to GreenGuard Gold and has VOC emissions of <0.5g/L VOC (Volatile Organic Compounds) untinted and tinted with Decorama tinters. In terms of its application, 2 coats on ceiling are recommended with 1L per 16m2.

Products/Ranges: Dulux UltraAir

Product Stages Assessed: Material inputs, manufacturing, in-use

CSI Masterformat: 09 91 00 Painting

Licenced Site/s: Victoria, Australia
Licence Number: DUL:UA01:2021:PH
Licence Date: 25th June 2021
Valid To: 25th June 2024
Standard: GGT International v4.0

Screening Date: GG1 International V

PHD URL: https://www.globalgreentag.com/getfile/12746/phd.pdf





PHD Summary

Percentage Assessed:

100%

Inventory Threshold: 100ppm Product Level

Inventory Method:
Nested Materials

- GreenTag Banned List Compliant.
- OPProduct Meets Optimisation requirements No Grey or Red Light category ingredient.
- Meets Green Star Buildings v1.0 Credit 13: Exposure to Toxins, Green Star Design & As Built v1.3 Credit 13 Indoor Pollutant, Green Star Interiors v1.3 Credit 12: Indoor Pollutants
- Meets WELL™ v1.0 Features 11: Fundamental Material Part 1c, 26: Enhanced Material Safety, 04: VOC Reduction Part 1, 26: Enhanced Material Safety Part 1, 97: Material Transparency and WELL™ v2.0 Features X01: Material Restrictions Part 3, X06 VOC Restrictions Part 1, X07: Material Transparency Part 3, X08: Material Optimization Part 1
- Meets USGBC LEED* v4.0 and v4.1 Rating System MR Credit: "Building Product Disclosure and Optimisation Material Ingredients" Option 1: Material Ingredient Reporting and Option 2 International ACP REACH Optimisation.
- No worker, user, and environmental exposure to Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass.

ASSESSMENT:

INGREDIENTHAZARD DISCLOSURE

9%

78%

13%

RISK ASSESSMENT

IN USE HEALTH (INCL VOCS): HEALTH RATE

Declared by: Global GreenTag International Pty Ltd



David Baggs CEO & Program Director Verified compliant with: ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risk associated with any certified products and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for each homogeneous ingredient throughout the product life cycle, (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH GoldHEALTH or PlatinumHEALTH) rating relates ONLY to GGT Standard Sustainability Assessment Criteria 3, and is declared separately to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels.

1.2 Preparing a PHD

GGT PHDs are prepared using Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and as an outcome of a successful Application for Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the GGT International Standard v4.0, Personal Products Standard v1.0, and Cleaning Products Standard v1.0 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer reviewed by an external Consultant Toxicologist and Member of the Australian College of Toxicology &Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients such as LEED v4.0, Living Building Challenge, Estidama etc., the following information is declared from audit:

Colour	Ingredient Name
Green	Ideal- Low No Comment required
Yellow	Medium to Low No Comment, or 'Issue of Concern' required depending on % of ingredient.
Orange	Moderate 'Issue of Concern' or 'Red Light' Comment depending on % of ingredient.
Red	Problematic (Red): Target for Phase 'Issue of Concern' or 'Red Light' Comment depending on % of ingredient.
Grey	Uncategorised Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients POPs, SVHCs plus a wide range of compounds depending on specific Standard requirements

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

 $Users \ must \ carry \ out \ their \ own \ investigations \ if \ they \ are \ concerned \ about \ specific \ medical \ conditions \ and \ the \ impact \ of \ certain \ products \ or \ ingredients \ in \ relation \ to \ specific \ medical \ concerns.$

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



gredient Name	CAS Number OR Function	in finished product	& Endocrine Category	Assessment (Raw)	Whole Of Life Assessment	In Use Health Assessment	Comment
Binder							
							No comment
Tylose	Binder	0.1-2%	None				Recycled Content: Unknown Nanomaterials: unknown
Aqueous dispersion of po	lymer						
mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one and	55965-84-9	<0,01%	None				None Recycled Content: Unknown
2-methyl-2H-isothi- azol-3-one (3:1)							Nanomaterials: unknown
2-methyl-2H-isothi- azol-3-one	2682-20-4	<0.1%	Aq Acute 1. Skin Corr. 1B Acute Tox. 3 Eye Dam. 1 Aq Chron 1 Acute Tox. 2 Skin Sens. 1A				Once applied the aqueous dispersion of polymer togethe with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of thepaint will be of little concern as they are expected to be inert Recycled Content: Unknown Nanomaterials: unknown
1,2-Benzisothi- azol-3(2H)-one	2634-33-5	<0.1%	Aq Acute 1 Acute Tox. 4 Eye Dam. 1 Skin Irrit. 2 Skin Sens. 1				Once applied the aqueous dispersion of polymer togethe with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of thepaint will be of little concern as they are expected to be inert Recycled Content: Unknown Nanomaterials: unknown
^o roprietary	Additive	10-20%	None			_	Once applied the aqueous dispersion of polymer togethe with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of thepaint will be of little concern as they are expected to be inert Recycled Content: Unknown Nanomaterials: unknown
Additive							
Neutralizing Amine	Additive	<0.1%	None				None Recycled Content: Unknown
Foam Control							Nanomaterials: unknown
							None
White mineral oil petroleum)	8042-47-5	0.1-1%	None				Recycled Content: Unknown Nanomaterials: unknown
Precipitated synthetic amorphous silica	112926- 00-8	<0.5%	STOT 3. Eye Irrit 2A				Once applied, this ingredient in the foam control will be incorporated in a hard, durable, inert film and will not present significant hazard Recycled Content: Unknown Nanomaterials: unknown
Diethylenetriamine	111-40-0	<0.01%	Acute Aq Tox 3. Acute Tox 4 Acute Tox 2 Skin Corr 1B Skin Sens 1	_	_	_	Once applied, this ingredient in the foam control will be incorporated in a hard, durable, inert film and will not present significant hazard Recycled Content: Unknown Nanomaterials: unknown



gredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	Ingredient Assessment (Raw)	Whole Of Life Assessment	In Use Health Assessment	Comment
							None
Proprietary	Additive	0.1-1%	None				Recycled Content: Unknown Nanomaterials: unknown
Modifier							
Hydrophobically modified ethylene oxide urethane	Rheology modifier	0.5-2%	None	_			Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: unknown
Dispersant							
polycarboxylic acid	Waterborne pigment dispersant	0.1-1%	None				Once applied, this dispersant will be incorporated in a hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: unknown
Modifier							
Non-ironic urethane	Rheology modifier	0.1-1%	None				Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: unknown
Water							
Dosed Water	Diluent	30-50%	None				None Recycled Content: Unknown Nanomaterials: no
Perlite							ivariornaterials. No
Perlite	Filler	1-10%	Resp Sens 1. Skin Sens 1.		_	_	Once applied, this filler will be incorporated in hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: Yes
Calcium Carbonate							
							None
Limestone	Extender	1-10%	None				Recycled Content: Unknown Nanomaterials: Yes
Pigment							
Kaolin	Mineral pigment	1-10%	None				None Recycled Content: Unknown Nanomaterials: Yes
Pigment							
Titanium dioxide	Pigment	10-20%	None				None Recycled Content: Unknown
Biocide							Nanomaterials: Yes
Antomicrobial micro- bicide	Biocide	<0.1%	Acute Tox 4 Eye Dam. 1				Once applied, this biocide will be incorporated in hard, durable, inert film and will not present a significant hazard.
			Chron Aq Tox 1				Recycled Content: Unknown Nanomaterials: no
Biocide							
Biocide	biodete- rioration prevention	0-1%	Acute Aq Tox 2. Skin Irrit 2 Skin Sens 1 Eye Dam 1	_			Once applied, this biocide will be incorporated in hard, durable, inert film and will not present a significant hazard.
							Recycled Content: Unknown Nanomaterials: no



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	Ingredient Assessment (Raw)	Whole Of Life Assessment	In Use Health Assessment	Comment
Dispersant							
Dispersing agent	Dispersant	0-1%	Acute Tox 4 Eye Dam. 1 Chron Aq Tox 1	_	_		Once applied, this dispersing agent will be incorporated in hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: no

^{*} No GHS H-Statement classification

Comments:

VOC emissions: Global GreenTag International Program Standard v4.0 Formaldehyde Content Supplementary Standard in accordance with requirements of the Green Building Council of Australia and LEEDv4, as updated from time to time.

VOC content: VOC g/L for Dulux UltraAir applied on site is < 1g/L ready to use product calculated in accordance with the stated methodology within Green Star technical manual. The TVOC content of the 'ready-to-use' paint shall be theoretically calculated as the sum total of VOCs of each of the raw material components comprising the paint. Calculations submitted on 25/11/2020 by Dulux Australia. The VOC content also complies with limits set in the CDPH-IAQ V1.1 2010: Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions from Indoor Sources using Environmental Chambers. This is in reference to Certificate C 2005211-1 from BELL Laboratories, VIC, Australia.

Other relevant information as necessary

