

This guide presents an overview of products geared for the Commercial Painter and Specialist Texture Applicator. It's not intended to cover the entire Acratex® Range, but more so to introduce the more common products you'll need to service this customer group. For Plasterer Products, Preparation Products, Roofing or (more detailed)

Topcoats-Elastomerics information refer to their specific guides in the Products & Systems section. For full information on the entire range of Acratex Products refer to your local Acratex or Head Office Team member listed in the Contacts section of this guide.

	What product					v					Why					
RANGE	ТҮРЕ	ACRATEX PRODUCT	DESCRIPTION & TYPICAL USE	Aggregate Texture	Med. Nap	Long Nap	Texture Roller	Bag Mitt	Air Spray / Hopper Gun	Airless Spray	FEATURES / BENEFITS	SPREAD m²/L /coat	DFT micron / coat	ACRATEX PRODUCT	ТҮРЕ	RANGE
PRIMERS	Water Based (WB)	AcraPrime® WB  Green Render Sealer	General purpose Acratex specifications for bare masonry  High alkaline resistance masonry primer. Recommended primer for efflorescence resistance		•				•		- Unifies porosity of non-friable masonry - Improves adhesion & application of systems  - Reduces efflorescence - Fast track concrete/render overcoat	10	20	AcraPrime WB  Green Render Sealer	Water Based (WB)	PRIMERS
	Solvent Based (SB)	AcraPrime SB	Deep sealer for masonry/powdery surfaces recommended primer in membrane systems		•				•		- Binds powdery & friable masonry and previously coated surfaces	10	15	AcraPrime SB	Solvent Based (SB)	35
ROLLER APPLIED TEXTURE	Sand Finish Profile	AcraSand	Flexible, fine grain texture sand finish	•	•	•			•		- Highly flexible for crack bridging - Anti-slip primer for trowel on	4	125	AcraSand	Sand Finish Profile	ROLLER APPLIED TEXTURE
	Traditional Texture	Roll On 00	Low profile texture for off-form/precast economy "membrane texture"			•	•		•		- Flexible membrane	1.7	600	Roll On 00		
		Roll On 3mm	Medium profile texture (traditional) texture roller finish	•			•				- Mid-high build covering power - Traditional roller applied aggregate texture	1.3	750	Roll On 3mm	Traditional Texture	
		Roll On 9mm	High profile texture creating a high profile stipple finish or "cut rock" texture finish	•			•				- Provides maximum surface hiding - Distinctive textural style	0.8	780	Roll On 9mm		
BAGGING TEXTURE	Roller Applied	Contempo Advance®	Premium acrylic bag finish with advance anti-wet technology	•	•	•			•		- Contempo Advance anti-wet technology - Improved dirt pickup and weather resistance	2	250	Contempo Advance	Roller Applied	BAGGING TEXTURE
	Mitt Applied	Mediterranean Classique	Heavy bodied, acrylic bag texture direct application by mitt	•		•		•			- Traditional bag finish, flexible acrylic performance - Softens the hard line brick profile.	1	500	Mediterranean Classique	Mitt Applied	JING URE
SPRAY TEXTURE	Hopper Spray	Spray On 2mm	Spatter-stipple texture finish broadwall commercial applications requiring substrate textural relief	•					•		- Fast broadwall application - Surface imperfection covering power	1	650	Spray On 2mm	Hopper Spray	SPRAY
		Sedona™	Mid-build, multi-purpose sand finish nap roller or texture roller profiles	•		•	•		•		- Higher build/greater surface relief than AcraSand - Nap roller/texture roller application options	3	160	Sedona		
MID BUILD TOPCOAT	Roller Applied	AcraGuard	Mid build self priming topcoat for masonry			•				•	- Two coat system for masonry - No primer required - Weatherproofing topcoat	10	41	AcraGuard	Roller Applied	MID BUILD TOPCOAT
		AcraSatin Ultra	Mid to high build capable of achieving various texture or stipple finishes, based on application method	•		•	•		•	•	- Single product, weatherproofing texture - Mid-high build texture relief	1.2 (Tex) 6 (T/coat)	375 76	AcraSatin Ultra	попол прриса	ÖAT
BARRIER COAT	Topcoat & Anti-Carbonation	AcraShield®	Elastomeric topcoat & concrete anti-carbonation (matt or low gloss)		•		•		•	•	- 6 DFT crack bridging - Low dirt pickup	6	75	AcraShield	Topcoat &	_
		Elastomeric 201	Mid build, elastomeric with enhanced application for facade restoration		•				•	٠	- Advanced rheology, low roller spatter - Optimised film properties	4	125	Elastomeric 201	Anti-Carbonation	BARRIER COAT
	Super Flexible	AcraSkin®	High build membrane - ultimate crack bridging texture or nap profile		•		•			•	- >500% elongation - High-build for max crack bridging	3	165	AcraSkin	Super Flexible	R COA
	Waterproofing Membrane AS4654.1	AcraSkin WP	Combines waterproofing and finishing topcoat in one							•	- Waterproofing membrane and UV stable topcoat in one product - Complies to AS4654.1 external waterproofing for above ground use	1	300	AcraSkin WP	Waterproofing Membrane AS4654.1	4



# WHAT DO YOU NEED?

Dulux® Acratex® material recommendations are a guide to assist you in exploring the possibilities.

For a comprehensive understanding and to explore all available combinations, visit our dedicated platform, DuSpec+®.

DuSpec+ is the online technical resource for Specifiers and Trade Professionals that provides quick, easy access to up-to-date technical product information and system specifications across our market-leading brands – all in one convenient place.



## **Specifications**

Detailed system specifications for selecting and applying the right product.

Scan me for Specifications





### **Datasheets**

Designed to help you find precise technical details for each product.

Scan me for Datasheets





#### **Substrates**

Find guidelines and coating recommendations for various surfaces and substrates.

Scan me for Substrates





## Substrate Preparations

Find the right methods and products for preparing different substrates before applying coatings.

Scan me for Preparations





DuSpec+ duspecplus.com.au

Learn more about Dulux Acratex at **acratex.com.au** Customer Service **13 23 77** 

