

Dulux®

Worth doing, worth Dulux.

LOVE YOUR BATHROOM WITH DULUX® RENOVATION RANGE

Project Guide

A step-by-step guide on how to refresh
your bathroom shower base

Dulux®
Southern
Alps

Dulux®
Pisa
Moorings

Dulux®
Southern
Alps



REIMAGINE YOUR SPACE




Dulux®
Pisa
Mooring



Dulux®
Southern
Alps

Dulux®
Southern
Alps



BEFORE

Everything you need
to get the job done!



SHOPPING LIST

- Cleaning cloth
- Scouring Pad
- Selleys® Sugar Soap
- Selleys® Silicone Remover
- Painters' tape
- 38-50mm angled sash cutter
- 4mm nap, 100mm wide microfibre roller & tray
- Paint stirrer
- Dulux® Renovation Range Primer
- Dulux® Renovation Range Floors, in your chosen colour and sheen

3 | **2**
STEPS | DAYS

Dulux[®]

Worth doing, worth Dulux.

Choose Dulux[®] Renovation Range FLOORS to transform your shower base in 3 steps.



STEP 1: PREP

- Remove all silicone with Selleys[®] Silicone Remover. Post clean with a scouring pad.
- Remove all grease and dirt with Selleys[®] Sugar Soap.
- Mask any edges and surfaces you don't want painted.



STEP 2: PRIME

- Ensure surface is dry.
- Add all of the additive, found underneath the lid, to the Dulux[®] Renovation Range Primer.
- Stir well using a lifting motion for 2-5 minutes.
- Cut-in using a sash brush around edges.
- Coat surface using a 4mm nap, 100mm wide microfibre roller.
- Apply one coat, allowing at least eight hours before applying your topcoat.



STEP 3: TOPCOAT

- Add all of the additive, found underneath the lid, to the Dulux[®] Renovation Range Floors topcoat.
- Stir well using a lifting motion for 2-5 minutes.
- Cut-in using a sash brush around edges.
- Coat surface using a 4mm nap, 100mm wide microfibre roller.
- Apply at least two coats, allowing at least eight hours before re-coating.

RETURN TO USE: Light use after 2 days (including running water and foot traffic). General use after 7 days (with normal exposure to water, soap and foot traffic).

Popular colour schemes

Dulux[®]
Southern Alps

Dulux[®]
Pisa Moorings

Dulux[®]
Opononi Quarter

Dulux[®]
Prebbleton

Dulux[®]
Haast Half

Dulux[®]
Woods Creek



NOTE: Due to limitations of the printing process, printed images may not represent the true colour.

Always confirm your final colour choice with a Dulux[®] sample pot.

The Clear Coat is not recommended for the Renovation Floors range.

THE PERFECT RENOVATION SYSTEM

This revolutionary range works as a three step system.
For the best possible result, ensure you always follow
all three steps.*

1. CLEAN & PREP



Cleaning

Clean with Selley's®
Sugar Soap.

2. PRIME



Primer

3. TOPCOAT



Topcoat†

Floors.

NEED HELP & ADVICE?



CALL:
NZ 0800 800 424



ONLINE & LIVE CHAT:
dulux.co.nz



For 'How To' videos,
helpful tips and more,
scan here!

*For full use instructions please see the Dulux website and review the Data Sheet, Application and FAQ information.

†The Dulux Renovation Range Floor product does not require a clear coat as it will reduce the non-slip performance.

Due to the limitations of the printing process, printed images and swatches may not represent the true colour. Always confirm your final colour choice with a Dulux Sample Pot. *Dulux, Worth doing, worth Dulux, Selley's and Renovation Range are registered trade marks of DuluxGroup (Australia) Pty Ltd.