



Dulux Australia Dulux EnvirO2 Interior Matt White


Dulux Enviro2 Interior Matt acrylic is a washable acrylic paint formulated for interior applications. It is characterised by low sheen levels to help hide minor surface imperfections. This paint has antimould properties to help prevent mildew and mould growth.

| | |
|--------------------------|---|
| Products/Ranges: | EnvirO2 Interior Matt White |
| Product Stages Assessed: | Material inputs, manufacturing, in-use |
| CSI Masterformat: | 09 91 00 Painting |
| Licenced Site/s: | Victoria, Australia |
| Licence Number: | DUL:EI04:2023:PH |
| Licence Date: | 31st December 2019 |
| Valid To: | 1st October 2025 |
| Standard: | GGT International standard v4.0 |
| Screening Date: | 20th September 2023 |
| PHD URL: | https://www.globalgreentag.com/certificate/2254/ |



| | | |
|----------------------------------|-----------------------------|--------------------------|
| PHD Summary | Inventory Threshold: | Inventory Method: |
| Percentage Assessed: 100% | 100ppm Product Level | Nested Materials |

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL[®] & LEED[®] Material Transparency & Optimization credits included below:
- Meets Green Star[®] 'Buildings v1.0' ~ Credit 9: Responsible Finishes; Credit 13: Exposure to Toxins, and, meets 'Design & As Built v1.3' and 'Interiors v1.3' ~ Indoor Pollutants.
- Meets IWBI[®] WELL[™] v1.0 as Recognized for Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for Feature 04 (Part 1) and, meets IWBI[®] WELL[™] v2.0 as Recognized for X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for X01 (Part 3); X06 (Part 1); X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED[®] v4.0 and v4.1 Rating Tool Credit, MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED[®] v4.0 & v4.1, WELL[®] v1.0 & v2.0, Green Star[®], the following information is declared from the audit:

| Colour | Ingredient Hazard Disclosure |
|----------|---|
| Green | Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects. |
| Yellow | Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects. |
| Orange | Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects. |
| Red | Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects. |
| Black | Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product. |
| Grey | Grey Chemical Not able to be categorised due to lack of toxicity impact information. |
| Colour | Risk Assessment & In Use Health Assessment Outcome |
| Green | No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns. |
| Yellow | Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk. |
| Orange | Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk. |
| Red | Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk. |
| Dark Red | Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk. |
| Grey | Grey Chemical Not able to be categorised due to lack of toxicity impact information. |
| Black | Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2 |

























Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.




Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

| Ingredient Name | CAS Number OR Function | Proportion in finished product | GHS, IARC & Endocrine Category | REACH Compliance | Ingredient Hazard Disclosure | Whole Of Life Assessment | In Use Health Assessment | Comment |
|---|------------------------|--------------------------------|--|------------------|------------------------------|--------------------------|--------------------------|--|
| Aqueous dispersion of polymer | | | | | | | | |
| Proprietary | Polymer | 30-50% | H330, H310 H301, H314 H318, H317 H400, H410 | OK | | | | Once applied the aqueous dispersion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. Recycled Content: Unknown Nanomaterials: unknown |
| 2-methyl-2H-isothiazol-3-one | 2682-20-4 | <0.1% | H330, H311 H301, H314 H318, H317 H400, H410 | OK | | | | Once applied the aqueous dispersion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. Recycled Content: Unknown Nanomaterials: unknown |
| 1,2-Benzisothiazol-3(2H)-one | 2634-33-5 | <0.1% | H302, H315 H318, H317 H400 | OK | | | | Once applied the aqueous dispersion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. Recycled Content: Unknown Nanomaterials: unknown |
| Additive | | | | | | | | |
| Neutralizing Amine | Additive | 0.1-1% | None | OK | | | | Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Foam Control | | | | | | | | |
| White mineral oil (petroleum) | 8042-47-5 | 0.1-1% | H304 | OK | | | | Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Precipitated synthetic amorphous silica | 112926-00-8 | <0.1% | H330, H372 H332, H318 H335 | OK | | | | Once applied, this ingredient in the foam control will be incorporated in a hard, durable, inert film and will not present a significant hazard Recycled Content: Unknown Nanomaterials: unknown |
| Diethylenetriamine | 111-40-0 | <0.1% | H312, H302 H314, H317 | OK | | | | Once applied, this ingredient in the foam control will be incorporated in a hard, durable, inert film and will not present a significant hazard Recycled Content: Unknown Nanomaterials: unknown |
| Proprietary | Additive | 0.1-1% | None | OK | | | | Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Thinner | | | | | | | | |

| Ingredient Name | CAS Number OR Function | Proportion in finished product | GHS, IARC & Endocrine Category | REACH Compliance | Ingredient Hazard Disclosure | Whole Of Life Assessment | In Use Health Assessment | Comment |
|---|------------------------|--------------------------------|--------------------------------|------------------|---|--|---|--|
| Isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol | 25265-77-4 | 1-5% | H319, H315 H335, H412 | OK |  |  |  | Thinner solvents present risk such as VOC to indoor air quality however, as noted from the total voc of the final product, this is lower than the limits set by the GBCA and LEED. In terms of chronic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinner does not present any health risk. Recycled Content: Unknown Nanomaterials: unknown |
| Proprietary | Additive | <0.1% | None | OK |  |  |  | Thinner additives - In terms of chronic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinner does not present any health risk. Recycled Content: Unknown Nanomaterials: unknown |
| Modifier | | | | | | | | |
| Hydrophobically modified ethylene oxide urethane | Rheology modifier | 0.1-1% | None | OK |  |  |  | Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. Recycled Content: Unknown Nanomaterials: unknown |
| Surfactant | | | | | | | | |
| Alcohols, C11-15-secondary, ethoxylated | 68131-40-8 | 0.1-1% | H412 | OK |  |  |  | Once applied, this surfactant will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Water | 7732-18-5 | <0.1% | None | OK |  |  |  | Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Poly(ethylene oxide) | 25322-68-3 | <0.1% | H335 | OK |  |  |  | Once applied, this surfactant ingredient will be incorporated in hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Modifier | | | | | | | | |
| Hydrophobically modified ethylene oxide urethane | Rheology modifier | 1-5% | None | OK |  |  |  | Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Modifier | | | | | | | | |
| Non-ironic urethane | Rheology modifier | 0.1-1% | None | OK |  |  |  | Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Dispersant | | | | | | | | |

| Ingredient Name | CAS Number OR Function | Proportion in finished product | GHS, IARC & Endocrine Category | REACH Compliance | Ingredient Hazard Disclosure | Whole Of Life Assessment | In Use Health Assessment | Comment |
|---------------------------|-------------------------------|--------------------------------|--------------------------------|------------------|------------------------------|--------------------------|--------------------------|--|
| Hydrophobic Copolymer | Waterborne pigment dispersant | 1-5% | None | OK | | | | Once applied, this dispersant will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Pigment | | | | | | | | |
| Opaque Polymer | Polymeric pigment | 5-10% | None | OK | | | | Once applied, this opaque polymer pigment will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Water | | | | | | | | |
| Dosed Water | Diluent | 10-20% | None | OK | | | | There is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Surfactant | | | | | | | | |
| Non ionic surfactant | Surfactant | 0.1-1% | Acute Aq Tox 1 | OK | | | | Once applied, this surfactant will be incorporated in a hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Perlite | | | | | | | | |
| Perlite | Filler | 1-5% | H334, H317 | OK | | | | Once applied, this filler will be incorporated in hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: Yes |
| Calcium Carbonate | | | | | | | | |
| Limestone | Extender | 5-10% | None | OK | | | | There is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Additive | | | | | | | | |
| Industrial Microbiocide | Biocide | 0.1-1% | None | OK | | | | Once applied, this biocide will be incorporated in hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: no |
| Pigment | | | | | | | | |
| Titanium dioxide | Pigment | 15-25% | None | OK | | | | There is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: unknown |
| Biocide | | | | | | | | |
| Antimicrobial microbicide | Biocide | 0.1-1% | H302, H332, H318 & H413 | OK | | | | Once applied, this biocide will be incorporated in hard, durable, inert film and will not present a significant hazard. Their is no identifiable risk to the end user. Recycled Content: Unknown Nanomaterials: no |
| Binder | | | | | | | | |

| Ingredient Name | CAS Number OR Function | Proportion in finished product | GHS, IARC & Endocrine Category | REACH Compliance | Ingredient Hazard Disclosure | Whole Of Life Assessment | In Use Health Assessment | Comment |
|-----------------|------------------------|--------------------------------|--------------------------------|------------------|---|---|---|---|
| Proprietary | Binder | 1-5% | None | OK |  |  |  | <p>Once applied, this binder will be incorporated in hard, durable, inert film and will not present a significant hazard. There is no identifiable risk to the end user.</p> <p>Recycled Content: Unknown Nanomaterials: no</p> |

GHS H-Statements:

- H302 (Harmful if swallowed)
- H312 (Harmful in contact with skin)
- H314 (Cause skin/eye damage)
- H315 (Causes skin irritation)
- H317 (Allergic reaction)
- H318 (may cause eye damage)
- H319 (Causes serious eye irritation)
- H330 (Fatal if inhaled)
- H332 (Harmful if inhaled)
- H335 (May cause respiratory irritation)
- H350 (May cause cancer)
- H372 (may cause organ damage)
- H400 (Aquatic toxicity)
- H412 (Harmful to aquatic life with long lasting effects)

Comments:

VOC content: VOC g/L for Dulux Enviro2 Matt White applied on site is < 1g/L ready to use product calculated in accordance with the stated methodology within Green Star technical manual. The TVOC content of the 'ready-to-use' paint shall be theoretically calculated as the sum total of VOCs of each of the raw material components comprising the paint. Calculations submitted on 26/09/2023 by Dulux Australia.