

## Feast Watson Hard Wax

**AU\_DW02676**

<b>Part A</b>	91A-line
---------------	----------

### Description

FEAST WATSON HARD WAX REJUVENATES AND PROTECTS COATED INTERIOR TIMBER FURNITURE. CAN BE USED TO FILL SMALL SCRATCHES APPLY WITH A SOFT CLOTH. ALLOW 5-15 MINUTES TO DRY THEN BUFF WITH A CLEAN CLOTH OR STEEL WOOL (000 OR 0000) TO ACHIEVE THE DESIRED LUSTRE. USE HARD WAX BLACK ON DARK TIMBERS AND FINISHES TO ENRICH THE COLOUR, OR ON LIGHT FINISHES FOR AN ANTIQUE LOOK.

### Features

- Premium carnauba wax
- Rejuvenates and protects

### Uses

INTERIOR TIMBER FURNITURE

### Performance Guide

<b>Weather</b>	Interior use only
----------------	-------------------

### Typical Properties

<b>Colour</b>	Available in Natural, Brown and Black	<b>Number Of Coats</b>	1+
<b>Clean Up Description</b>	Mineral turpentine		
<b>Application Method</b>	<b>Other:</b> Soft cloth		

### Application Guide

<b>Surface Preparation</b>	<ul style="list-style-type: none"> <li>• Ensure surface is clean and dry.</li> </ul>
<b>Application Procedure And Equipment</b>	<ul style="list-style-type: none"> <li>• Apply with a soft cloth. Allow 5-15 minutes to dry, then buff with a clean cloth or steel wool (000 or 0000) to achieve the desired lustre. Use Hard Wax Natural on light timbers and finishes, and Hard Wax Brown on darker timbers and finishes. Use Hard Wax Black on dark timbers and finishes to enrich the colour or on light finishes for an antique look.</li> </ul>

## Health And Safety

<b>MSDS Number</b>	DLXGHSEN003408	<b>Using Safety Precautions</b>	Causes skin irritation. May cause an allergic skin reaction. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting and all other equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust, fume, gas, mist, vapours or spray.. Wash hands, face and all exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective clothing, gloves, eye/face protection and suitable respirator.
<b>Health Effects</b>	<p><b>FIRST AID:</b> If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 131 126; New Zealand 0800 764 766). If medical advice is needed, have product container or label at hand.</p> <p><b>SWALLOWED:</b> If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.</p> <p><b>EYE:</b> If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.</p> <p><b>SKIN:</b> If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If irritation occurs seek medical advice.</p> <p><b>INHALED:</b> Remove from contaminated area. Seek medical advice.</p>	<b>Flammability</b>	Flammable liquid and vapour.
<b>Fire Suppression</b>	If material is involved in a fire use alcohol resistant foam, standard foam or dry agent (carbon dioxide, dry chemical powder).	<b>Protective Equipment</b>	Wear protective clothing, gloves, eye/face protection and suitable respirator.
<b>Storage</b>	Keep out of reach of children	<b>Disposal</b>	Dispose in accordance with local, regional, national and international Regulations.
<b>Other</b>	<p>CONTAINS: &gt;60% D-LIMONENE</p> <p>Emergency Tel: Australia – 1800 033 111 New Zealand – 0800 734 607</p>		

**In the case of emergency, please call 1800 033 111**

## Transport And Storage

<b>Pack A</b>	91A-line	<b>Shipment Name</b>	PAINT RELATED MATERIAL
<b>Size</b> 125g	<b>Weight</b> 125g		
<b>Flash Point</b>	54C	<b>UN Number</b>	1263
<b>Dangerous Goods Class</b>	3	<b>Package Group</b>	III

### Disclaimer

Dulux, Selleys and Other marks followed by ® are registered trademarks. Marks followed by the symbol of ™ are trademarks.

The data provided within the Duspec system is correct at the time of publication, however it is the responsibility of those using this information to check that it is current prior to specifying or using any of these coating/product systems.

DISCLAIMER: Any advice, recommendation, information, assistance or service provided by any of the divisions of DuluxGroup (Australia) Pty Ltd or its related entities (collectively, DuluxGroup) in relation to goods manufactured by it or their use and application is given in good faith and is believed by DuluxGroup to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by DuluxGroup is provided without liability or responsibility PROVIDED THAT the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon DuluxGroup by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. Coating/product systems can be expected to perform as indicated on the Duspec Spec Sheet so long as applications and application procedures of the individual products are followed as recommended on the appropriate Product data Sheet. "DuluxGroup" "Dulux" "Selleys" "Berger" "Berger Gold Label" "Hadrian" "Walpamur" "Levene" "Acratex" and Other marks followed by ® are registered trademarks of DuluxGroup (Australia) Pty Ltd ABN 67 000 049 427. Marks followed by the symbol ™ are trademarks.

Please note that this document is only valid for 60 days from the date of issue.

DuluxGroup (Australia) Pty Ltd 1956 Dandenong Road, Clayton, Victoria 3168 AU ABN 67 000 049 427

Version 1.0 of Woodcare datasheet AU\_DW02676 approved on Tuesday, 10 March 2020 10:24:44 PM (UTC)

Page 2 of 3

