



## Captain Flint Outdoor B2

Multi-directional floor lamp for exterior use.


### Description

Elevate your outdoor space with Captain Flint, an elegant dual-purpose floor lamp serves as an uplight and reading light with its conical shade and refreshed with waterproof materials and finishes in new colors, built to withstand environmental conditions. The sophisticated, iconic indoor floor lamp designed by Michael Anastassiades is now to be taken outside.

The "invisible" system that keeps in balance the conical diffuser to the thin tubular structure, also allows the diffuser to rotate in 8 different positions. The lighting beam can be pointed down for a direct light or against a wall for a smooth ambience halo.



### Dimensions



### Lamp

Lamps Type	COB LED
Wattage	9.5W
Output Nominal	989 lm, 1026 lm, 1099 lm
Color Temperature	2700K, 3000K, 4000K
Color rendering	CRI80

### Optical

Beam Angle	112°
Lighting Type	Direct
Light Distribution	Symmetric

### Physical

Material	Stainless Steel / Polycarbonate
Aiming	Fixed
Weight	536 Pounds
Ingress Protection Rating	IP65
Finishes	Painted lacquer/ Real Stone

55 Brushed Stainless Steel	18 Deep Brown	30 Black	37 Burgundy Red	59 Brass Finish
----------------------------	---------------	----------	-----------------	-----------------



### Certifications



Class 2

### Photometrics

For current IES files please visit [arch.flosusa.com](http://arch.flosusa.com)

### Warranty

2 years from date of sale.

Installation type	Floor
Environment	Outdoor/ Wet location



## Captain Flint Outdoor B2

Multi-directional floor lamp for exterior use.

### Electrical & Control


Control	Standard 0-10V dimming
Driver	Integral
Input Driver Voltage	120V - 277V

### Performance

Maximum delivered output	from 629 lm up to 699 lm
Efficacy	73.5 lm/W

### Notes

### Dimensions



The painted versions are an exterior rated epoxy polyester powder coat finish for superior strength, heat and UV resistance.

Casambi function on demand.

During installation and maintenance avoid scratching or damaging the finish as it may result in premature corrosion of metal surfaces. Avoid cleaning fixtures with corrosive chemicals as it may result in voiding the warranty.

5m – 16ft cable with IP44 plug suitable for outdoor use.

Fixture should plug into covered GFI wall receptacle as required by local code.

Backlit floor dimmer switch on the IP65 cable enables ON/OFF function and brightness regulation 30–100% (\*with dimmable LED).

### Certifications



Class 2

### Photometrics

For current IES files please visit  
[arch.flosusa.com](http://arch.flosusa.com)

### Warranty

2 years from date of sale.

Captain Flint Outdoor B2


Multi-directional floor lamp for exterior use.

How to specify

Part Number	CCT	Watts	Initial Lumens	Delivered Lumens	CRI	Finish	Dimming Protocol
F011E20AU55	2700K	9.5 W	989 lm	629 lm	>80	Brushed Stainless Steel	0-10V Dimmable
F011E20AU18	2700K	9.5 W	989 lm	629 lm	>80	Deep Brown	
F011E20AU30	2700K	9.5 W	989 lm	629 lm	>80	Black	
F011E20AU37	2700K	9.5 W	989 lm	629 lm	>80	Burgundy Red	
F011E20AU59	2700K	9.5 W	989 lm	629 lm	>80	Brass Finish	
F011E30AU55	3000K	9.5 W	1026 lm	652 lm	>80	Brushed Stainless Steel	
F011E30AU18	3000K	9.5 W	1026 lm	652 lm	>80	Deep Brown	
F011E30AU30	3000K	9.5 W	1026 lm	652 lm	>80	Black	
F011E30AU37	3000K	9.5 W	1026 lm	652 lm	>80	Burgundy Red	
F011E30AU59	3000K	9.5 W	1026 lm	652 lm	>80	Brass Finish	
F011E40AU55	4000K	9.5 W	1099 lm	699 lm	>80	Brushed Stainless Steel	
F011E40AU18	4000K	9.5 W	1099 lm	699 lm	>80	Deep Brown	
F011E40AU30	4000K	9.5 W	1099 lm	699 lm	>80	Black	
F011E40AU37	4000K	9.5 W	1099 lm	699 lm	>80	Burgundy Red	
F011E40AU59	4000K	9.5 W	1099 lm	699 lm	>80	Brass Finish	

Photometrics

3000K



## Captain Flint Outdoor B2

Multi-directional floor lamp for exterior use.

### Required Accessory

Box for ground installation

Part Number:

F018Z000000

